1182E2

ENVIRONMENTAL RESEARCH

RESEARCH AND TECHNOLOGY BRANCH

CHLORINATED AND NONCHLORINATED ORGANICS STORAGE STUDIES

R. A. C. PROJECT NO. 412C
FINAL REPORT

Environment Ontario
Jim Bradley, Minister

ISBN 0-7729-7496-9 (2 v. set)
0-7729-7498-5 (v.2)

CHLORINATED AND NONCHLORINATED ORGANICS STORAGE STUDIES

R. A. C. PROJECT NO. 412C
FINAL REPORT

Prepared for Environment Ontario by:

W.M. Neaves and B. Fong
Enviroclean - Environmental Laboratory Services
A Unit of Lavalin Engineers
921 Leathorn Street
London, Ontario N5Z 3M7

SEPTEMBER 1990

Copyright: Queen's Printer for Ontario, 1990
This publication may be reproduced for non-commercial purposes with appropriate attribution.

ACKNOWLEDGEMENT AND DISCLAIMER

This report has been reviewed by the Research Advisory Committee of the Ontario Ministry of the Environment. Approval does not necessarily signify that the contents reflect the views and/or policies of the Ontario Ministry of the Environment nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

List of Abbreviations

AE	Acid Extractables - Phenolics
AIR-C	Air - Canister or Bag
AIR-F	Air - Filter
AIR-S	Air - Sorbent Trap
AL	Aluminum
ASC	Ascension number
ASCORB	Ascorbic
BIO	Biota
BN	Base-Neutral Extractable Compounds
CH3CN	Acetonitrile
CONC	Concentration
CP	Carbamate Pesticides
CUSO4	Copper Sulphate
D	Days
DW	Drinking/Surface Water
DX	Chlorinated Dibenzo-p-dioxins and Dibenzofurans
EXTR	Extract
GLAS.FIB.FIL	Glass fibre filter
H, hrs	Hours
H2SO4	Sulphuric Acid
M, Mth	Months
OC	Neutral Chlorinated Extractables
OP	Organophosphorus Pesticides
PA	Acid Extractables - Phenoxy Acid Herbicides
% REC	Percent Analyte Recovery
PP	Phenyl Urea Pesticides
RA	Resin and Fatty Acids
SED	Sediment
TEMP	Temperature in °C
TR	Triazine Herbicides
U.S. EPA	United States Environmental Protection Agency
VEG	Vegetation
VH	Volatile Organics - Halogenated
VN	Volatile Organics - Non-Halogenated
VS	Volatile Organics - Sulphur Compounds
W, Wk	Weeks
WW	Waste Water
Y	Years

APPENDIX A - Compilation of Data, Statistical Analysis, and Recommendations.

COMPOUND CLASS PROFILE

Acid Extractables - Phenolics

Air - Canister or Bag:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store SUMMA canisters or glass sample containers at 25°C for up to 12 days before analysis.

COMPOUND CLASS PROFILE

Acid Extractables - Phenolics

Air - Filter:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store filters at -20°C under air-argon gas mixture. Samples are stable for at least 2 years.

COMPOUND CLASS PROFILE

Acid Extractables - Phenolics

Air - Sorbent Trap:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - follow U.S. E.P.A. protocol of sampling with distributed air volume sets. Sample tubes are sealed; refrigerated; analysis to be completed between 7 and 30 days after sampling.

COMPOUND CLASS PROFILE

Acid Extractables - Phenolics

Biota:

Existing Criteria:	None
Experimental Data:	One study on chlorophenols only.
Data Evaluation:	Evaluation of recoveries for different phenols.
Data Deficiencies:	Only data for chlorophenols.
Storage Recommendations:	Provisional recommendation - store at -20°C for up to 15 weeks with no preservation.

COMPOUND CLASS: *Acid Extractables - Phenolics* MATRIX: *Biota* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
4-chloro-3-methylphenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
3-chlorophenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,4-dichlorophenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
pentachlorophenol									
	NONE	20 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,3,4,5-tetrachlorophenol									
	NONE	1 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,3,4,6-tetrachlorophenol									
	NONE	18 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,3,5,6-tetrachlorophenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,3,4-trichlorophenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,3,5-trichlorophenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,3,6-trichlorophenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

COMPOUND CLASS: *Acid Extractables - Phenolics* MATRIX: *Biota* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
2,4,5-trichlorophenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,4,6-trichlorophenol									
	NONE	2 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
3,4,5-trichlorophenol									
	NONE	200 - 200	ng/g	-20	15 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Biota	Class: Acid Extractables - Phenolics						
Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
4-chloro-3-methylphenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
3-chlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2-chlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
4-chlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,4-dichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3-dichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,6-dichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
3,5-dichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
3,4-dichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
pentachlorophenol	NONE	20 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
pentachlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,4,5-tetrachlorophenol	NONE	1 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,4,5-tetrachlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,4,6-tetrachlorophenol	NONE	18 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,4,6-tetrachlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,4,6-tetrachlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,5,6-tetrachlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,4-trichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,5-trichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,3,6-trichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,4,5-trichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,4,6-trichlorophenol	NONE	2 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
2,4,6-trichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215
3,4,5-trichlorophenol	NONE	200 ng/g	-20	15 W	100	Analyzed at 0,3,6,10,15 weeks	215

COMPOUND CLASS PROFILE

Acid Extractable - Phenolics

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; 0.008% $Na_2S_2O_3$; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One major study. Preservation with $CuSO_4$, H_2SO_4 and Chloroform studied. 0.5 - 50 ug/L levels in waters.
Data Evaluation:	Statistical Evaluation of H_2SO_4 vs $CHCl_3$ and $CuSO_4$ show that H_2SO_4 gives more consistent recoveries for the compounds studied. Demonstrates sample stability within 1 S.D. for all compounds except 2,3,4,5 Tetrachlorophenol for 15 weeks study duration.
Data Deficiencies:	Insufficient or no data obtained for acetosyringone, acetovanillone, 4-chloro-3-methylphenol, cresols, 4,6-dinitro-o-cresol, 2,4-dinitrophenol, guaiacol, nitrophenols, phenol, syringaldehyde, homovanillic acid, and vanillin
Storage Recommendations:	Preserve with chloroform, stable for 3 weeks except for pentachlorophenol and some tetrachlorophenol. In this case use 5 ug/L H_2SO_4 but some losses may occur for all compounds.

COMPOUND CLASS: *Acid Extractables - Phenolics* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
acetosyringone									
	NONE	7 - 7	ug/L	25	12 - 12		76 - 76		
				Average Recovery:			76	Std. Dev.: 0.0	
3-chlorophenol									
	CHLOROFORM	-		4	3 - 15	W	86 - 101		
				Average Recovery:			92	Std. Dev.: 5.4	
	CUSO4	-		4	5 - 10	W	72 - 87		
				Average Recovery:			81	Std. Dev.: 5.9	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	42 - 101		
				Average Recovery:			87	Std. Dev.: 15.3	
2,4-dichlorophenol									
	CHLOROFORM	-		4	3 - 15	W	84 - 102		
				Average Recovery:			90	Std. Dev.: 5.6	
	CUSO4	-		4	5 - 10	W	76 - 93		
				Average Recovery:			85	Std. Dev.: 5.1	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	65 - 102		
				Average Recovery:			91	Std. Dev.: 6.2	
pentachlorophenol									
	CHLOROFORM	-		4	3 - 15	W	4 - 31		
				Average Recovery:			13	Std. Dev.: 10.8	
	CUSO4	-		4	5 - 10	W	81 - 86		
				Average Recovery:			84	Std. Dev.: 2.5	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	71 - 113		
				Average Recovery:			96	Std. Dev.: 7.1	
2,3,4,5-tetrachlorophenol									
	CHLOROFORM	-		4	3 - 15	W	61 - 82		
				Average Recovery:			75	Std. Dev.: 8.6	
	CUSO4	-		4	5 - 10	W	89 - 93		
				Average Recovery:			91	Std. Dev.: 2.0	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	65 - 106		
				Average Recovery:			88	Std. Dev.: 9.2	

COMPOUND CLASS: *Acid Extractables - Phenolics* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
2.3.4.6-tetrachlorophenol									
	CHLOROFORM	-		4	3 - 15	W	78 - 88		
				Average Recovery:			84	Std. Dev.: 3.8	
	CUSO4	-		4	5 - 10	W	88 - 91		
				Average Recovery:			90	Std. Dev.: 1.5	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	82 - 108		
				Average Recovery:			95	Std. Dev.: 5.2	
2.3.5.6-tetrachlorophenol									
	CHLOROFORM	-		4	3 - 15	W	56 - 76		
				Average Recovery:			62	Std. Dev.: 8.1	
	CUSO4	-		4	5 - 10	W	86 - 91		
				Average Recovery:			89	Std. Dev.: 2.5	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	75 - 111		
				Average Recovery:			96	Std. Dev.: 7.9	
2.3.4-trichlorophenol									
	CHLOROFORM	-		4	3 - 15	W	82 - 99		
				Average Recovery:			90	Std. Dev.: 6.0	
	CUSO4	-		4	5 - 10	W	88 - 89		
				Average Recovery:			89	Std. Dev.: 0.5	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	76 - 99		
				Average Recovery:			90	Std. Dev.: 5.3	
2.3.5-trichlorophenol									
	CHLOROFORM	-		4	3 - 15	W	81 - 96		
				Average Recovery:			90	Std. Dev.: 5.6	
	CUSO4	-		4	5 - 10	W	92 - 96		
				Average Recovery:			94	Std. Dev.: 2.0	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	76 - 103		
				Average Recovery:			90	Std. Dev.: 6.7	
2.3.6-trichlorophenol									
	CHLOROFORM	-		4	3 - 15	W	83 - 94		
				Average Recovery:			87	Std. Dev.: 4.3	

COMPOUND CLASS: *Acid Extractables - Phenolics* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
2,3,6-trichlorophenol									
	CUSO4	-		4	5 - 10	W	88 - 96		
				Average Recovery:			92	Std. Dev.: 4.0	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	81 - 105		
				Average Recovery:			95	Std. Dev.: 5.3	
2,4,5-trichlorophenol									
	CHLOROFORM	-		4	3 - 15	W	83 - 99		
				Average Recovery:			92	Std. Dev.: 6.1	
	CUSO4	-		4	5 - 10	W	91 - 92		
				Average Recovery:			92	Std. Dev.: 0.5	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	75 - 103		
				Average Recovery:			90	Std. Dev.: 6.3	
2,4,6-trichlorophenol									
	CHLOROFORM	-		4	3 - 15	W	86 - 95		
				Average Recovery:			90	Std. Dev.: 3.8	
	CUSO4	-		4	5 - 10	W	85 - 95		
				Average Recovery:			90	Std. Dev.: 5.0	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	83 - 107		
				Average Recovery:			96	Std. Dev.: 5.1	
3,4,5-trichlorophenol									
	CHLOROFORM	-		4	3 - 15	W	83 - 103		
				Average Recovery:			93	Std. Dev.: 7.2	
	CUSO4	-		4	5 - 10	W	84 - 86		
				Average Recovery:			85	Std. Dev.: 1.0	
	H2SO4	0.5 - 50	ug/L	4	1 - 15	W	66 - 101		
				Average Recovery:			88	Std. Dev.: 8.0	

Figure A-1 Analyte Recovery with Chloroform Preservation for Acid Extractable-Phenolics in Drinking/Surface Water Matrix



Ref: ASC 218

Figure A-2 Analyte Recovery with Copper Sulphate Preservation for Acid Extractable-Phenolics in Drinking/Surface Water Matrix



Ref: ASC 218

Figure A-3 Analyte Recovery with 0.5 µg/L Sulphuric Acid Preservation for Acid Extractable-Phenolics in Drinking/Surface Water Matrix



Ref: ASC 218

Figure A-4 Analyte Recovery with 5 µg/L Sulphuric Acid Preservation for Acid Extractable-Phenolics in Drinking/Surface Water Matrix



Ref: ASC 218

Figure A-5 Analyte Recovery with 50 µg/L Sulphuric Acid Preservation for Acid Extractable-Phenolics in Drinking/Surface Water Matrix



Ref: ASC 218

Figure A-6 Analyte Recovery with Sulphuric Acid Preservation for Acid Extractable-Phenolics in Drinking/Surface Water Matrix



Ref: ASC 218

Matrix: Water Class: Acid Extractables Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
acetosyringone	NONE	7 ug/L	25	12	76	time in hrs., seawater	36
3-chlorophenol	CHLOROFORM		4	3 W	95	Lake Ontario water	218
2-chlorophenol	CHLOROFORM		4	3 W	101	Lake Ontario water	218
4-chlorophenol	CHLOROFORM		4	3 W	98	Lake Ontario water	218
3-chlorophenol	CHLOROFORM		4	6 W	88	Lake Ontario water	218
2-chlorophenol	CHLOROFORM		4	6 W	86	Lake Ontario water	218
4-chlorophenol	CHLOROFORM		4	6 W	88	Lake Ontario water	218
3-chlorophenol	CHLOROFORM		4	10 W	97	Lake Ontario water	218
4-chlorophenol	CHLOROFORM		4	10 W	97	Lake Ontario water	218
2-chlorophenol	CHLOROFORM		4	10 W	88	Lake Ontario water	218
3-chlorophenol	CHLOROFORM		4	15 W	86	Lake Ontario water	218
2-chlorophenol	CHLOROFORM		4	15 W	86	Lake Ontario water	218
4-chlorophenol	CHLOROFORM		4	15 W	88	Lake Ontario water	218
3-chlorophenol	CUSO4		4	5 W	84	Lake Ontario water	218
2-chlorophenol	CUSO4		4	5 W	87	Lake Ontario water	218
4-chlorophenol	CUSO4		4	5 W	73	Lake Ontario water	218
3-chlorophenol	CUSO4		4	10 W	82	Lake Ontario water	218
4-chlorophenol	CUSO4		4	10 W	72	Lake Ontario water	218
2-chlorophenol	CUSO4		4	10 W	85	Lake Ontario water	218
3-chlorophenol	H2SO4		4	3 W	89	Lake Ontario water	218
4-chlorophenol	H2SO4		4	3 W	85	Lake Ontario water	218
2-chlorophenol	H2SO4		4	3 W	76	Lake Ontario water	218
2-chlorophenol	H2SO4		4	6 W	92	Lake Ontario water	218
3-chlorophenol	H2SO4		4	6 W	93	Lake Ontario water	218
4-chlorophenol	H2SO4		4	6 W	93	Lake Ontario water	218
2-chlorophenol	H2SO4		4	10 W	82	Lake Ontario water	218
4-chlorophenol	H2SO4		4	10 W	80	Lake Ontario water	218
3-chlorophenol	H2SO4		4	10 W	80	Lake Ontario water	218
2-chlorophenol	H2SO4		4	15 W	82	Lake Ontario water	218
4-chlorophenol	H2SO4		4	15 W	82	Lake Ontario water	218
3-chlorophenol	H2SO4		4	15 W	83	Lake Ontario water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	3 W	84	Atlantic Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	3 W	91	Ontario Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	3 W	57	Western Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	3 W	59	Atlantic Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	3 W	57	Ontario Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	3 W	81	Western Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	3 W	47	Western Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	3 W	48	Atlantic Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	3 W	51	Ontario Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	6 W	54	Ontario Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	6 W	57	Atlantic Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	6 W	85	Western Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	6 W	63	Ontario Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	6 W	51	Western Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	6 W	91	Ontario Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	6 W	59	Western Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	8 W	88	Atlantic Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	6 W	60	Atlantic Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
4-chlorophenol	H2SO4	0.5 ug/L	4	10 W	42	Western Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	10 W	55	Ontario Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	10 W	58	Western Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	10 W	85	Atlantic Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	10 W	83	Western Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	10 W	56	Atlantic Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	10 W	76	Ontario Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	10 W	42	Atlantic Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	10 W	49	Ontario Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	15 W	58	Ontario Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	15 W	58	Atlantic Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	15 W	66	Atlantic Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	15 W	64	Western Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	15 W	95	Ontario Region water	218
3-chlorophenol	H2SO4	0.5 ug/L	4	15 W	64	Ontario Region water	218
4-chlorophenol	H2SO4	0.5 ug/L	4	15 W	59	Western Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	15 W	96	Atlantic Region water	218
2-chlorophenol	H2SO4	0.5 ug/L	4	15 W	96	Western Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	1 W	93	Pacific Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	1 W	98	Ontario Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	1 W	95	Pacific Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	1 W	97	Pacific Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	1 W	95	Quebec Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	1 W	98	Ontario Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	1 W	94	Quebec Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	1 W	99	Ontario Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	1 W	97	Quebec Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	3 W	96	Ontario Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	3 W	101	Quebec Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	3 W	95	Ontario Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	3 W	101	Quebec Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	3 W	97	Pacific Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	3 W	97	Ontario Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	3 W	100	Quebec Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	3 W	98	Pacific Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	3 W	98	Pacific Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	6 W	97	Pacific Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	6 W	97	Pacific Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	6 W	95	Quebec Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	6 W	96	Ontario Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	6 W	97	Pacific Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	6 W	93	Ontario Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	6 W	98	Quebec Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	6 W	94	Ontario Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	6 W	96	Quebec Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	10 W	98	Ontario Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	10 W	99	Quebec Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	10 W	91	Pacific Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	10 W	92	Pacific Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
3-chlorophenol	H2SO4	5 ug/L	4	10 W	98	Ontario Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	10 W	95	Ontario Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	10 W	100	Quebec Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	10 W	91	Pacific Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	10 W	97	Quebec Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	15 W	92	Ontario Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	15 W	91	Ontario Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	15 W	91	Pacific Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	15 W	95	Pacific Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	15 W	96	Quebec Region water	218
3-chlorophenol	H2SO4	5 ug/L	4	15 W	92	Pacific Region water	218
2-chlorophenol	H2SO4	5 ug/L	4	15 W	94	Quebec Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	15 W	98	Quebec Region water	218
4-chlorophenol	H2SO4	5 ug/L	4	15 W	96	Ontario Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	1 W	94	Quebec Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	1 W	93	Pacific Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	1 W	94	Ontario Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	1 W	94	Pacific Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	1 W	98	Quebec Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	1 W	93	Ontario Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	1 W	95	Ontario Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	1 W	95	Quebec Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	1 W	93	Pacific Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	3 W	101	Ontario Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	3 W	96	Pacific Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	3 W	93	Quebec Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	3 W	97	Pacific Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	3 W	101	Ontario Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	3 W	101	Ontario Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	3 W	94	Quebec Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	3 W	97	Pacific Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	3 W	93	Quebec Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	6 W	95	Quebec Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	6 W	96	Quebec Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	6 W	94	Ontario Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	6 W	95	Quebec Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	6 W	97	Pacific Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	6 W	93	Ontario Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	6 W	98	Pacific Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	6 W	94	Ontario Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	6 W	98	Pacific Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	10 W	92	Pacific Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	10 W	93	Pacific Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	10 W	92	Quebec Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	10 W	93	Pacific Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	10 W	92	Ontario Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	10 W	93	Ontario Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	10 W	93	Quebec Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	10 W	92	Quebec Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
4-chlorophenol	H2SO4	50 ug/L	4	10 W	93	Ontario Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	15 W	93	Quebec Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	15 W	95	Ontario Region water	218
4-chlorophenol	H2SO4	50 ug/L	4	15 W	94	Pacific Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	15 W	96	Ontario Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	15 W	96	Ontario Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	15 W	95	Quebec Region water	218
3-chlorophenol	H2SO4	50 ug/L	4	15 W	94	Pacific Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	15 W	94	Quebec Region water	218
2-chlorophenol	H2SO4	50 ug/L	4	15 W	95	Pacific Region water	218
2,4-dichlorophenol	CHLOROFORM		4	3 W	94	Lake Ontario water	218
3,4-dichlorophenol	CHLOROFORM		4	3 W	101	Lake Ontario water	218
3,5-dichlorophenol	CHLOROFORM		4	3 W	94	Lake Ontario water	218
2,3-dichlorophenol	CHLOROFORM		4	3 W	92	Lake Ontario water	218
2,6-dichlorophenol	CHLOROFORM		4	3 W	91	Lake Ontario water	218
2,3-dichlorophenol	CHLOROFORM		4	6 W	86	Lake Ontario water	218
2,6-dichlorophenol	CHLOROFORM		4	6 W	84	Lake Ontario water	218
3,5-dichlorophenol	CHLOROFORM		4	6 W	91	Lake Ontario water	218
2,4-dichlorophenol	CHLOROFORM		4	6 W	86	Lake Ontario water	218
3,4-dichlorophenol	CHLOROFORM		4	6 W	88	Lake Ontario water	218
2,4-dichlorophenol	CHLOROFORM		4	10 W	91	Lake Ontario water	218
3,4-dichlorophenol	CHLOROFORM		4	10 W	99	Lake Ontario water	218
3,5-dichlorophenol	CHLOROFORM		4	10 W	102	Lake Ontario water	218
2,3-dichlorophenol	CHLOROFORM		4	10 W	93	Lake Ontario water	218
2,6-dichlorophenol	CHLOROFORM		4	10 W	87	Lake Ontario water	218
2,6-dichlorophenol	CHLOROFORM		4	15 W	85	Lake Ontario water	218
3,5-dichlorophenol	CHLOROFORM		4	15 W	85	Lake Ontario water	218
2,3-dichlorophenol	CHLOROFORM		4	15 W	84	Lake Ontario water	218
2,4-dichlorophenol	CHLOROFORM		4	15 W	85	Lake Ontario water	218
3,4-dichlorophenol	CHLOROFORM		4	15 W	84	Lake Ontario water	218
2,4-dichlorophenol	CUSO4		4	5 W	86	Lake Ontario water	218
3,4-dichlorophenol	CUSO4		4	5 W	76	Lake Ontario water	218
2,3-dichlorophenol	CUSO4		4	5 W	89	Lake Ontario water	218
3,5-dichlorophenol	CUSO4		4	5 W	87	Lake Ontario water	218
2,6-dichlorophenol	CUSO4		4	5 W	93	Lake Ontario water	218
2,3-dichlorophenol	CUSO4		4	10 W	84	Lake Ontario water	218
2,6-dichlorophenol	CUSO4		4	10 W	87	Lake Ontario water	218
3,5-dichlorophenol	CUSO4		4	10 W	87	Lake Ontario water	218
2,4-dichlorophenol	CUSO4		4	10 W	83	Lake Ontario water	218
3,4-dichlorophenol	CUSO4		4	10 W	76	Lake Ontario water	218
2,4-dichlorophenol	H2SO4		4	3 W	94	Lake Ontario water	218
3,4-dichlorophenol	H2SO4		4	3 W	85	Lake Ontario water	218
2,6-dichlorophenol	H2SO4		4	3 W	102	Lake Ontario water	218
2,3-dichlorophenol	H2SO4		4	3 W	92	Lake Ontario water	218
3,5-dichlorophenol	H2SO4		4	3 W	82	Lake Ontario water	218
2,6-dichlorophenol	H2SO4		4	6 W	91	Lake Ontario water	218
2,3-dichlorophenol	H2SO4		4	6 W	89	Lake Ontario water	218
3,5-dichlorophenol	H2SO4		4	6 W	91	Lake Ontario water	218
3,4-dichlorophenol	H2SO4		4	6 W	91	Lake Ontario water	218

Matrix: Water — Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,4-dichlorophenol	H2SO4		4	6 W	90	Lake Ontario water	218
3,4-dichlorophenol	H2SO4		4	10 W	75	Lake Ontario water	218
2,4-dichlorophenol	H2SO4		4	10 W	79	Lake Ontario water	218
2,3-dichlorophenol	H2SO4		4	10 W	78	Lake Ontario water	218
3,5-dichlorophenol	H2SO4		4	10 W	77	Lake Ontario water	218
2,6-dichlorophenol	H2SO4		4	10 W	85	Lake Ontario water	218
3,5-dichlorophenol	H2SO4		4	15 W	81	Lake Ontario water	218
2,3-dichlorophenol	H2SO4		4	15 W	81	Lake Ontario water	218
2,6-dichlorophenol	H2SO4		4	15 W	85	Lake Ontario water	218
3,4-dichlorophenol	H2SO4		4	15 W	80	Lake Ontario water	218
2,4-dichlorophenol	H2SO4		4	15 W	91	Lake Ontario water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	84	Atlantic Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	93	Ontario Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	90	Western Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	78	Western Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	77	Ontario Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	93	Atlantic Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	90	Atlantic Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	93	Ontario Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	90	Atlantic Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	89	Western Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	91	Ontario Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	91	Atlantic Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	89	Western Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	90	Western Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	3 W	92	Ontario Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	86	Western Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	90	Ontario Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	83	Ontario Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	81	Western Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	81	Atlantic Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	91	Western Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	85	Atlantic Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	86	Western Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	78	Atlantic Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	74	Western Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	87	Atlantic Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	80	Ontario Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	5 W	90	Ontario Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	91	Atlantic Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	6 W	100	Ontario Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	82	Atlantic Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	90	Ontario Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	91	Western Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	83	Ontario Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	86	Western Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	83	Western Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	80	Atlantic Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	85	Ontario Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	81	Atlantic Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	65	Western Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	72	Ontario Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	69	Atlantic Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	76	Western Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	91	Ontario Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	10 W	80	Atlantic Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	98	Ontario Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	90	Ontario Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	89	Atlantic Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	86	Western Region water	218
2,4-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	98	Western Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	93	Atlantic Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	100	Ontario Region water	218
2,6-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	102	Western Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	93	Western Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	95	Atlantic Region water	218
3,4-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	97	Atlantic Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	98	Ontario Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	95	Ontario Region water	218
3,5-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	95	Atlantic Region water	218
2,3-dichlorophenol	H2SO4	0.5 ug/L	4	15 W	97	Western Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	1 W	95	Quebec Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	1 W	97	Quebec Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	1 W	97	Ontario Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	1 W	96	Ontario Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	1 W	94	Pacific Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	1 W	95	Pacific Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	1 W	95	Pacific Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	1 W	98	Ontario Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	1 W	97	Pacific Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	1 W	95	Quebec Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	1 W	97	Pacific Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	1 W	97	Quebec Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	1 W	99	Ontario Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	1 W	95	Quebec Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	1 W	100	Ontario Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	3 W	100	Ontario Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	3 W	102	Quebec Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	3 W	94	Pacific Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	3 W	100	Pacific Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	3 W	93	Quebec Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	3 W	89	Ontario Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	3 W	100	Pacific Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	3 W	95	Quebec Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	3 W	93	Ontario Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	3 W	96	Pacific Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	3 W	96	Quebec Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	3 W	90	Ontario Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,4-dichlorophenol	H2SO4	5 ug/L	4	3 W	93	Ontario Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	3 W	98	Quebec Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	3 W	96	Pacific Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	6 W	83	Ontario Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	6 W	95	Pacific Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	6 W	89	Quebec Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	6 W	94	Pacific Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	8 W	89	Ontario Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	6 W	93	Quebec Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	6 W	100	Quebec Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	6 W	99	Ontario Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	6 W	88	Ontario Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	6 W	95	Pacific Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	6 W	90	Quebec Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	6 W	98	Pacific Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	6 W	92	Quebec Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	6 W	94	Pacific Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	6 W	83	Ontario Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	10 W	98	Quebec Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	10 W	96	Quebec Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	10 W	95	Ontario Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	10 W	91	Pacific Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	10 W	88	Pacific Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	10 W	95	Ontario Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	10 W	91	Pacific Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	10 W	91	Pacific Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	10 W	94	Ontario Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	10 W	96	Quebec Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	10 W	97	Ontario Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	10 W	101	Quebec Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	10 W	90	Pacific Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	10 W	93	Ontario Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	10 W	96	Quebec Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	15 W	94	Quebec Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	15 W	91	Ontario Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	15 W	90	Pacific Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	15 W	91	Ontario Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	15 W	93	Ontario Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	15 W	90	Pacific Region water	218
2,6-dichlorophenol	H2SO4	5 ug/L	4	15 W	92	Pacific Region water	218
2,3-dichlorophenol	H2SO4	5 ug/L	4	15 W	91	Quebec Region water	218
3,5-dichlorophenol	H2SO4	5 ug/L	4	15 W	92	Quebec Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	15 W	89	Ontario Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	15 W	92	Quebec Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	15 W	90	Ontario Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	15 W	93	Pacific Region water	218
2,4-dichlorophenol	H2SO4	5 ug/L	4	15 W	90	Pacific Region water	218
3,4-dichlorophenol	H2SO4	5 ug/L	4	15 W	93	Quebec Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	1 W	94	Pacific Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,4-dichlorophenol	H2SO4	50 ug/L	4	1 W	92	Pacific Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	1 W	97	Ontario Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	1 W	95	Ontario Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	1 W	94	Quebec Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	1 W	93	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	1 W	101	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	1 W	95	Ontario Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	1 W	96	Ontario Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	1 W	91	Quebec Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	1 W	97	Ontario Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	1 W	95	Quebec Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	1 W	92	Pacific Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	1 W	91	Pacific Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	1 W	96	Pacific Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	3 W	102	Ontario Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	3 W	99	Pacific Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	3 W	88	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	3 W	96	Pacific Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	3 W	97	Pacific Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	3 W	90	Quebec Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	3 W	101	Ontario Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	3 W	96	Pacific Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	3 W	98	Ontario Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	3 W	101	Ontario Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	3 W	89	Quebec Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	3 W	86	Quebec Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	3 W	95	Pacific Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	3 W	99	Ontario Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	3 W	97	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	6 W	95	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	6 W	94	Ontario Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	6 W	93	Quebec Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	6 W	88	Ontario Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	6 W	91	Pacific Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	6 W	93	Quebec Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	6 W	92	Ontario Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	6 W	97	Pacific Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	6 W	95	Pacific Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	6 W	91	Pacific Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	6 W	90	Ontario Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	6 W	95	Pacific Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	6 W	93	Quebec Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	6 W	89	Ontario Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	6 W	90	Quebec Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	10 W	93	Pacific Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	10 W	91	Quebec Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	10 W	91	Quebec Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	10 W	94	Ontario Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	10 W	92	Ontario Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,4-dichlorophenol	H2SO4	50 ug/L	4	10 W	90	Pacific Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	10 W	94	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	10 W	92	Ontario Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	10 W	92	Quebec Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	10 W	98	Ontario Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	10 W	93	Pacific Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	10 W	94	Pacific Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	10 W	93	Ontario Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	10 W	90	Pacific Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	10 W	95	Quebec Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	15 W	91	Pacific Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	15 W	92	Ontario Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	15 W	89	Ontario Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	15 W	90	Pacific Region water	218
2,3-dichlorophenol	H2SO4	50 ug/L	4	15 W	92	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	15 W	97	Pacific Region water	218
3,5-dichlorophenol	H2SO4	50 ug/L	4	15 W	93	Quebec Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	15 W	93	Ontario Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	15 W	88	Pacific Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	15 W	91	Pacific Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	15 W	92	Ontario Region water	218
2,4-dichlorophenol	H2SO4	50 ug/L	4	15 W	92	Quebec Region water	218
3,4-dichlorophenol	H2SO4	50 ug/L	4	15 W	94	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	15 W	97	Quebec Region water	218
2,6-dichlorophenol	H2SO4	50 ug/L	4	15 W	99	Ontario Region water	218
pentachlorophenol	CHLOROFORM		4	3 W	31	Lake Ontario water	218
pentachlorophenol	CHLOROFORM		4	6 W	10	Lake Ontario water	218
pentachlorophenol	CHLOROFORM		4	10 W	6	Lake Ontario water	218
pentachlorophenol	CHLOROFORM		4	15 W	4	Lake Ontario water	218
pentachlorophenol	CUSO4		4	5 W	86	Lake Ontario water	218
pentachlorophenol	CUSO4		4	10 W	81	Lake Ontario water	218
pentachlorophenol	H2SO4		4	3 W	95	Lake Ontario water	218
pentachlorophenol	H2SO4		4	6 W	94	Lake Ontario water	218
pentachlorophenol	H2SO4		4	10 W	96	Lake Ontario water	218
pentachlorophenol	H2SO4		4	15 W	88	Lake Ontario water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	3 W	91	Atlantic Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	3 W	91	Ontario Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	3 W	84	Western Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	6 W	85	Atlantic Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	6 W	92	Western Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	6 W	106	Ontario Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	10 W	93	Atlantic Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	10 W	92	Ontario Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	10 W	95	Western Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	15 W	97	Ontario Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	15 W	71	Atlantic Region water	218
pentachlorophenol	H2SO4	0.5 ug/L	4	15 W	85	Western Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	1 W	98	Pacific Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	1 W	92	Quebec Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
pentachlorophenol	H2SO4	5 ug/L	4	1 W	97	Ontario Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	3 W	89	Pacific Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	3 W	98	Ontario Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	3 W	93	Quebec Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	6 W	102	Pacific Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	6 W	104	Quebec Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	6 W	103	Ontario Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	10 W	101	Quebec Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	10 W	101	Ontario Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	10 W	97	Pacific Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	15 W	98	Ontario Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	15 W	99	Pacific Region water	218
pentachlorophenol	H2SO4	5 ug/L	4	15 W	103	Quebec Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	1 W	103	Ontario Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	1 W	90	Quebec Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	1 W	97	Pacific Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	3 W	113	Quebec Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	3 W	96	Pacific Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	3 W	91	Ontario Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	6 W	107	Quebec Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	6 W	106	Ontario Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	6 W	97	Pacific Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	10 W	91	Ontario Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	10 W	93	Pacific Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	10 W	95	Quebec Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	15 W	99	Ontario Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	15 W	97	Pacific Region water	218
pentachlorophenol	H2SO4	50 ug/L	4	15 W	104	Quebec Region water	218
2,3,4,5-tetrachlorophenol	CHLOROFORM		4	3 W	76	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	CHLOROFORM		4	6 W	82	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	CHLOROFORM		4	10 W	82	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	CHLOROFORM		4	15 W	61	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	CUSO4		4	5 W	93	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	CUSO4		4	10 W	89	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	H2SO4		4	3 W	65	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	H2SO4		4	6 W	96	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	H2SO4		4	10 W	76	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	H2SO4		4	15 W	72	Lake Ontario water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	81	Western Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	91	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	85	Atlantic Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	70	Atlantic Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	79	Western Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	70	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	82	Western Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	73	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	75	Atlantic Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	98	Atlantic Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	89	Ontario Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,3,4,5-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	84	Western Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	92	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	85	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	96	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	82	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	102	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	93	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	87	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	100	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	87	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	91	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	77	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	88	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	89	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	96	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	93	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	95	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	89	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	85	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	88	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	102	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	85	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	95	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	96	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	87	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	91	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	106	Pacific Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	93	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	94	Quebec Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	86	Ontario Region water	218
2,3,4,5-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	95	Pacific Region water	218
2,3,4,6-tetrachlorophenol	CHLOROFORM		4	3 W	88	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	CHLOROFORM		4	6 W	86	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	CHLOROFORM		4	10 W	82	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	CHLOROFORM		4	15 W	78	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	CUSO4		4	5 W	91	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	CUSO4		4	10 W	88	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	H2SO4		4	3 W	101	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	H2SO4		4	6 W	84	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	H2SO4		4	10 W	92	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	H2SO4		4	15 W	88	Lake Ontario water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	94	Atlantic Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	92	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	89	Western Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	82	Atlantic Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	90	Western Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	108	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	89	Atlantic Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	91	Ontario Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	93	Western Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	89	Western Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	82	Atlantic Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	98	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	98	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	96	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	97	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	97	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	96	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	99	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	102	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	101	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	99	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	98	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	97	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	95	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	95	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	98	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	96	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	94	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	93	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	94	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	99	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	101	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	94	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	101	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	99	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	99	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	95	Quebec Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	93	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	95	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	98	Ontario Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	93	Pacific Region water	218
2,3,4,6-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	100	Quebec Region water	218
2,3,5,6-tetrachlorophenol	CHLOROFORM		4	3 W	76	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	CHLOROFORM		4	6 W	60	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	CHLOROFORM		4	10 W	57	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	CHLOROFORM		4	15 W	56	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	CUSO4		4	5 W	91	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	CUSO4		4	10 W	86	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	H2SO4		4	3 W	106	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	H2SO4		4	6 W	83	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	H2SO4		4	10 W	96	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	H2SO4		4	15 W	87	Lake Ontario water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	97	Atlantic Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	94	Western Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	3 W	92	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	111	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	94	Western Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	6 W	81	Atlantic Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	93	Atlantic Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	96	Western Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	10 W	92	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	82	Western Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	95	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	0.5 ug/L	4	15 W	75	Atlantic Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	97	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	101	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	1 W	87	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	98	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	87	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	3 W	92	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	101	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	107	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	6 W	105	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	101	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	95	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	10 W	99	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	96	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	102	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	5 ug/L	4	15 W	97	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	101	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	94	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	1 W	80	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	111	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	95	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	3 W	89	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	98	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	105	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	6 W	104	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	90	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	93	Quebec Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	10 W	93	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	98	Pacific Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	101	Ontario Region water	218
2,3,5,6-tetrachlorophenol	H2SO4	50 ug/L	4	15 W	104	Quebec Region water	218
2,3,4-trichlorophenol	CHLOROFORM		4	3 W	90	Lake Ontario water	218
2,3,4-trichlorophenol	CHLOROFORM		4	6 W	90	Lake Ontario water	218
2,3,4-trichlorophenol	CHLOROFORM		4	10 W	99	Lake Ontario water	218
2,3,4-trichlorophenol	CHLOROFORM		4	15 W	82	Lake Ontario water	218
2,3,4-trichlorophenol	CUSO4		4	5 W	88	Lake Ontario water	218
2,3,4-trichlorophenol	CUSO4		4	10 W	89	Lake Ontario water	218
2,3,4-trichlorophenol	H2SO4		4	3 W	82	Lake Ontario water	218
2,3,4-trichlorophenol	H2SO4		4	6 W	90	Lake Ontario water	218
2,3,4-trichlorophenol	H2SO4		4	10 W	76	Lake Ontario water	218
2,3,4-trichlorophenol	H2SO4		4	15 W	79	Lake Ontario water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	89	Western Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	89	Atlantic Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	89	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	83	Atlantic Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	88	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	86	Western Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	78	Atlantic Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	81	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	78	Western Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	99	Atlantic Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	92	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	98	Western Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	1 W	94	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	1 W	96	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	1 W	94	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	3 W	85	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	3 W	94	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	3 W	88	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	6 W	81	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	6 W	87	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	6 W	92	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	10 W	89	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	10 W	99	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	10 W	96	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	15 W	94	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	15 W	95	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	5 ug/L	4	15 W	93	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	1 W	94	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	1 W	92	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	1 W	93	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	3 W	94	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	3 W	85	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	3 W	99	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	6 W	86	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	6 W	90	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	6 W	93	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	10 W	93	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	10 W	90	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	10 W	94	Pacific Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	15 W	94	Quebec Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	15 W	88	Ontario Region water	218
2,3,4-trichlorophenol	H2SO4	50 ug/L	4	15 W	89	Pacific Region water	218
2,3,5-trichlorophenol	CHLOROFORM		4	3 W	90	Lake Ontario water	218
2,3,5-trichlorophenol	CHLOROFORM		4	6 W	93	Lake Ontario water	218
2,3,5-trichlorophenol	CHLOROFORM		4	10 W	96	Lake Ontario water	218
2,3,5-trichlorophenol	CHLOROFORM		4	15 W	81	Lake Ontario water	218
2,3,5-trichlorophenol	CUSO4		4	5 W	96	Lake Ontario water	218
2,3,5-trichlorophenol	CUSO4		4	10 W	92	Lake Ontario water	218
2,3,5-trichlorophenol	H2SO4		4	3 W	85	Lake Ontario water	218
2,3,5-trichlorophenol	H2SO4		4	6 W	92	Lake Ontario water	218
2,3,5-trichlorophenol	H2SO4		4	10 W	77	Lake Ontario water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,3,5-trichlorophenol	H2SO4		4	15 W	77	Lake Ontario water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	86	Atlantic Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	83	Western Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	89	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	76	Atlantic Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	85	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	82	Western Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	77	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	77	Atlantic Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	83	Western Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	90	Western Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	98	Atlantic Region water	218
2,3,5-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	92	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	1 W	95	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	1 W	94	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	1 W	89	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	3 W	85	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	3 W	91	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	3 W	101	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	6 W	90	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	6 W	97	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	6 W	83	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	10 W	84	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	10 W	90	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	10 W	94	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	15 W	94	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	15 W	91	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	5 ug/L	4	15 W	88	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	1 W	94	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	1 W	92	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	1 W	95	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	3 W	99	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	3 W	90	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	3 W	91	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	6 W	100	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	6 W	86	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	6 W	90	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	10 W	99	Quebec Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	10 W	91	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	10 W	103	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	15 W	87	Ontario Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	15 W	91	Pacific Region water	218
2,3,5-trichlorophenol	H2SO4	50 ug/L	4	15 W	94	Quebec Region water	218
2,3,6-trichlorophenol	CHLOROFORM		4	3 W	87	Lake Ontario water	218
2,3,6-trichlorophenol	CHLOROFORM		4	6 W	94	Lake Ontario water	218
2,3,6-trichlorophenol	CHLOROFORM		4	10 W	83	Lake Ontario water	218
2,3,6-trichlorophenol	CHLOROFORM		4	15 W	84	Lake Ontario water	218
2,3,6-trichlorophenol	CUSO4		4	5 W	96	Lake Ontario water	218
2,3,6-trichlorophenol	CUSO4		4	10 W	88	Lake Ontario water	218

Matrix: Water — Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,3,6-trichlorophenol	H2SO4		4	3 W	105	Lake Ontario water	218
2,3,6-trichlorophenol	H2SO4		4	6 W	89	Lake Ontario water	218
2,3,6-trichlorophenol	H2SO4		4	10 W	88	Lake Ontario water	218
2,3,6-trichlorophenol	H2SO4		4	15 W	86	Lake Ontario water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	94	Atlantic Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	91	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	90	Western Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	81	Atlantic Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	91	Western Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	105	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	84	Atlantic Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	89	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	90	Western Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	94	Western Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	85	Atlantic Region water	218
2,3,6-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	95	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	1 W	102	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	1 W	98	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	1 W	99	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	3 W	102	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	3 W	98	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	3 W	98	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	6 W	103	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	6 W	99	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	6 W	101	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	10 W	96	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	10 W	94	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	10 W	92	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	15 W	93	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	15 W	96	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	5 ug/L	4	15 W	94	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	1 W	96	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	1 W	95	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	1 W	97	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	3 W	98	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	3 W	98	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	3 W	94	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	6 W	98	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	6 W	98	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	6 W	100	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	10 W	94	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	10 W	93	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	10 W	95	Quebec Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	15 W	95	Pacific Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	15 W	99	Ontario Region water	218
2,3,6-trichlorophenol	H2SO4	50 ug/L	4	15 W	93	Quebec Region water	218
2,4,5-trichlorophenol	CHLOROFORM		4	3 W	89	Lake Ontario water	218
2,4,5-trichlorophenol	CHLOROFORM		4	6 W	95	Lake Ontario water	218
2,4,5-trichlorophenol	CHLOROFORM		4	10 W	99	Lake Ontario water	218

Matrix: Water — Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time		% REC	Comments	ASC
2,4,5-trichlorophenol	CHLOROFORM		4	15	W	83	Lake Ontario water	218
2,4,5-trichlorophenol	CUSO4		4	5	W	92	Lake Ontario water	218
2,4,5-trichlorophenol	CUSO4		4	10	W	91	Lake Ontario water	218
2,4,5-trichlorophenol	H2SO4		4	3	W	82	Lake Ontario water	218
2,4,5-trichlorophenol	H2SO4		4	6	W	92	Lake Ontario water	218
2,4,5-trichlorophenol	H2SO4		4	10	W	78	Lake Ontario water	218
2,4,5-trichlorophenol	H2SO4		4	15	W	78	Lake Ontario water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	3	W	91	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	3	W	86	Western Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	3	W	89	Atlantic Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	6	W	79	Atlantic Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	6	W	85	Western Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	6	W	87	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	10	W	83	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	10	W	75	Atlantic Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	10	W	81	Western Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	15	W	83	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	15	W	103	Atlantic Region water	218
2,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	15	W	93	Western Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	1	W	93	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	1	W	92	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	1	W	95	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	3	W	100	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	3	W	87	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	3	W	91	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	6	W	83	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	6	W	91	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	6	W	97	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	10	W	94	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	10	W	86	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	10	W	91	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	15	W	91	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	15	W	90	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	5 ug/L	4	15	W	94	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	1	W	94	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	1	W	91	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	1	W	93	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	3	W	100	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	3	W	88	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	3	W	92	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	6	W	86	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	6	W	100	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	6	W	91	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	10	W	90	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	10	W	97	Quebec Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	10	W	100	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	15	W	91	Pacific Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	15	W	86	Ontario Region water	218
2,4,5-trichlorophenol	H2SO4	50 ug/L	4	15	W	94	Quebec Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,4,6-trichlorophenol	CHLOROFORM		4	3 W	93	Lake Ontario water	218
2,4,6-trichlorophenol	CHLOROFORM		4	6 W	95	Lake Ontario water	218
2,4,6-trichlorophenol	CHLOROFORM		4	10 W	87	Lake Ontario water	218
2,4,6-trichlorophenol	CHLOROFORM		4	15 W	86	Lake Ontario water	218
2,4,6-trichlorophenol	CUSO4		4	5 W	95	Lake Ontario water	218
2,4,6-trichlorophenol	CUSO4		4	10 W	85	Lake Ontario water	218
2,4,6-trichlorophenol	H2SO4		4	3 W	103	Lake Ontario water	218
2,4,6-trichlorophenol	H2SO4		4	6 W	91	Lake Ontario water	218
2,4,6-trichlorophenol	H2SO4		4	10 W	86	Lake Ontario water	218
2,4,6-trichlorophenol	H2SO4		4	15 W	86	Lake Ontario water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	90	Western Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	101	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	3 W	93	Atlantic Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	107	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	83	Atlantic Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	6 W	89	Western Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	92	Western Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	96	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	10 W	86	Atlantic Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	105	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	91	Atlantic Region water	218
2,4,6-trichlorophenol	H2SO4	0.5 ug/L	4	15 W	104	Western Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	1 W	98	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	1 W	97	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	1 W	100	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	3 W	101	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	3 W	100	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	3 W	102	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	6 W	99	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	6 W	102	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	6 W	99	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	10 W	93	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	10 W	98	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	10 W	94	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	15 W	94	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	15 W	95	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	5 ug/L	4	15 W	93	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	1 W	97	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	1 W	96	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	1 W	102	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	3 W	97	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	3 W	98	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	3 W	95	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	6 W	98	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	6 W	95	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	6 W	95	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	10 W	95	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	10 W	94	Ontario Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	10 W	94	Pacific Region water	218

Matrix: Water — Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time		% REC	Comments	ASC
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	15	W	96	Pacific Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	15	W	97	Quebec Region water	218
2,4,6-trichlorophenol	H2SO4	50 ug/L	4	15	W	99	Ontario Region water	218
3,4,5-trichlorophenol	CHLOROFORM		4	3	W	91	Lake Ontario water	218
3,4,5-trichlorophenol	CHLOROFORM		4	6	W	95	Lake Ontario water	218
3,4,5-trichlorophenol	CHLOROFORM		4	10	W	103	Lake Ontario water	218
3,4,5-trichlorophenol	CHLOROFORM		4	15	W	83	Lake Ontario water	218
3,4,5-trichlorophenol	CUSO4		4	5	W	86	Lake Ontario water	218
3,4,5-trichlorophenol	CUSO4		4	10	W	84	Lake Ontario water	218
3,4,5-trichlorophenol	H2SO4		4	3	W	66	Lake Ontario water	218
3,4,5-trichlorophenol	H2SO4		4	6	W	91	Lake Ontario water	218
3,4,5-trichlorophenol	H2SO4		4	10	W	74	Lake Ontario water	218
3,4,5-trichlorophenol	H2SO4		4	15	W	77	Lake Ontario water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	3	W	85	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	3	W	83	Western Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	3	W	89	Atlantic Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	6	W	77	Atlantic Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	6	W	77	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	6	W	81	Western Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	10	W	74	Atlantic Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	10	W	79	Western Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	10	W	81	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	15	W	92	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	15	W	101	Atlantic Region water	218
3,4,5-trichlorophenol	H2SO4	0.5 ug/L	4	15	W	85	Western Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	1	W	98	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	1	W	87	Quebec Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	1	W	95	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	3	W	100	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	3	W	81	Quebec Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	3	W	96	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	6	W	83	Quebec Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	6	W	76	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	6	W	90	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	10	W	81	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	10	W	92	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	10	W	99	Quebec Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	15	W	98	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	15	W	97	Quebec Region water	218
3,4,5-trichlorophenol	H2SO4	5 ug/L	4	15	W	93	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	1	W	92	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	1	W	89	Quebec Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	1	W	83	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	3	W	93	Quebec Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	3	W	96	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	3	W	90	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	6	W	92	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	6	W	88	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	6	W	87	Quebec Region water	218

Matrix: Water Class: Acid Extractables - Phenolics

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	10 W	95	Quebec Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	10 W	88	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	10 W	98	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	15 W	89	Ontario Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	15 W	89	Pacific Region water	218
3,4,5-trichlorophenol	H2SO4	50 ug/L	4	15 W	93	Quebec Region water	218

COMPOUND CLASS PROFILE

Acid Extractables - Phenolics

Sediment:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store at -20°C for up to 15 weeks with no preservation.

COMPOUND CLASS PROFILE

Acid Extractables - Phenolics

Vegetation:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store at -20°C for up to 15 weeks with no preservation.

COMPOUND CLASS PROFILE

Acid Extractables - Phenolics

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; 0.008% $Na_2S_2O_3$; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - follow recommendation for drinking water or U.S. EPA protocol of collection in an amber glass container with teflon lined cap; add 0.008% $Na_2S_2O_3$ if chlorine presence is known or suspected; refrigerate; extract within 7 days and analyze within 40 days of extraction.

COMPOUND CLASS PROFILE

Base-neutral Extractable Compounds

Air - Canister or Bag:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store SUMMA canisters or glass sample containers at 25°C for up to 12 days before analysis.

COMPOUND CLASS PROFILE

Base-neutral Extractable Compounds

Air - Filter:

Existing Criteria:	None
Experimental Data:	One study for one compound for 1-4 years at 2 temperatures, -20°C and 20°C.
Data Evaluation:	No statistical analysis, conditions are too varied.
Data Deficiencies:	Insufficient or no data for statistical analysis for all compounds on target list.
Storage Recommendations:	Provisional recommendation - store filters at -20°C under air-argon gas mixture. Samples are stable for at least 2 years.

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Air - Filter* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
benzo(a)pyrene									
	GLAS.FIB.FIL	5.2 - 8.7	ppm	20	1 - 4	Y	64 - 92		
				Average Recovery:			82	Std. Dev.: 9.2	

Figure A-7 Analyte Recovery at Different Temperatures for Base Neutral Extractable Compounds in Air-Filter Matrix



Ref: ASC 225

Matrix: Air - Filters Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	20	1 Y	79	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	-20	1 Y	85	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	-20	1 Y	90	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	20	2 Y	85	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	-20	2 Y	92	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	-20	2 Y	90	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	-20	2 Y	90	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	20	2 Y	75	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	-20	2 Y	88	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	-20	4 Y	90	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	-20	4 Y	88	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	5.2 ppm	20	4 Y	71	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	5.4 ppm	20	1 Y	76	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	5.4 ppm	20	2 Y	85	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	5.4 ppm	20	2 Y	70	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	5.4 ppm	20	4 Y	69	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.2 ppm	20	1 Y	77	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.2 ppm	20	2 Y	84	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.2 ppm	20	2 Y	72	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.2 ppm	20	4 Y	67	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.4 ppm	-20	1 Y	86	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.4 ppm	-20	2 Y	92	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.4 ppm	-20	2 Y	86	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.4 ppm	-20	4 Y	83	gas - argon	225
benzo(a)pyrene	GLAS.FIB.FIL	8.6 ppm	-20	1 Y	86	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	8.6 ppm	-20	2 Y	90	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	8.6 ppm	-20	2 Y	88	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	8.6 ppm	-20	4 Y	90	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	8.7 ppm	20	1 Y	79	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	8.7 ppm	20	2 Y	85	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	8.7 ppm	20	2 Y	69	gas - air	225
benzo(a)pyrene	GLAS.FIB.FIL	8.7 ppm	20	4 Y	64	gas - air	225

COMPOUND CLASS PROFILE

Base-neutral Extractable Compounds

Air - Sorbent Trap:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - follow U.S. E.P.A. protocol of sampling with distributed air volume sets. Sample tubes are sealed; refrigerated; analysis to be completed between 7 and 30 days after sampling.

COMPOUND CLASS PROFILE

Base-neutral Extractable Compounds

Biota:

Existing Criteria:	None
Experimental Data:	One study for one compound at two temperatures, -20°C and 20°C for a two year period.
Data Evaluation:	None
Data Deficiencies:	Insufficient or no data obtained for statistical analysis for all compounds on the target list.
Storage Recommendations:	Tentative recommendation - Extract on to glass fibre filters, store at -20°C under air-argon gas mixture. Samples are stable for at least 2 years.

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Biota* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION	T (C)	TIME		RECOVERY	COMMENT	REFERENC
benzo(a)pyrene								
	AIR + ARGON	-	-20	2 - 2	Y	90 - 92		
			Average Recovery:			86	Std. Dev.: 6.0	

Matrix: Biota — Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
benzo(a)pyrene	AIR + ARGON		20	2 Y	80	quartz glass fibre filters	224
benzo(a)pyrene	AIR + ARGON		-20	2 Y	92	quartz glass fibre filters	224

COMPOUND CLASS PROFILE

Base-Neutral Extractables Compounds

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; preserve with 0.008% $Na_2S_2O_3$; refrigerate; store in dark; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	Four major studies. Comparison of preservation with 2 ppm Cl and no Cl at 2 temperatures at pH 2, 7, and 10 in waters after 7 days.
Data Evaluation:	Statistical Evaluation of preservation with Cl vs. no Cl at pH 2, 7, and 10 at 4°C and 25°C demonstrates most consistent recoveries at pH 2, 4°C with no Cl preservation for the compounds studied for the 1 week duration of the study.
Data Deficiencies:	Insufficient or no data obtained for majority of compounds on list.
Storage Recommendations:	Preserve samples at pH 2 without chlorine; store at 4°C for up to 33 days before extraction and analysis.

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
acenaphthylene									
	AG FILTERS	-		4	3 - 36	D	80 - 95		
				Average Recovery:			88	Std. Dev.: 7.5	
	PH10.0PPM CL	40 - 40	ppb	25	7 - 7	D	48 - 73		
				Average Recovery:			61	Std. Dev.: 12.5	
	PH10.2PPM CL	40 - 40	ppb	25	7 - 7	D	57 - 70		
				Average Recovery:			64	Std. Dev.: 6.5	
	PH2. 0PPM CL	40 - 40	ppb	25	7 - 7	D	74 - 75		
				Average Recovery:			75	Std. Dev.: 0.5	
	PH2. 2PPM CL	40 - 40	ppb	4	7 - 7	D	5 - 5		
				Average Recovery:			5	Std. Dev.: 0.0	
	PH7. 0PPM CL	40 - 40	ppb	25	7 - 7	D	73 - 73		
				Average Recovery:			73	Std. Dev.: 0.0	
	PH7. 2PPM CL	40 - 40	ppb	4	7 - 7	D	17 - 68		
				Average Recovery:			43	Std. Dev.: 25.5	
anthracene									
	C18 COLUMN	2 - 5	ng/mL	25	1 - 3	M	22 - 57		
				Average Recovery:			36	Std. Dev.: 10.5	
benz(a)anthracene									
	C18 COLUMN	100.2 - 250.5	ng/mL	25	1 - 3	M	54 - 87		
				Average Recovery:			72	Std. Dev.: 9.5	
	PH 10	40 - 40	ppb	25	7 - 7	D	74 - 74		
				Average Recovery:			74	Std. Dev.: 0.0	
	PH 2	40 - 40	ppb	25	7 - 7	D	61 - 74		
				Average Recovery:			68	Std. Dev.: 6.5	
	PH 2. 2PPMCL	40 - 40	ppb	25	7 - 7	D	9 - 10		
				Average Recovery:			10	Std. Dev.: 0.5	
	PH 7	40 - 40	ppb	25	7 - 7	D	65 - 73		
				Average Recovery:			69	Std. Dev.: 4.0	
	PH 7. 2PPMCL	40 - 40	ppb	4	7 - 7	D	58 - 64		
				Average Recovery:			61	Std. Dev.: 3.0	
	PH10	40 - 40	ppb	4	7 - 7	D	61 - 61		
				Average Recovery:			61	Std. Dev.: 0.0	

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
benz[a]anthracene									
	PH10. 2PPMCL	40 - 40	ppb	25	7 - 7	D	50 - 63		
				Average Recovery:			57	Std. Dev.: 6.5	
benzo(b)chrysene									
	C18 COLUMN	20.8 - 52	ng/mL	25	1 - 3	M	25 - 45		
				Average Recovery:			32	Std. Dev.: 5.3	
benzo(k)fluoranthene									
	C18 COLUMN	10 - 99.2	ng/mL	25	1 - 3	M	41 - 81		
				Average Recovery:			58	Std. Dev.: 9.6	
benzo(g,h,i)perylene									
	C18 COLUMN	198 - 495	ng/mL	25	1 - 3	M	35 - 90		
				Average Recovery:			62	Std. Dev.: 4.0	
benzo(a)pyrene									
	C18 COLUMN	149 - 59.6	ng/mL	25	1 - 3	M	26 - 83		
				Average Recovery:			55	Std. Dev.: 16.7	
bis(2-chloroethyl)ether									
	PH 10	-		24	7 - 7	D	53 - 70		
				Average Recovery:			62	Std. Dev.: 8.2	
	PH 10.2PPMCL	-		4	7 - 7	D	56 - 80		
				Average Recovery:			68	Std. Dev.: 12.4	
	PH 2	-		4	7 - 7	D	62 - 77		
				Average Recovery:			69	Std. Dev.: 7.4	
	PH 2. 2PPMCL	-		24	7 - 7	D	67 - 79		
				Average Recovery:			73	Std. Dev.: 6.0	
	PH 7	-		4	7 - 7	D	61 - 67		
				Average Recovery:			64	Std. Dev.: 2.8	
	PH 7. 2PPMCL	-		4	7 - 7	D	59 - 69		
				Average Recovery:			64	Std. Dev.: 4.7	
4-bromophenyl phenyl ether									
	PH 10	-		4	7 - 7	D	57 - 78		
				Average Recovery:			68	Std. Dev.: 10.6	

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
4-bromophenyl phenyl ether									
	PH 10.2PPMCL	-		4	7 - 7	D	61 - 77		
				Average Recovery:			69	Std. Dev.: 8.2	
	PH 2	-		24	7 - 7	D	91 - 92		
				Average Recovery:			91	Std. Dev.: 0.7	
	PH 2. 2PPMCL	-		24	7 - 7	D	12 - 19		
				Average Recovery:			15	Std. Dev.: 3.6	
	PH 7	-		4	7 - 7	D	77 - 88		
				Average Recovery:			82	Std. Dev.: 5.7	
	PH 7. 2PPMCL	-		4	7 - 7	D	73 - 79		
				Average Recovery:			76	Std. Dev.: 3.4	
benzyl butyl phthalate									
	PH 10	-		24	7 - 7	D	40 - 74		
				Average Recovery:			57	Std. Dev.: 17.0	
	PH 10.2PPMCL	-		4	7 - 7	D	36 - 82		
				Average Recovery:			59	Std. Dev.: 23.0	
	PH 2	-		24	7 - 7	D	90 - 97		
				Average Recovery:			94	Std. Dev.: 3.5	
	PH 2. 2PPMCL	-		24	7 - 7	D	94 - 95		
				Average Recovery:			95	Std. Dev.: 0.5	
	PH 7	-		4	7 - 7	D	73 - 73		
				Average Recovery:			73	Std. Dev.: 0.0	
	PH 7. 2PPMCL	-		4	7 - 7	D	69 - 77		
				Average Recovery:			73	Std. Dev.: 4.0	
2-chloronaphthalene									
	PH=2	40 - 40	ug/L	4	0 - 14	D	75 - 115		
				Average Recovery:			92	Std. Dev.: 16.8	
	PH=7	40 - 40	ug/L	4	0 - 21	D	45 - 105		
				Average Recovery:			73	Std. Dev.: 19.7	
	PH=9	40 - 40	ug/L	4	0 - 14	D	90 - 110		
				Average Recovery:			102	Std. Dev.: 8.5	
chrysene									

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
chrysene									
	C18 COLUMN	196 - 490	ng/mL	25	1 - 3	M	60 - 89		
				Average Recovery:			75	Std. Dev.: 10.3	
	PH10.0PPM CL	40 - 40	ppb	4	7 - 7	D	105 - 109		
				Average Recovery:			107	Std. Dev.: 2.0	
	PH10.2PPM CL	40 - 40	ppb	25	7 - 7	D	91 - 95		
				Average Recovery:			93	Std. Dev.: 2.0	
	PH2. 0PPM CL	40 - 40	ppb	25	7 - 7	D	63 - 79		
				Average Recovery:			71	Std. Dev.: 8.0	
	PH2. 2PPM CL	40 - 40	ppb	4	7 - 7	D	39 - 88		
				Average Recovery:			64	Std. Dev.: 24.5	
	PH7. 0PPM CL	40 - 40	ppb	25	7 - 7	D	83 - 84		
				Average Recovery:			84	Std. Dev.: 0.5	
	PH7. 2PPM CL	40 - 40	ppb	4	7 - 7	D	53 - 77		
				Average Recovery:			65	Std. Dev.: 12.0	
coronene									
	C18 COLUMN	247.5 - 99	ng/mL	25	1 - 3	M	28 - 40		
				Average Recovery:			35	Std. Dev.: 3.5	
dibenz(a,h)anthracene									
	C18 COLUMN	247.5 - 59	ng/mL	25	1 - 3	M	34 - 57		
				Average Recovery:			43	Std. Dev.: 7.0	
	PH10.0PPM CL	40 - 40	ppb	25	7 - 7	D	105 - 124		
				Average Recovery:			115	Std. Dev.: 9.5	
	PH10.2PPM CL	40 - 40	ppb	25	7 - 7	D	88 - 90		
				Average Recovery:			89	Std. Dev.: 1.0	
	PH2. 0PPM CL	40 - 40	ppb	25	7 - 7	D	73 - 75		
				Average Recovery:			74	Std. Dev.: 1.0	
	PH2. 2PPM CL	40 - 40	ppb	4	7 - 7	D	61 - 88		
				Average Recovery:			75	Std. Dev.: 13.5	
	PH7. 0PPM CL	40 - 40	ppb	4	7 - 7	D	70 - 74		
				Average Recovery:			72	Std. Dev.: 2.0	
	PH7. 2PPM CL	40 - 40	ppb	4	7 - 7	D	60 - 78		
				Average Recovery:			69	Std. Dev.: 9.0	

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
dibenz(a,h)anthracene									
di-n-butylphthalate		4420 - 4420	ug/L	25	12 - 12		90 - 90		
				Average Recovery:			90	Std. Dev.: 0.0	
	PH 10	-		24	7 - 7	D	78 - 92		
				Average Recovery:			85	Std. Dev.: 7.0	
	PH 10.2PPMCL	-		4	7 - 7	D	70 - 95		
				Average Recovery:			33	Std. Dev.: 12.5	
	PH 2	-		24	7 - 7	D	79 - 88		
				Average Recovery:			34	Std. Dev.: 4.5	
	PH 2. 2PPMCL	-		24	7 - 7	D	89 - 90		
				Average Recovery:			90	Std. Dev.: 0.5	
	PH 7	-		4	7 - 7	D	85 - 92		
				Average Recovery:			89	Std. Dev.: 3.5	
	PH 7. 2PPMCL	-		4	7 - 7	D	90 - 90		
				Average Recovery:			90	Std. Dev.: 0.0	
dimethylbenz(a)anthracene									
	C18 COLUMN	100.8 - 252	ng/mL	25	1 - 3	M	32 - 91		
				Average Recovery:			59	Std. Dev.: 18.2	
2,4-dinitrotoluene									
	PH=0.5	10 - 10	ppb		1 - 33	D	93 - 98		
				Average Recovery:			96	Std. Dev.: 2.5	
	PH=1.4	10 - 10	ppb		1 - 33	D	93 - 96		
				Average Recovery:			95	Std. Dev.: 1.5	
	PH=10.3	10 - 10	ppb		1 - 33	D	73 - 88		
				Average Recovery:			81	Std. Dev.: 7.5	
	PH=2.9	10 - 10	ppb		1 - 33	D	86 - 89		
				Average Recovery:			88	Std. Dev.: 1.5	
	PH=3.8	10 - 10	ppb		1 - 33	D	98 - 99		
				Average Recovery:			99	Std. Dev.: 0.5	
	PH=6.0	10 - 10	ppb		1 - 33	D	92 - 96		
				Average Recovery:			94	Std. Dev.: 2.0	

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
2,4-dinitrotoluene									
	PH=7.9	10 - 10	ppb		1 - 33	D	96 - 100		
				Average Recovery:			98	Std. Dev.: 2.0	
2,6-dinitrotoluene									
	PH=.5	10 - 10	ppb		1 - 1	D	89 - 89		
				Average Recovery:			89	Std. Dev.: 0.0	
	PH=0.5	10 - 10	ppb		33 - 33	D	92 - 92		
				Average Recovery:			92	Std. Dev.: 0.0	
	PH=1.4	10 - 10	ppb		1 - 33	D	98 - 98		
				Average Recovery:			98	Std. Dev.: 0.0	
	PH=10.3	10 - 10	ppb		1 - 33	D	91 - 92		
				Average Recovery:			92	Std. Dev.: 0.5	
	PH=2.9	10 - 10	ppb		1 - 33	D	88 - 91		
				Average Recovery:			90	Std. Dev.: 1.5	
	PH=3.8	10 - 10	ppb		1 - 33	D	94 - 95		
				Average Recovery:			95	Std. Dev.: 0.5	
	PH=6.0	10 - 10	ppb		1 - 33	D	88 - 94		
				Average Recovery:			91	Std. Dev.: 3.0	
	PH=7.9	10 - 10	ppb		1 - 33	D	87 - 90		
				Average Recovery:			89	Std. Dev.: 1.5	
di-n-octylphthalate									
	PH 10	-		24	7 - 7	D	85 - 85		
				Average Recovery:			85	Std. Dev.: 0.0	
	PH 10.2PPMCL	-		24	7 - 7	D	78 - 87		
				Average Recovery:			83	Std. Dev.: 4.5	
	PH 2	-		24	7 - 7	D	92 - 100		
				Average Recovery:			96	Std. Dev.: 4.0	
	PH 2. 2PPMCL	-		4	7 - 7	D	93 - 97		
				Average Recovery:			95	Std. Dev.: 2.0	
	PH 7	-		24	7 - 7	D	69 - 92		
				Average Recovery:			81	Std. Dev.: 11.5	
	PH 7. 2PPMCL	-		24	7 - 7	D	91 - 96		
				Average Recovery:			94	Std. Dev.: 2.5	

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
di-n-octylphthalate									
bis-(2-ethylhexyl)-phthalate									
		229 - 407	ug/L	25	12 - 12		65 - 71		
				Average Recovery:			68	Std. Dev.: 3.0	
	PH 10	-		24	7 - 7	D	89 - 92		
				Average Recovery:			91	Std. Dev.: 1.5	
	PH 10.2PPMCL	-		4	7 - 7	D	80 - 94		
				Average Recovery:			87	Std. Dev.: 7.0	
	PH 2	-		24	7 - 7	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	PH 2. 2PPMCL	-		24	7 - 7	D	96 - 96		
				Average Recovery:			96	Std. Dev.: 0.0	
	PH 7	-		4	7 - 7	D	88 - 100		
				Average Recovery:			94	Std. Dev.: 6.0	
	PH 7. 2PPMCL	-		4	7 - 7	D	86 - 95		
				Average Recovery:			91	Std. Dev.: 4.5	
fluoranthene									
	C18 COLUMN	100 - 250	ng/mL	25	1 - 3	M	71 - 94		
				Average Recovery:			81	Std. Dev.: 3.9	
fluorene									
	PH10.0PPM CL	40 - 40	ppb	4	7 - 7	D	57 - 70		
				Average Recovery:			64	Std. Dev.: 6.5	
	PH10.2PPM CL	40 - 40	ppb	25	7 - 7	D	48 - 71		
				Average Recovery:			60	Std. Dev.: 11.5	
	PH2. 0PPM CL	40 - 40	ppb	4	7 - 7	D	73 - 80		
				Average Recovery:			77	Std. Dev.: 3.5	
	PH2. 2PPM CL	40 - 40	ppb	25	7 - 7	D	64 - 69		
				Average Recovery:			67	Std. Dev.: 2.5	
	PH7. 0PPM CL	40 - 40	ppb	4	7 - 7	D	68 - 76		
				Average Recovery:			72	Std. Dev.: 4.0	
	PH7. 2PPM CL	40 - 40	ppb	25	7 - 7	D	50 - 73		
				Average Recovery:			62	Std. Dev.: 11.5	

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
indeno(1,2,3-cd)pyrene									
	C18 COLUMN	137.5 - 55	ng/mL	25	1 - 3	M	39 - 68		
				Average Recovery:			49	Std. Dev.: 8.3	
	PH10.0PPM CL	40 - 40	ppb	25	7 - 7	D	133 - 142		
				Average Recovery:			138	Std. Dev.: 4.5	
	PH10.2PPM CL	40 - 40	ppb	25	7 - 7	D	102 - 117		
				Average Recovery:			110	Std. Dev.: 7.5	
	PH2. 0PPM CL	40 - 40	ppb	4	7 - 7	D	75 - 77		
				Average Recovery:			76	Std. Dev.: 1.0	
	PH2. 2PPM CL	40 - 40	ppb	25	7 - 7	D	46 - 88		
				Average Recovery:			67	Std. Dev.: 21.0	
	PH7. 0PPM CL	40 - 40	ppb	25	7 - 7	D	75 - 78		
				Average Recovery:			77	Std. Dev.: 1.5	
	PH7. 2PPM CL	40 - 40	ppb	4	7 - 7	D	73 - 85		
				Average Recovery:			79	Std. Dev.: 6.0	
2-methylnaphthalene									
	AG FILTERS	-		4	36 - 36	D	95 - 95		
				Average Recovery:			95	Std. Dev.: 0.0	
naphthalene									
	C18 COLUMN	1000 - 2500	ng/mL	25	1 - 3	M	5 - 5		
				Average Recovery:			5	Std. Dev.: 0.3	
	PH10.0PPM CL	40 - 40	ppb	25	7 - 7	D	104 - 111		
				Average Recovery:			108	Std. Dev.: 3.5	
	PH10.2PPM CL	40 - 40	ppb	4	7 - 7	D	83 - 101		
				Average Recovery:			92	Std. Dev.: 9.0	
	PH2. 0PPM CL	40 - 40	ppb	25	7 - 7	D	77 - 81		
				Average Recovery:			79	Std. Dev.: 2.0	
	PH2. 2PPM CL	40 - 40	ppb	25	7 - 7	D	61 - 89		
				Average Recovery:			75	Std. Dev.: 14.0	
	PH7. 0PPM CL	40 - 40	ppb	4	7 - 7	D	89 - 89		
				Average Recovery:			89	Std. Dev.: 0.0	
	PH7. 2PPM CL	40 - 40	ppb	25	7 - 7	D	93 - 97		
				Average Recovery:			95	Std. Dev.: 2.0	

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
naphthalene									
n-nitrosodiphenylamine									
	PH 10	-		24	7 - 7	D	13 - 31		
				Average Recovery:			22	Std. Dev.: 9.0	
	PH 10.2PPMCL	-		24	7 - 7	D	62 - 62		
				Average Recovery:			62	Std. Dev.: 0.0	
	PH 2	-		24	7 - 7	D	50 - 69		
				Average Recovery:			60	Std. Dev.: 9.5	
	PH 2. 2PPMCL	-		4	7 - 7	D	94 - 95		
				Average Recovery:			95	Std. Dev.: 0.5	
	PH 7	-		24	7 - 7	D	14 - 31		
				Average Recovery:			23	Std. Dev.: 8.5	
	PH 7. 2PPMCL	-		4	7 - 7	D	31 - 78		
				Average Recovery:			55	Std. Dev.: 23.5	
	PH10. 2PPMCL	-		4	7 - 7	D	26 - 26		
				Average Recovery:			26	Std. Dev.: 0.0	
n-nitroso-di-n-propylamine									
	PH 10	-		4	7 - 7	D	3 - 100		
				Average Recovery:			67	Std. Dev.: 45.3	
	PH 10.2PPMCL	-		4	7 - 7	D	6 - 97		
				Average Recovery:			52	Std. Dev.: 45.3	
	PH 2	-		24	7 - 7	D	3 - 100		
				Average Recovery:			68	Std. Dev.: 45.7	
	PH 2. 2PPMCL	-		4	7 - 7	D	3 - 100		
				Average Recovery:			53	Std. Dev.: 47.5	
	PH 7	-		4	7 - 7	D	8 - 100		
				Average Recovery:			68	Std. Dev.: 42.7	
	PH 7. 2PPMCL	-		4	7 - 7	D	3 - 99		
				Average Recovery:			52	Std. Dev.: 46.0	
phenanthrene									
	C18 COLUMN	248.5 - 99.4	ng/mL	25	1 - 3	M	40 - 76		
				Average Recovery:			59	Std. Dev.: 11.5	

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
phenanthrene									
	PH10.0PPM CL	40 - 40	ppb	25	7 - 7	D	66 - 37		
				Average Recovery:			77	Std. Dev.: 10.5	
	PH10.2PPM CL	40 - 40	ppb	25	7 - 7	D	45 - 61		
				Average Recovery:			53	Std. Dev.: 8.0	
	PH2. 0PPM CL	40 - 40	ppb	4	7 - 7	D	70 - 73		
				Average Recovery:			72	Std. Dev.: 1.5	
	PH2. 2PPM CL	40 - 40	ppb	4	7 - 7	D	59 - 60		
				Average Recovery:			60	Std. Dev.: 0.5	
	PH7. 0PPM CL	40 - 40	ppb	25	7 - 7	D	69 - 72		
				Average Recovery:			71	Std. Dev.: 1.5	
	PH7. 2PPM CL	40 - 40	ppb	25	7 - 7	D	69 - 72		
				Average Recovery:			71	Std. Dev.: 1.5	
pyrene									
	C18 COLUMN	200.8 - 502	ng/mL	25	1 - 3	M	72 - 83		
				Average Recovery:			78	Std. Dev.: 3.1	
	PH10.0PPM CL	40 - 40	ppb	4	7 - 7	D	111 - 111		
				Average Recovery:			111	Std. Dev.: 0.0	
	PH10.2PPM CL	40 - 40	ppb	4	7 - 7	D	86 - 93		
				Average Recovery:			90	Std. Dev.: 3.5	
	PH2. 0PPM CL	40 - 40	ppb	4	7 - 7	D	85 - 91		
				Average Recovery:			88	Std. Dev.: 3.0	
	PH2. 2PPM CL	40 - 40	ppb	4	7 - 7	D	58 - 86		
				Average Recovery:			72	Std. Dev.: 14.0	
	PH7. 0PPM CL	40 - 40	ppb	25	7 - 7	D	84 - 86		
				Average Recovery:			85	Std. Dev.: 1.0	
	PH7. 2PPM CL	40 - 40	ppb	25	7 - 7	D	79 - 97		
				Average Recovery:			88	Std. Dev.: 9.0	

Figure A-8 Analyte Recovery of C-18 Column for Base Neutral Extractable Compounds in Drinking/Surface Water Matrix



Ref: ASC 322

Figure A-9 Analyte Recovery at pH<7 with no Chlorine for Base Neutral Extractable Compounds in Drinking/Surface Water Matrix



Ref: ASC 87, 88, 92, 93, 234, 302

Figure A-10 Analyte Recovery at pH<7 with 2 ppm Chlorine for Base Neutral Extractable Compounds in Drinking/Surface Water Matrix



Ref: ASC 87,88,92,93

Figure A-11 Analyte Recovery at pH=7 with no Chlorine for Base Neutral Extractable Compounds in Drinking/Surface Water Matrix



Ref: ASC 87,88, 92, 93, 234, 302

Figure A-12 Analyte Recovery at pH =7 with 2 ppm Chlorine for Base Neutral Extractable Compounds in Drinking/Surface Water Matrix



Ref: ASC 87, 88, 92, 93

Figure A-13 Analyte Recovery at pH>7 with no Chlorine for Base Neutral Extractable Compounds in Drinking/Surface Water Matrix



Ref: ASC 87, 88, 92, 93, 234, 302

Figure A-14 Analyte Recovery at pH>7 with 2 ppm Chlorine for Base Neutral Extractable Compounds in Drinking/Surface Water Matrix



Ref: ASC 87, 88, 92, 93

Matrix: Water Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
acenaphthylene	AG FILTERS		25	3 W	80		35
acenaphthylene	AG FILTERS		4	36 D	95		35
acenaphthylene	PH10,0PPM CL	40 ppb	4	7 D	48		87
acenaphthylene	PH10,0PPM CL	40 ppb	25	7 D	73		87
acenaphthylene	PH10,2PPM CL	40 ppb	4	7 D	57		87
acenaphthylene	PH10,2PPM CL	40 ppb	25	7 D	70		87
acenaphthylene	PH2, 0PPM CL	40 ppb	4	7 D	75		87
acenaphthylene	PH2, 0PPM CL	40 ppb	25	7 D	74		87
acenaphthylene	PH2, 2PPM CL	40 ppb	25	7 D	0		87
acenaphthylene	PH2, 2PPM CL	40 ppb	4	7 D	5		87
acenaphthylene	PH7, 0PPM CL	40 ppb	4	7 D	73		87
acenaphthylene	PH7, 0PPM CL	40 ppb	25	7 D	73		87
acenaphthylene	PH7, 2PPM CL	40 ppb	25	7 D	17		87
acenaphthylene	PH7, 2PPM CL	40 ppb	4	7 D	68		87
anthracene	C18 COLUMN	2 ng/mL	25	1 M	37.2	extract, stored in dark	322
anthracene	C18 COLUMN	2 ng/mL	25	1 W	36	extract, stored in dark	322
anthracene	C18 COLUMN	2 ng/mL	25	1 D	47.4	extract, stored in dark	322
anthracene	C18 COLUMN	2 ng/mL	25	2 M	25.5	extract, stored in dark	322
anthracene	C18 COLUMN	2 ng/mL	25	3 M	21.7	extract, stored in dark	322
anthracene	C18 COLUMN	5 ng/mL	25	1 W	57	extract, stored in dark	322
anthracene	C18 COLUMN	5 ng/mL	25	1 D	32.5	extract, stored in dark	322
anthracene	C18 COLUMN	5 ng/mL	25	1 M	42.7	extract, stored in dark	322
anthracene	C18 COLUMN	5 ng/mL	25	2 M	24.4	extract, stored in dark	322
anthracene	C18 COLUMN	5 ng/mL	25	3 M	31.5	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	100.2 ng/mL	25	1 M	73.6	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	100.2 ng/mL	25	1 W	68.2	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	100.2 ng/mL	25	1 D	85.3	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	100.2 ng/mL	25	2 M	72.3	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	100.2 ng/mL	25	3 M	71.9	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	250.5 ng/mL	25	1 D	54.2	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	250.5 ng/mL	25	1 W	76.7	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	250.5 ng/mL	25	1 M	87	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	250.5 ng/mL	25	2 M	65	extract, stored in dark	322
benz(a)anthracene	C18 COLUMN	250.5 ng/mL	25	3 M	61.9	extract, stored in dark	322
benz(a)anthracene	PH 10	40 ppb	25	7 D	74		87
benz(a)anthracene	PH 2	40 ppb	4	7 D	74		87
benz(a)anthracene	PH 2	40 ppb	25	7 D	61		87
benz(a)anthracene	PH 2, 2PPMCL	40 ppb	4	7 D	10		87
benz(a)anthracene	PH 2, 2PPMCL	40 ppb	25	7 D	9		87
benz(a)anthracene	PH 7	40 ppb	4	7 D	65		87
benz(a)anthracene	PH 7	40 ppb	25	7 D	73		87
benz(a)anthracene	PH 7, 2PPMCL	40 ppb	25	7 D	58		87
benz(a)anthracene	PH 7, 2PPMCL	40 ppb	4	7 D	84		87
benz(a)anthracene	PH10	40 ppb	4	7 D	61		87
benz(a)anthracene	PH10, 2PPMCL	40 ppb	4	7 D	63		87
benz(a)anthracene	PH10, 2PPMCL	40 ppb	25	7 D	50		87
benzo(b)chrysene	C18 COLUMN	20.8 ng/mL	25	1 D	45	extract, stored in dark	322
benzo(b)chrysene	C18 COLUMN	20.8 ng/mL	25	1 W	36	extract, stored in dark	322
benzo(b)chrysene	C18 COLUMN	20.8 ng/mL	25	1 M	31.6	extract, stored in dark	322

Matrix: Water — Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
benzo(b)chrysene	C18 COLUMN	20.8 ng/mL	25	2 M	30.5	extract, stored in dark	322
benzo(b)chrysene	C18 COLUMN	20.8 ng/mL	25	3 M	31.4	extract, stored in dark	322
benzo(b)chrysene	C18 COLUMN	52 ng/mL	25	1 D	36.6	extract, stored in dark	322
benzo(b)chrysene	C18 COLUMN	52 ng/mL	25	1 M	30.5	extract, stored in dark	322
benzo(b)chrysene	C18 COLUMN	52 ng/mL	25	1 W	30.6	extract, stored in dark	322
benzo(b)chrysene	C18 COLUMN	52 ng/mL	25	2 M	25	extract, stored in dark	322
benzo(b)chrysene	C18 COLUMN	52 ng/mL	25	3 M	27.1	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	10 ng/mL	25	1 D	66	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	10 ng/mL	25	1 W	57	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	10 ng/mL	25	1 M	55.1	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	10 ng/mL	25	2 M	64.4	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	10 ng/mL	25	3 M	56.6	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	1251 ng/mL	25	1 M	58.5	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	1251 ng/mL	25	1 D	76.5	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	1251 ng/mL	25	1 W	47.9	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	1251 ng/mL	25	2 M	59.9	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	1251 ng/mL	25	3 M	51.8	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	248 ng/mL	25	1 D	58	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	248 ng/mL	25	1 W	46.7	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	248 ng/mL	25	1 M	51	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	248 ng/mL	25	2 M	49.6	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	248 ng/mL	25	3 M	40.8	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	25 ng/mL	25	1 W	49.8	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	25 ng/mL	25	1 M	56.2	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	25 ng/mL	25	1 D	67.2	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	25 ng/mL	25	2 M	49.5	extract, stored in dark	322
benzo(k)fluoranthene	C18 COLUMN	25 ng/mL	25	3 M	46.8	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	500.4 ng/mL	25	1 D	81.3	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	500.4 ng/mL	25	1 M	69.7	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	500.4 ng/mL	25	1 W	64	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	500.4 ng/mL	25	2 M	72.5	extract, stored in dark	322
benzo(j)fluoranthene	C18 COLUMN	500.4 ng/mL	25	3 M	60	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	99.2 ng/mL	25	1 M	50	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	99.2 ng/mL	25	1 W	53.3	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	99.2 ng/mL	25	1 D	69.1	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	99.2 ng/mL	25	2 M	58.7	extract, stored in dark	322
benzo(b)fluoranthene	C18 COLUMN	99.2 ng/mL	25	3 M	47.2	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	198 ng/mL	25	1 D	49.7	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	198 ng/mL	25	1 M	45.9	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	198 ng/mL	25	1 W	44.5	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	198 ng/mL	25	2 M	44	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	198 ng/mL	25	3 M	37.8	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	495 ng/mL	25	1 W	39.8	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	495 ng/mL	25	1 D	43.3	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	495 ng/mL	25	1 M	41.8	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	495 ng/mL	25	2 M	35.4	extract, stored in dark	322
benzo(g,h,i)perylene	C18 COLUMN	495 ng/mL	25	3 M	38.6	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	149 ng/mL	25	1 M	41.7	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	149 ng/mL	25	1 D	55.4	extract, stored in dark	322

Matrix: Water — Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
benzo(a)pyrene	C18 COLUMN	149 ng/mL	25	1 W	39.5	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	149 ng/mL	25	2 M	31.1	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	149 ng/mL	25	3 M	26.3	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	200 ng/mL	25	1 M	82.7	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	200 ng/mL	25	1 D	63.3	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	200 ng/mL	25	1 W	64	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	200 ng/mL	25	2 M	77.8	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	200 ng/mL	25	3 M	83.3	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	500 ng/mL	25	1 D	76.5	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	500 ng/mL	25	1 M	58.5	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	500 ng/mL	25	1 W	47.9	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	500 ng/mL	25	2 M	66.6	extract, stored in dark	322
benzo(e)pyrene	C18 COLUMN	500 ng/mL	25	3 M	60.7	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	59.6 ng/mL	25	1 W	39.3	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	59.6 ng/mL	25	1 D	52.9	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	59.6 ng/mL	25	1 M	42.8	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	59.6 ng/mL	25	2 M	45.3	extract, stored in dark	322
benzo(a)pyrene	C18 COLUMN	59.6 ng/mL	25	3 M	36.5	extract, stored in dark	322
bis(2-chloroethyl)ether	PH 10		4	7 D	69.8		92
bis(2-chloroethyl)ether	PH 10		24	7 D	53.4		92
bis(2-chloroethyl)ether	PH 10,2PPMCL		24	7 D	80.2		92
bis(2-chloroethyl)ether	PH 10,2PPMCL		4	7 D	55.5		92
bis(2-chloroethyl)ether	PH 2		24	7 D	76.6		92
bis(2-chloroethyl)ether	PH 2		4	7 D	61.7		92
bis(2-chloroethyl)ether	PH 2, 2PPMCL		4	7 D	78.66		92
bis(2-chloroethyl)ether	PH 2, 2PPMCL		24	7 D	66.6		92
bis(2-chloroethyl)ether	PH 7		24	7 D	61.4		92
bis(2-chloroethyl)ether	PH 7		4	7 D	66.9		92
bis(2-chloroethyl)ether	PH 7, 2PPMCL		24	7 D	68.7		92
bis(2-chloroethyl)ether	PH 7, 2PPMCL		4	7 D	59.4		92
4-bromophenyl phenyl ether	PH 10		24	7 D	57.3		92
4-bromophenyl phenyl ether	PH 10		4	7 D	78.4		92
4-bromophenyl phenyl ether	PH 10,2PPMCL		24	7 D	77.1		92
4-bromophenyl phenyl ether	PH 10,2PPMCL		4	7 D	60.8		92
4-bromophenyl phenyl ether	PH 2		4	7 D	90.6		92
4-bromophenyl phenyl ether	PH 2		24	7 D	91.9		92
4-bromophenyl phenyl ether	PH 2, 2PPMCL		4	7 D	18.7		92
4-bromophenyl phenyl ether	PH 2, 2PPMCL		24	7 D	11.5		92
4-bromophenyl phenyl ether	PH 7		24	7 D	76.5		92
4-bromophenyl phenyl ether	PH 7		4	7 D	87.9		92
4-bromophenyl phenyl ether	PH 7, 2PPMCL		24	7 D	72.5		92
4-bromophenyl phenyl ether	PH 7, 2PPMCL		4	7 D	79.3		92
benzyl butyl phthalate	PH 10		4	7 D	74		93
benzyl butyl phthalate	PH 10		24	7 D	40		93
benzyl butyl phthalate	PH 10,2PPMCL		24	7 D	36		93
benzyl butyl phthalate	PH 10,2PPMCL		4	7 D	82		93
benzyl butyl phthalate	PH 2		4	7 D	97		93
benzyl butyl phthalate	PH 2		24	7 D	90		93
benzyl butyl phthalate	PH 2, 2PPMCL		4	7 D	95		93

Matrix: Water Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
benzyl butyl phthalate	PH 2, 2PPMCL		24	7 D	94		93
benzyl butyl phthalate	PH 7		24	7 D	73		93
benzyl butyl phthalate	PH 7		4	7 D	73		93
benzyl butyl phthalate	PH 7, 2PPMCL		24	7 D	69		93
benzyl butyl phthalate	PH 7, 2PPMCL		4	7 D	77		93
2-chloronaphthalene	PH=2	40 ug/L	4	0 D	115		302
2-chloronaphthalene	PH=2	40 ug/L	4	7 D	75		302
2-chloronaphthalene	PH=2	40 ug/L	4	14 D	87		302
2-chloronaphthalene	PH=7	40 ug/L	4	0 D	105		302
2-chloronaphthalene	PH=7	40 ug/L	4	1 D	90		302
2-chloronaphthalene	PH=7	40 ug/L	4	3 D	70		302
2-chloronaphthalene	PH=7	40 ug/L	4	7 D	65		302
2-chloronaphthalene	PH=7	40 ug/L	4	14 D	45		302
2-chloronaphthalene	PH=7	40 ug/L	4	21 D	60		302
2-chloronaphthalene	PH=9	40 ug/L	4	0 D	110		302
2-chloronaphthalene	PH=9	40 ug/L	4	7 D	105		302
2-chloronaphthalene	PH=9	40 ug/L	4	14 D	90		302
chrysene	C18 COLUMN	196 ng/mL	25	1 M	75.5	extract, stored in dark	322
chrysene	C18 COLUMN	196 ng/mL	25	1 W	75.9	extract, stored in dark	322
chrysene	C18 COLUMN	196 ng/mL	25	1 D	86.1	extract, stored in dark	322
chrysene	C18 COLUMN	196 ng/mL	25	2 M	85.4	extract, stored in dark	322
chrysene	C18 COLUMN	196 ng/mL	25	3 M	88.8	extract, stored in dark	322
chrysene	C18 COLUMN	490 ng/mL	25	1 W	59.8	extract, stored in dark	322
chrysene	C18 COLUMN	490 ng/mL	25	1 M	65.7	extract, stored in dark	322
chrysene	C18 COLUMN	490 ng/mL	25	1 D	81.8	extract, stored in dark	322
chrysene	C18 COLUMN	490 ng/mL	25	2 M	66	extract, stored in dark	322
chrysene	C18 COLUMN	490 ng/mL	25	3 M	61.2	extract, stored in dark	322
chrysene	PH10,0PPM CL	40 ppb	25	7 D	109		87
chrysene	PH10,0PPM CL	40 ppb	4	7 D	105		87
chrysene	PH10,2PPM CL	40 ppb	4	7 D	95		87
chrysene	PH10,2PPM CL	40 ppb	25	7 D	91		87
chrysene	PH2, 0PPM CL	40 ppb	4	7 D	79		87
chrysene	PH2, 0PPM CL	40 ppb	25	7 D	63		87
chrysene	PH2, 2PPM CL	40 ppb	25	7 D	88		87
chrysene	PH2, 2PPM CL	40 ppb	4	7 D	39		87
chrysene	PH7, 0PPM CL	40 ppb	4	7 D	83		87
chrysene	PH7, 0PPM CL	40 ppb	25	7 D	84		87
chrysene	PH7, 2PPM CL	40 ppb	25	7 D	53		87
chrysene	PH7, 2PPM CL	40 ppb	4	7 D	77		87
coronene	C18 COLUMN	247.5 ng/mL	25	1 D	27.9	extract, stored in dark	322
coronene	C18 COLUMN	247.5 ng/mL	25	1 W	38.5	extract, stored in dark	322
coronene	C18 COLUMN	247.5 ng/mL	25	1 M	37.3	extract, stored in dark	322
coronene	C18 COLUMN	247.5 ng/mL	25	2 M	35.2	extract, stored in dark	322
coronene	C18 COLUMN	247.5 ng/mL	25	3 M	38.3	extract, stored in dark	322
coronene	C18 COLUMN	99 ng/mL	25	1 M	32.2	extract, stored in dark	322
coronene	C18 COLUMN	99 ng/mL	25	1 W	36.7	extract, stored in dark	322
coronene	C18 COLUMN	99 ng/mL	25	1 D	32.1	extract, stored in dark	322
coronene	C18 COLUMN	99 ng/mL	25	2 M	40	extract, stored in dark	322
coronene	C18 COLUMN	99 ng/mL	25	3 M	34.9	extract, stored in dark	322

Matrix: Water Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
dibenz(a,h)anthracene	C18 COLUMN	247.5 ng/mL	25	1 D	48.7	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	247.5 ng/mL	25	1 W	40.8	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	247.5 ng/mL	25	1 M	33.6	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	247.5 ng/mL	25	2 M	35.6	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	247.5 ng/mL	25	3 M	34.6	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	59 ng/mL	25	1 D	57.3	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	59 ng/mL	25	1 W	45.3	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	59 ng/mL	25	1 M	43.6	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	59 ng/mL	25	2 M	46.8	extract, stored in dark	322
dibenz(a,h)anthracene	C18 COLUMN	59 ng/mL	25	3 M	39.9	extract, stored in dark	322
dibenz(a,h)anthracene	PH10,0PPM CL	40 ppb	4	7 D	105		87
dibenz(a,h)anthracene	PH10,0PPM CL	40 ppb	25	7 D	124		87
dibenz(a,h)anthracene	PH10,2PPM CL	40 ppb	4	7 D	90		87
dibenz(a,h)anthracene	PH10,2PPM CL	40 ppb	25	7 D	88		87
dibenz(a,h)anthracene	PH2, 0PPM CL	40 ppb	4	7 D	75		87
dibenz(a,h)anthracene	PH2, 0PPM CL	40 ppb	25	7 D	73		87
dibenz(a,h)anthracene	PH2, 2PPM CL	40 ppb	25	7 D	88		87
dibenz(a,h)anthracene	PH2, 2PPM CL	40 ppb	4	7 D	61		87
dibenz(a,h)anthracene	PH7, 0PPM CL	40 ppb	25	7 D	74		87
dibenz(a,h)anthracene	PH7, 0PPM CL	40 ppb	4	7 D	70		87
dibenz(a,h)anthracene	PH7, 2PPM CL	40 ppb	25	7 D	78		87
dibenz(a,h)anthracene	PH7, 2PPM CL	40 ppb	4	7 D	60		87
di-n-butylphthalate		4420 ug/L	25	12	90	time in hrs., seawater	36
di-n-butylphthalate	PH 10		4	7 D	92		93
di-n-butylphthalate	PH 10		24	7 D	78		93
di-n-butylphthalate	PH 10,2PPMCL		24	7 D	70		93
di-n-butylphthalate	PH 10,2PPMCL		4	7 D	95		93
di-n-butylphthalate	PH 2		4	7 D	79		93
di-n-butylphthalate	PH 2		24	7 D	88		93
di-n-butylphthalate	PH 2, 2PPMCL		4	7 D	89		93
di-n-butylphthalate	PH 2, 2PPMCL		24	7 D	90		93
di-n-butylphthalate	PH 7		24	7 D	92		93
di-n-butylphthalate	PH 7		4	7 D	85		93
di-n-butylphthalate	PH 7, 2PPMCL		24	7 D	90		93
di-n-butylphthalate	PH 7, 2PPMCL		4	7 D	90		93
dimethylbenz(a)anthracene	C18 COLUMN	100.8 ng/mL	25	1 D	86.2	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	100.8 ng/mL	25	1 W	91.4	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	100.8 ng/mL	25	1 M	74.3	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	100.8 ng/mL	25	2 M	61.1	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	100.8 ng/mL	25	3 M	43	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	252 ng/mL	25	1 D	31.7	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	252 ng/mL	25	1 W	47.9	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	252 ng/mL	25	1 M	57.3	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	252 ng/mL	25	2 M	47	extract, stored in dark	322
dimethylbenz(a)anthracene	C18 COLUMN	252 ng/mL	25	3 M	54	extract, stored in dark	322
2,4-dinitrotoluene	PH=0.5	10 ppb		1 D	93		234
2,4-dinitrotoluene	PH=0.5	10 ppb		33 D	98		234
2,4-dinitrotoluene	PH=1.4	10 ppb		1 D	96		234
2,4-dinitrotoluene	PH=1.4	10 ppb		33 D	93		234

Matrix: Water Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,4-dinitrotoluene	PH=10.3	10 ppb		1 D	88		234
2,4-dinitrotoluene	PH=10.3	10 ppb		33 D	73		234
2,4-dinitrotoluene	PH=2.9	10 ppb		1 D	89		234
2,4-dinitrotoluene	PH=2.9	10 ppb		33 D	86		234
2,4-dinitrotoluene	PH=3.8	10 ppb		1 D	98		234
2,4-dinitrotoluene	PH=3.8	10 ppb		33 D	99		234
2,4-dinitrotoluene	PH=6.0	10 ppb		1 D	92		234
2,4-dinitrotoluene	PH=6.0	10 ppb		33 D	96		234
2,4-dinitrotoluene	PH=7.9	10 ppb		1 D	96		234
2,4-dinitrotoluene	PH=7.9	10 ppb		33 D	100		234
2,6-dinitrotoluene	PH=.5	10 ppb		1 D	89		234
2,6-dinitrotoluene	PH=0.5	10 ppb		33 D	92		234
2,6-dinitrotoluene	PH=1.4	10 ppb		1 D	98		234
2,6-dinitrotoluene	PH=1.4	10 ppb		33 D	98		234
2,6-dinitrotoluene	PH=10.3	10 ppb		1 D	91		234
2,6-dinitrotoluene	PH=10.3	10 ppb		33 D	92		234
2,6-dinitrotoluene	PH=2.9	10 ppb		1 D	91		234
2,6-dinitrotoluene	PH=2.9	10 ppb		33 D	88		234
2,6-dinitrotoluene	PH=3.8	10 ppb		1 D	95		234
2,6-dinitrotoluene	PH=3.8	10 ppb		33 D	94		234
2,6-dinitrotoluene	PH=6.0	10 ppb		1 D	88		234
2,6-dinitrotoluene	PH=6.0	10 ppb		33 D	94		234
2,6-dinitrotoluene	PH=7.9	10 ppb		1 D	87		234
2,6-dinitrotoluene	PH=7.9	10 ppb		33 D	90		234
di-n-octylphthalate	PH 10		4	7 D	85		93
di-n-octylphthalate	PH 10		24	7 D	85		93
di-n-octylphthalate	PH 10,2PPMCL		4	7 D	78		93
di-n-octylphthalate	PH 10,2PPMCL		24	7 D	87		93
di-n-octylphthalate	PH 2		4	7 D	100		93
di-n-octylphthalate	PH 2		24	7 D	92		93
di-n-octylphthalate	PH 2, 2PPMCL		24	7 D	93		93
di-n-octylphthalate	PH 2, 2PPMCL		4	7 D	97		93
di-n-octylphthalate	PH 7		4	7 D	92		93
di-n-octylphthalate	PH 7		24	7 D	69		93
di-n-octylphthalate	PH 7, 2PPMCL		4	7 D	91		93
di-n-octylphthalate	PH 7, 2PPMCL		24	7 D	96		93
bis-(2-ethylhexyl)-phthalate		229 ug/L	25	12	65	time in hrs., seawater	36
bis-(2-ethylhexyl)-phthalate		407 ug/L	25	12	71	time in hrs., seawater	36
bis-(2-ethylhexyl)-phthalate	PH 10		4	7 D	89		93
bis-(2-ethylhexyl)-phthalate	PH 10		24	7 D	92		93
bis-(2-ethylhexyl)-phthalate	PH 10,2PPMCL		24	7 D	94		93
bis-(2-ethylhexyl)-phthalate	PH 10,2PPMCL		4	7 D	80		93
bis-(2-ethylhexyl)-phthalate	PH 2		4	7 D	100		93
bis-(2-ethylhexyl)-phthalate	PH 2		24	7 D	100		93
bis-(2-ethylhexyl)-phthalate	PH 2, 2PPMCL		4	7 D	96		93
bis-(2-ethylhexyl)-phthalate	PH 2, 2PPMCL		24	7 D	96		93
bis-(2-ethylhexyl)-phthalate	PH 7		24	7 D	100		93
bis-(2-ethylhexyl)-phthalate	PH 7		4	7 D	88		93
bis-(2-ethylhexyl)-phthalate	PH 7, 2PPMCL		24	7 D	95		93

Matrix: Water — Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
bis-(2-ethylhexyl)-phthalate	PH 7, 2PPMCL		4	7 D	86		93
fluoranthene	C18 COLUMN	100 ng/mL	25	1 M	82	extract, stored in dark	322
fluoranthene	C18 COLUMN	100 ng/mL	25	1 W	71.2	extract, stored in dark	322
fluoranthene	C18 COLUMN	100 ng/mL	25	1 D	84.2	extract, stored in dark	322
fluoranthene	C18 COLUMN	100 ng/mL	25	2 M	83.7	extract, stored in dark	322
fluoranthene	C18 COLUMN	100 ng/mL	25	3 M	79.9	extract, stored in dark	322
fluoranthene	C18 COLUMN	250 ng/mL	25	1 M	80.5	extract, stored in dark	322
fluoranthene	C18 COLUMN	250 ng/mL	25	1 D	83	extract, stored in dark	322
fluoranthene	C18 COLUMN	250 ng/mL	25	1 W	75.7	extract, stored in dark	322
fluoranthene	C18 COLUMN	250 ng/mL	25	2 M	82.4	extract, stored in dark	322
fluoranthene	C18 COLUMN	250 ng/mL	25	3 M	83.6	extract, stored in dark	322
fluorene	PH10,0PPM CL	40 ppb	25	7 D	70		87
fluorene	PH10,0PPM CL	40 ppb	4	7 D	57		87
fluorene	PH10,2PPM CL	40 ppb	4	7 D	71		87
fluorene	PH10,2PPM CL	40 ppb	25	7 D	48		87
fluorene	PH2, 0PPM CL	40 ppb	25	7 D	73		87
fluorene	PH2, 0PPM CL	40 ppb	4	7 D	80		87
fluorene	PH2, 2PPM CL	40 ppb	4	7 D	69		87
fluorene	PH2, 2PPM CL	40 ppb	25	7 D	64		87
fluorene	PH7, 0PPM CL	40 ppb	25	7 D	76		87
fluorene	PH7, 0PPM CL	40 ppb	4	7 D	68		87
fluorene	PH7, 2PPM CL	40 ppb	4	7 D	73		87
fluorene	PH7, 2PPM CL	40 ppb	25	7 D	50		87
indeno(1,2,3-cd)pyrene	C18 COLUMN	137.5 ng/mL	25	1 D	42.1	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	137.5 ng/mL	25	1 W	46.9	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	137.5 ng/mL	25	1 M	56.7	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	137.5 ng/mL	25	2 M	42.8	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	137.5 ng/mL	25	3 M	39	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	55 ng/mL	25	1 M	50	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	55 ng/mL	25	1 D	67.7	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	55 ng/mL	25	1 W	41.3	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	55 ng/mL	25	2 M	54.3	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	C18 COLUMN	55 ng/mL	25	3 M	50.1	extract, stored in dark	322
indeno(1,2,3-cd)pyrene	PH10,0PPM CL	40 ppb	4	7 D	133		87
indeno(1,2,3-cd)pyrene	PH10,0PPM CL	40 ppb	25	7 D	142		87
indeno(1,2,3-cd)pyrene	PH10,2PPM CL	40 ppb	4	7 D	102		87
indeno(1,2,3-cd)pyrene	PH10,2PPM CL	40 ppb	25	7 D	117		87
indeno(1,2,3-cd)pyrene	PH2, 0PPM CL	40 ppb	25	7 D	77		87
indeno(1,2,3-cd)pyrene	PH2, 0PPM CL	40 ppb	4	7 D	75		87
indeno(1,2,3-cd)pyrene	PH2, 2PPM CL	40 ppb	4	7 D	46		87
indeno(1,2,3-cd)pyrene	PH2, 2PPM CL	40 ppb	25	7 D	88		87
indeno(1,2,3-cd)pyrene	PH7, 0PPM CL	40 ppb	4	7 D	78		87
indeno(1,2,3-cd)pyrene	PH7, 0PPM CL	40 ppb	25	7 D	75		87
indeno(1,2,3-cd)pyrene	PH7, 2PPM CL	40 ppb	25	7 D	85		87
indeno(1,2,3-cd)pyrene	PH7, 2PPM CL	40 ppb	4	7 D	73		87
2-methylnaphthalene	AG FILTERS		4	36 D	95		35
naphthalene	C18 COLUMN	1000 ng/mL	25	1 M	0	extract, stored in dark	322
naphthalene	C18 COLUMN	1000 ng/mL	25	1 W	0	extract, stored in dark	322
naphthalene	C18 COLUMN	1000 ng/mL	25	1 D	0	extract, stored in dark	322

Matrix: Water Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
naphthalene	C18 COLUMN	1000 ng/mL	25	2 M	5.2	extract, stored in dark	322
naphthalene	C18 COLUMN	1000 ng/mL	25	3 M	0	extract, stored in dark	322
naphthalene	C18 COLUMN	2500 ng/mL	25	1 M	0	extract, stored in dark	322
naphthalene	C18 COLUMN	2500 ng/mL	25	1 D	0	extract, stored in dark	322
naphthalene	C18 COLUMN	2500 ng/mL	25	1 W	5.4	extract, stored in dark	322
naphthalene	C18 COLUMN	2500 ng/mL	25	2 M	0	extract, stored in dark	322
naphthalene	C18 COLUMN	2500 ng/mL	25	3 M	4.7	extract, stored in dark	322
naphthalene	PH10,0PPM CL	40 ppb	4	7 D	111		87
naphthalene	PH10,0PPM CL	40 ppb	25	7 D	104		87
naphthalene	PH10,2PPM CL	40 ppb	25	7 D	83		87
naphthalene	PH10,2PPM CL	40 ppb	4	7 D	101		87
naphthalene	PH2, 0PPM CL	40 ppb	4	7 D	81		87
naphthalene	PH2, 0PPM CL	40 ppb	25	7 D	77		87
naphthalene	PH2, 2PPM CL	40 ppb	4	7 D	61		87
naphthalene	PH2, 2PPM CL	40 ppb	25	7 D	89		87
naphthalene	PH7, 0PPM CL	40 ppb	25	7 D	0		87
naphthalene	PH7, 0PPM CL	40 ppb	4	7 D	89		87
naphthalene	PH7, 2PPM CL	40 ppb	4	7 D	97		87
naphthalene	PH7, 2PPM CL	40 ppb	25	7 D	93		87
n-nitrosodiphenylamine	PH 10		4	7 D	13		88
n-nitrosodiphenylamine	PH 10		24	7 D	31		88
n-nitrosodiphenylamine	PH 10,2PPMCL		24	7 D	62		88
n-nitrosodiphenylamine	PH 2		4	7 D	50		88
n-nitrosodiphenylamine	PH 2		24	7 D	69		88
n-nitrosodiphenylamine	PH 2, 2PPMCL		24	7 D	95		88
n-nitrosodiphenylamine	PH 2, 2PPMCL		4	7 D	94		88
n-nitrosodiphenylamine	PH 7		4	7 D	14		88
n-nitrosodiphenylamine	PH 7		24	7 D	31		88
n-nitrosodiphenylamine	PH 7, 2PPMCL		24	7 D	78		88
n-nitrosodiphenylamine	PH 7, 2PPMCL		4	7 D	31		88
n-nitrosodiphenylamine	PH10, 2PPMCL		4	7 D	26		88
n-nitroso-di-n-propylamine	PH 10		24	7 D	98	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 10		4	7 D	0	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 10		24	7 D	3	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 10		4	7 D	100	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 10,2PPMCL		4	7 D	6	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 10,2PPMCL		24	7 D	7	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 10,2PPMCL		24	7 D	97	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 10,2PPMCL		4	7 D	97	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 2		4	7 D	100	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 2		4	7 D	0	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 2		24	7 D	100	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 2		24	7 D	3	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 2, 2PPMCL		24	7 D	100	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 2, 2PPMCL		4	7 D	3	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 2, 2PPMCL		24	7 D	7	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 2, 2PPMCL		4	7 D	100	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 7		24	7 D	97	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 7		24	7 D	8	analysis by AFID	88

Matrix: Water Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
n-nitroso-di-n-propylamine	PH 7		4	7 D	0	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 7		4	7 D	100	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 7, 2PPMCL		24	7 D	8	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 7, 2PPMCL		4	7 D	3	analysis by AFID	88
n-nitroso-di-n-propylamine	PH 7, 2PPMCL		24	7 D	99	analysis by TEA	88
n-nitroso-di-n-propylamine	PH 7, 2PPMCL		4	7 D	96	analysis by TEA	88
phenanthrene	C18 COLUMN	248.5 ng/mL	25	1 D	44.5	extract, stored in dark	322
phenanthrene	C18 COLUMN	248.5 ng/mL	25	1 W	70.1	extract, stored in dark	322
phenanthrene	C18 COLUMN	248.5 ng/mL	25	1 M	66.1	extract, stored in dark	322
phenanthrene	C18 COLUMN	248.5 ng/mL	25	2 M	54.5	extract, stored in dark	322
phenanthrene	C18 COLUMN	248.5 ng/mL	25	3 M	76	extract, stored in dark	322
phenanthrene	C18 COLUMN	99.4 ng/mL	25	1 D	44.7	extract, stored in dark	322
phenanthrene	C18 COLUMN	99.4 ng/mL	25	1 W	40	extract, stored in dark	322
phenanthrene	C18 COLUMN	99.4 ng/mL	25	1 M	65.2	extract, stored in dark	322
phenanthrene	C18 COLUMN	99.4 ng/mL	25	2 M	64	extract, stored in dark	322
phenanthrene	C18 COLUMN	99.4 ng/mL	25	3 M	60.6	extract, stored in dark	322
phenanthrene	PH10,0PPM CL	40 ppb	4	7 D	87		87
phenanthrene	PH10,0PPM CL	40 ppb	25	7 D	66		87
phenanthrene	PH10,2PPM CL	40 ppb	4	7 D	61		87
phenanthrene	PH10,2PPM CL	40 ppb	25	7 D	45		87
phenanthrene	PH2, 0PPM CL	40 ppb	25	7 D	70		87
phenanthrene	PH2, 0PPM CL	40 ppb	4	7 D	73		87
phenanthrene	PH2, 2PPM CL	40 ppb	25	7 D	59		87
phenanthrene	PH2, 2PPM CL	40 ppb	4	7 D	60		87
phenanthrene	PH7, 0PPM CL	40 ppb	4	7 D	69		87
phenanthrene	PH7, 0PPM CL	40 ppb	25	7 D	72		87
phenanthrene	PH7, 2PPM CL	40 ppb	4	7 D	72		87
phenanthrene	PH7, 2PPM CL	40 ppb	25	7 D	69		87
pyrene	C18 COLUMN	200.8 ng/mL	25	1 M	83.3	extract, stored in dark	322
pyrene	C18 COLUMN	200.8 ng/mL	25	1 D	78.9	extract, stored in dark	322
pyrene	C18 COLUMN	200.8 ng/mL	25	1 W	73.4	extract, stored in dark	322
pyrene	C18 COLUMN	200.8 ng/mL	25	2 M	77.1	extract, stored in dark	322
pyrene	C18 COLUMN	200.8 ng/mL	25	3 M	76.9	extract, stored in dark	322
pyrene	C18 COLUMN	502 ng/mL	25	1 M	81	extract, stored in dark	322
pyrene	C18 COLUMN	502 ng/mL	25	1 D	79.4	extract, stored in dark	322
pyrene	C18 COLUMN	502 ng/mL	25	1 W	72.2	extract, stored in dark	322
pyrene	C18 COLUMN	502 ng/mL	25	2 M	77.3	extract, stored in dark	322
pyrene	C18 COLUMN	502 ng/mL	25	3 M	78.8	extract, stored in dark	322
pyrene	PH10,0PPM CL	40 ppb	25	7 D	111		87
pyrene	PH10,0PPM CL	40 ppb	4	7 D	111		87
pyrene	PH10,2PPM CL	40 ppb	25	7 D	86		87
pyrene	PH10,2PPM CL	40 ppb	4	7 D	93		87
pyrene	PH2, 0PPM CL	40 ppb	25	7 D	85		87
pyrene	PH2, 0PPM CL	40 ppb	4	7 D	91		87
pyrene	PH2, 2PPM CL	40 ppb	25	7 D	86		87
pyrene	PH2, 2PPM CL	40 ppb	4	7 D	58		87
pyrene	PH7, 0PPM CL	40 ppb	4	7 D	86		87
pyrene	PH7, 0PPM CL	40 ppb	25	7 D	84		87
pyrene	PH7, 2PPM CL	40 ppb	4	7 D	97		87

Matrix: Water Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
pyrene	PH7, 2PPM CL	40 ppb	25	7 D	79		87

COMPOUND CLASS PROFILE

Base-neutral Extractable Compounds

Sediment:

Existing Criteria:	None
Experimental Data:	One study on some PAH's and phthalates
Data Evaluation:	Evaluation of storage at different temperatures.
Data Deficiencies:	Majority of compounds on list, no data was obtained.
Storage Recommendations:	Provisional recommendation - store at -20°C for 3 days before extraction.

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Sediment* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION	T (C)	TIME		RECOVERY	COMMENT	REFERENCE
anthracene								
	NONE	-	4	3 - 7	D	54 - 73		
			Average Recovery:			63	Std. Dev.: 7.6	
benzyl butyl phthalate								
	NONE	-	4	3 - 7	D	65 - 100		
			Average Recovery:			82	Std. Dev.: 15.2	
chrysene								
	NONE	-	4	3 - 7	D	64 - 71		
			Average Recovery:			66	Std. Dev.: 2.9	
di-n-butylphthalate								
	NONE	-	-20	3 - 7	D	65 - 78		
			Average Recovery:			71	Std. Dev.: 4.7	
di-n-octylphthalate								
	NONE	-	4	3 - 7	D	77 - 137		
			Average Recovery:			109	Std. Dev.: 21.3	
bis-(2-ethylhexyl)-phthalate								
	NONE	-	4	3 - 7	D	62 - 103		
			Average Recovery:			82	Std. Dev.: 16.8	
fluorene								
	NONE	-	4	3 - 7	D	50 - 54		
			Average Recovery:			51	Std. Dev.: 1.7	
naphthalene								
	NONE	-	4	3 - 7	D	11 - 13		
			Average Recovery:			13	Std. Dev.: 0.9	
pyrene								
	NONE	-	4	3 - 7	D	65 - 68		
			Average Recovery:			67	Std. Dev.: 1.1	

Figure A-15 Analyte Recovery at Different Temperatures for Base Neutral Extractable Compounds in Sediment Matrix



Ref: ASC 232

Matrix: Sediments Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
anthracene	NONE		-20	3 D	57		232
anthracene	NONE		4	3 D	54		232
anthracene	NONE		-20	7 D	67		232
anthracene	NONE		4	7 D	73		232
benzyl butyl phthalate	NONE		4	3 D	65		232
benzyl butyl phthalate	NONE		-20	3 D	68		232
benzyl butyl phthalate	NONE		-20	7 D	93		232
benzyl butyl phthalate	NONE		4	7 D	100		232
chrysene	NONE		4	3 D	64		232
chrysene	NONE		-20	3 D	64		232
chrysene	NONE		-20	7 D	66		232
chrysene	NONE		4	7 D	71		232
di-n-butylphthalate	NONE		4	3 D	69		232
di-n-butylphthalate	NONE		-20	3 D	78		232
di-n-butylphthalate	NONE		4	7 D	65		232
di-n-butylphthalate	NONE		-20	7 D	70		232
di-n-octylphthalate	NONE		-20	3 D	77		232
di-n-octylphthalate	NONE		4	3 D	112		232
di-n-octylphthalate	NONE		-20	7 D	109		232
di-n-octylphthalate	NONE		4	7 D	137		232
bis-(2-ethylhexyl)-phthalate	NONE		4	3 D	62		232
bis-(2-ethylhexyl)-phthalate	NONE		-20	3 D	70		232
bis-(2-ethylhexyl)-phthalate	NONE		-20	7 D	94		232
bis-(2-ethylhexyl)-phthalate	NONE		4	7 D	103		232
fluorene	NONE		-20	3 D	50		232
fluorene	NONE		4	3 D	50		232
fluorene	NONE		-20	7 D	50		232
fluorene	NONE		4	7 D	54		232
naphthalene	NONE		4	3 D	13		232
naphthalene	NONE		-20	3 D	13		232
naphthalene	NONE		-20	7 D	13		232
naphthalene	NONE		4	7 D	11		232
pyrene	NONE		-20	3 D	67		232
pyrene	NONE		4	3 D	65		232
pyrene	NONE		-20	7 D	67		232
pyrene	NONE		4	7 D	68		232

COMPOUND CLASS PROFILE

Base-neutral Extractable Compounds

Vegetation:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store at -20°C for 3 days before extraction.

COMPOUND CLASS PROFILE

Base-neutral Extractable Compounds

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; preserve with 0.008% $Na_2S_2O_3$; refrigerate; store in dark; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One study concerns mainly PAH's.
Data Evaluation:	Evaluation of data between formaldehyde and no preservation.
Data Deficiencies:	No data obtained for majority of compounds on target list.
Storage Recommendations:	Provisional recommendation - preservation with formaldehyde; storage at 4°C; analysis to be completed within 56 days.

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Wastewater* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME	RECOVERY	COMMENT	REFERENC
acenaphthene								
	FORMALDYHYDE	1.6 - 1.6	ug	15	7 - 56 D	79 - 89		
				Average Recovery:		83	Std. Dev.: 4.2	
	NONE	1.74 - 1.74	ug	15	7 - 56 D	30 - 76		
				Average Recovery:		53	Std. Dev.: 23.0	
acenaphthylene								
	FORMALDYHYDE	.206 - .206	ug	15	7 - 56 D	81 - 90		
				Average Recovery:		84	Std. Dev.: 4.2	
	NONE	.242 - .242	ug	15	7 - 56 D	62 - 88		
				Average Recovery:		75	Std. Dev.: 13.0	
anthracene								
	FORMALDYHYDE	.173 - .173	ug	15	7 - 56 D	83 - 92		
				Average Recovery:		89	Std. Dev.: 4.2	
	NONE	.186 - .186	ug	15	7 - 56 D	32 - 89		
				Average Recovery:		63	Std. Dev.: 23.5	
benz(a)anthracene								
	FORMALDEHYDE	.266 - .266	ug	15	7 - 56 D	99 - 105		
				Average Recovery:		102	Std. Dev.: 2.5	
	NONE	.325 - .325	ug	15	7 - 56 D	68 - 91		
				Average Recovery:		83	Std. Dev.: 10.3	
benzo(g,h,i)perylene								
	FORMALDYHYDE	.152 - .152	ug	15	7 - 56 D	87 - 105		
				Average Recovery:		97	Std. Dev.: 7.5	
	NONE	.164 - .164	ug	15	7 - 56 D	93 - 110		
				Average Recovery:		100	Std. Dev.: 7.4	
benzo(a)pyrene								
	FORMALDYHYDE	.16 - .16	ug	15	7 - 56 D	100 - 127		
				Average Recovery:		116	Std. Dev.: 11.6	
	NONE	.21 - .21	ug	15	7 - 56 D	76 - 111		
				Average Recovery:		95	Std. Dev.: 14.5	
chrysene								

COMPOUND CLASS: *Base-Neutral Extractable Compounds* MATRIX: *Wastewater* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
chrysene									
	FORMALDEHYDE	.315 - .315	ug	15	7 - 56	D	99 - 103		
				Average Recovery:			101	Std. Dev.: 1.7	
	NONE	.38 - .38	ug	15	7 - 56	D	66 - 91		
				Average Recovery:			82	Std. Dev.: 11.6	
dimethylbenz(a)anthracene									
	FORMALDYHYDE	.139 - .139	ug	15	7 - 56	D	92 - 105		
				Average Recovery:			98	Std. Dev.: 5.4	
	NONE	.176 - .176	ug	15	7 - 56	D	76 - 100		
				Average Recovery:			88	Std. Dev.: 9.8	
fluorene									
	FORMALDYHYDE	1.27 - 1.27	ug	15	7 - 56	D	89 - 97		
				Average Recovery:			92	Std. Dev.: 3.6	
	NONE	1.4 - 1.4	ug	15	7 - 56	D	39 - 97		
				Average Recovery:			68	Std. Dev.: 29.0	
indeno(1.2.3-cd)pyrene									
	FORMALDYHYDE	.139 - .139	ug	15	7 - 56	D	92 - 105		
				Average Recovery:			98	Std. Dev.: 5.4	
	NONE	.176 - .176	ug	15	7 - 56	D	76 - 100		
				Average Recovery:			88	Std. Dev.: 9.8	
phenanthrene									
	FORMALDYHYDE	1.2 - 1.2	ug	15	7 - 56	D	90 - 96		
				Average Recovery:			93	Std. Dev.: 2.4	
	NONE	1.39 - 1.39	ug	15	7 - 56	D	17 - 94		
				Average Recovery:			52	Std. Dev.: 31.6	
pyrene									
	FORMALDYHYDE	.8 - .8	ug	15	7 - 56	D	88 - 99		
				Average Recovery:			94	Std. Dev.: 4.5	
	NONE	.865 - .865	ug	15	7 - 56	D	68 - 94		
				Average Recovery:			85	Std. Dev.: 11.8	

Figure A-16 Analyte Recovery with Formaldehyde Preservation for Base Neutral Extractable Compounds in Waste Water Matrix



Ref: ASC 231

Figure A-17 Analyte Recovery with no Preservation for Base Neutral Extractable Compounds in Waste Water Matrix



Ref: ASC 231

Matrix: Waste Waters Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
acenaphthene	FORMALDYHYDE	1.6 ug	15	7 D	79		231
acenaphthene	FORMALDYHYDE	1.6 ug	15	28 D	89		231
acenaphthene	FORMALDYHYDE	1.6 ug	15	56 D	82		231
acenaphthene	NONE	1.74 ug	15	7 D	76		231
acenaphthene	NONE	1.74 ug	15	28 D	30		231
acenaphthene	NONE	1.74 ug	15	56 D	0		231
acenaphthylene	FORMALDYHYDE	0.20 ug	15	7 D	81		231
acenaphthylene	FORMALDYHYDE	0.20 ug	15	28 D	90		231
acenaphthylene	FORMALDYHYDE	0.20 ug	15	56 D	81		231
acenaphthylene	NONE	0.24 ug	15	7 D	88		231
acenaphthylene	NONE	0.24 ug	15	28 D	62		231
acenaphthylene	NONE	0.24 ug	15	56 D	0		231
anthracene	FORMALDYHYDE	0.17 ug	15	7 D	92		231
anthracene	FORMALDYHYDE	0.17 ug	15	28 D	92		231
anthracene	FORMALDYHYDE	0.17 ug	15	56 D	83		231
anthracene	NONE	0.18 ug	15	7 D	89		231
anthracene	NONE	0.18 ug	15	28 D	67		231
anthracene	NONE	0.18 ug	15	56 D	32		231
benz(a)anthracene	FORMALDEHYDE	0.26 ug	15	7 D	105		231
benz(a)anthracene	FORMALDEHYDE	0.26 ug	15	28 D	101		231
benz(a)anthracene	FORMALDEHYDE	0.26 ug	15	56 D	99		231
benz(a)anthracene	NONE	0.32 ug	15	7 D	91		231
benz(a)anthracene	NONE	0.32 ug	15	28 D	91		231
benz(a)anthracene	NONE	0.32 ug	15	56 D	68		231
benzo(g,h,i)perylene	FORMALDYHYDE	0.15 ug	15	7 D	99		231
benzo(g,h,i)perylene	FORMALDYHYDE	0.15 ug	15	28 D	105		231
benzo(g,h,i)perylene	FORMALDYHYDE	0.15 ug	15	56 D	87		231
benzo(g,h,i)perylene	NONE	0.16 ug	15	7 D	93		231
benzo(g,h,i)perylene	NONE	0.16 ug	15	28 D	110		231
benzo(g,h,i)perylene	NONE	0.16 ug	15	56 D	96		231
benzo(a)pyrene	FORMALDYHYDE	0.16 ug	15	7 D	121		231
benzo(a)pyrene	FORMALDYHYDE	0.16 ug	15	28 D	127		231
benzo(a)pyrene	FORMALDYHYDE	0.16 ug	15	56 D	100		231
benzo(a)pyrene	NONE	0.21 ug	15	7 D	111		231
benzo(a)pyrene	NONE	0.21 ug	15	28 D	99		231
benzo(a)pyrene	NONE	0.21 ug	15	56 D	76		231
chrysene	FORMALDEHYDE	0.31 ug	15	7 D	100		231
chrysene	FORMALDEHYDE	0.31 ug	15	28 D	103		231
chrysene	FORMALDEHYDE	0.31 ug	15	56 D	99		231
chrysene	NONE	0.38 ug	15	7 D	90		231
chrysene	NONE	0.38 ug	15	28 D	91		231
chrysene	NONE	0.38 ug	15	56 D	66		231
dimethylbenz(a)anthracene	FORMALDYHYDE	0.13 ug	15	7 D	97		231
dimethylbenz(a)anthracene	FORMALDYHYDE	0.13 ug	15	28 D	105		231
dimethylbenz(a)anthracene	FORMALDYHYDE	0.13 ug	15	56 D	92		231
dimethylbenz(a)anthracene	NONE	0.17 ug	15	7 D	89		231
dimethylbenz(a)anthracene	NONE	0.17 ug	15	28 D	100		231
dimethylbenz(a)anthracene	NONE	0.17 ug	15	56 D	75		231
fluorene	FORMALDYHYDE	1.27 ug	15	7 D	97		231

Matrix: Waste Waters Class: Base-neutral Extractable Compounds

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
fluorene	FORMALDYHYDE	1.27 ug	15	28 D	90		231
fluorene	FORMALDYHYDE	1.27 ug	15	56 D	89		231
fluorene	NONE	1.4 ug	15	7 D	97		231
fluorene	NONE	1.4 ug	15	28 D	39		231
fluorene	NONE	1.4 ug	15	56 D	0		231
indeno(1,2,3-cd)pyrene	FORMALDYHYDE	0.13 ug	15	7 D	97		231
indeno(1,2,3-cd)pyrene	FORMALDYHYDE	0.13 ug	15	28 D	105		231
indeno(1,2,3-cd)pyrene	FORMALDYHYDE	0.13 ug	15	56 D	92		231
indeno(1,2,3-cd)pyrene	NONE	0.17 ug	15	7 D	89		231
indeno(1,2,3-cd)pyrene	NONE	0.17 ug	15	28 D	100		231
indeno(1,2,3-cd)pyrene	NONE	0.17 ug	15	56 D	76		231
phenanthrene	FORMALDYHYDE	1.2 ug	15	7 D	96		231
phenanthrene	FORMALDYHYDE	1.2 ug	15	28 D	90		231
phenanthrene	FORMALDYHYDE	1.2 ug	15	56 D	93		231
phenanthrene	NONE	1.39 ug	15	7 D	94		231
phenanthrene	NONE	1.39 ug	15	28 D	62		231
phenanthrene	NONE	1.39 ug	15	56 D	17		231
pyrene	FORMALDYHYDE	0.8 ug	15	7 D	99		231
pyrene	FORMALDYHYDE	0.8 ug	15	28 D	88		231
pyrene	FORMALDYHYDE	0.8 ug	15	56 D	95		231
pyrene	NONE	0.86 ug	15	7 D	92		231
pyrene	NONE	0.86 ug	15	28 D	94		231
pyrene	NONE	0.86 ug	15	56 D	68		231

COMPOUND CLASS PROFILE

Carbamate Pesticides

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One study with one compound on target list.
Data Evaluation:	Evaluation of extract recoveries with time.
Data Deficiencies:	No data obtained for majority of target compounds on list.
Storage Recommendations:	Tentative recommendation - Extract in toluene; store at 3°C for up to 2 months before analysis or follow U.S. EPA protocol of collection in an amber glass container with teflon lined cap, pH 5-9; refrigerate; extract within 7 days and analyze within 40 days of extraction.

COMPOUND CLASS: *Carbamate Pesticides* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
butylate									
	TOLUENE	200 - 200	ug/ul	-15	1 - 2	H	49 - 90		
				Average Recovery:			70	Std. Dev.: 20.3	

Matrix: Water Class: Carbamate Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
butylate	TOLUENE	200 pg/ul	-15	1 Y	49	extract	235
butylate	TOLUENE	200 pg/ul	3	1 Y	49	extract	235
butylate	TOLUENE	200 pg/ul	24	1 Y	49	extract, dark	235
butylate	TOLUENE	200 pg/ul	24	1 Y	51	extract, light	235
butylate	TOLUENE	200 pg/ul	3	2 M	90	extract	235
butylate	TOLUENE	200 pg/ul	24	2 M	90	extract, dark	235
butylate	TOLUENE	200 pg/ul	24	2 M	90	extract, light	235
butylate	TOLUENE	200 pg/ul	-15	2 M	90	extract	235

COMPOUND CLASS PROFILE

Carbamate Pesticides

Sediment:

Existing Criteria:	None
Experimental Data:	Three studies. No preservation. Storage at various temperatures for up to 6 months.
Data Evaluation:	Evaluation of recoveries against time of storage and temperature.
Data Deficiencies:	No data obtained for majority of compounds.
Storage Recommendations:	Tentative Recommendation - Storage at 10°C or lower for maximum of 12 weeks.

COMPOUND CLASS: *Carbamate Pesticides* MATRIX: *Sediment* RUN DATE: *13-Oct-9*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
barban									
	NONE	-			1 - 2	W	10 - 25		
				Average Recovery:			18	Std. Dev.: 7.5	
benomyl (benilate)									
	NONE	100 - 100	ppm	40	19 - 19	W	30 - 100		
				Average Recovery:			65	Std. Dev.: 35.0	
carbaryl									
	NONE	.5 - .5	ppm	13	16 - 16	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
carbofuran									
	NONE	.5 - 25.9	mg/kg	-20	6 - 16	M	1 - 100		
				Average Recovery:			57	Std. Dev.: 45.3	

Matrix: Sediments Class: Carbamate Pesticides

Compound	Preservative	Conc	Temp	Time		% REC	Comments	ASC
barban				1	W	25		301
barban				2	W	10		301
benomyl (benilate)		100 ppm	16	19	W	100		301
benomyl (benilate)		100 ppm	40	19	W	30		301
carbaryl		0.5 ppm	13	16	W	100	sandy soil, bioactivity	301
carbofuran		0.5 ppm	24	12	W	100	sandy soil, bioactivity	301
carbofuran		.5-10ppm	10	16	H	94.4	10-70 mm	265
carbofuran		.5-10ppm	10	16	H	89.9	0-1 mm	265
carbofuran		21.8 mg/kg	-20	6	M	2	Moist Soil (15-18% water)	42
carbofuran		25.9 mg/kg	-20	6	M	1	Moist Soil (15-18% water)	42

COMPOUND CLASS PROFILE

Carbamate Pesticides

Vegetation:

Existing Criteria:	None
Experimental Data:	Data from 5 studies, samples were either stored as is or extracted then stored.
Data Evaluation:	Comparisons between samples stored as is, under varying conditions and extracts reveal that extraction as soon as possible after sampling is more reliable than storage as is.
Data Deficiencies:	Insufficient data for reliable analysis. Conflicting data indicates more controlled studies need to be done. More data for the various options is required. Little or no data obtained for aminocarb, barban, benomyl (benilate), butylate, bux, diallate, eptam and propoxur.
Storage Recommendations:	Provisional recommendation - store samples at 4°C; extract as soon as possible and complete analysis within 30 days.

COMPOUND CLASS: *Carbamate Pesticides* MATRIX: *Vegetation* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
captan									
	NONE	10 - 10	mg/kg	-18	2 - 30	D	44 - 100		
				Average Recovery:			81	Std. Dev.: 21.2	
carbaryl									
	HEXANE-EXTR	10 - 10	mg/kg	10	8 - 8	M	-		
				Average Recovery:			0	Std. Dev.: 0.0	
	NONE	10 - 8.5	ppm	7	1 - 90	D	60 - 100		
				Average Recovery:			83	Std. Dev.: 14.7	
carbofuran									
	ACETONE-EXTR	2 - 2	mg/kg	23	8 - 8	W	85 - 97		
				Average Recovery:			88	Std. Dev.: 5.1	
	EXTR/FLORISL	2 - 2	mg/kg	23	8 - 8	W	87 - 102		
				Average Recovery:			97	Std. Dev.: 7.1	
isopropyl-n-phenylcarbamate (I									
	EXTRACTS	unspec - unspecified	mg/kg	0-20	21 - 21	D	37 - 37		
				Average Recovery:			37	Std. Dev.: 0.0	
	NONE	16 - 71	mg/kg	10	4 - 20	W	37 - 88		
				Average Recovery:			67	Std. Dev.: 16.4	
isopropyl-n-(m-chlorophenyl)ca									
	EXTRACTS	unspec - unspecified	mg/kg	0-20	21 - 21	D	37 - 37		
				Average Recovery:			37	Std. Dev.: 0.0	
	NONE	29 - 70	mg/kg	10	4 - 20	W	44 - 91		
				Average Recovery:			65	Std. Dev.: 13.9	

Figure A-18 Analyte Recovery with no Preservation for Carbamate Pesticides in Vegetation Matrix



Ref: ASC 194, 211, 212, 214

Matrix: Vegetables Class: Carbamate Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
captan	NONE	10 mg/kg	20	2 D	70	strawb./beans/tom./appl/plum	194
captan	NONE	10 mg/kg	4	2 D	95	strawberries	194
captan	NONE	10 mg/kg	4	7 D	95	beans & gooseberries	194
captan	NONE	10 mg/kg	-18	30 D	100	strawberries	194
captan	NONE	10 mg/kg	-18	30 D	44	beans & gooseberries	194
carbaryl	HEXANE-EXTR	10 mg/kg	10	8 M	0	Stable - Recovery Unspecified	194
carbaryl	NONE	10 mg/kg	12	7 D	0	Stable - Recovery Unspecified	194
carbaryl	NONE	10 mg/kg	7	11 D	80	Green Beans	194
carbaryl	NONE	10 mg/kg	4	90 D	60	Bean Extracts (solvent ?)	194
carbaryl	NONE	11 ppm	7	1 D	0		212
carbaryl	NONE	6.5 mg/kg	12	4 D	78	Tomatoes	211
carbaryl	NONE	8 ppm	7	4 D	0		212
carbaryl	NONE	8.18 mg/kg	12	7 D	98	Tomatoes	211
carbaryl	NONE	8.36 mg/kg	12	1 D	100	Tomatoes	211
carbaryl	NONE	8.5 ppm	7	11 D	0		212
carbofuran	ACETONE-EXTR	2 mg/kg	8	8 W	85	Extracts of Potatoe	196
carbofuran	ACETONE-EXTR	2 mg/kg	23	8 W	85	Extracts of Potatoe	196
carbofuran	ACETONE-EXTR	2 mg/kg	8	8 W	97	Extracts of Turnip	196
carbofuran	ACETONE-EXTR	2 mg/kg	23	8 W	86	Extracts of Turnip	196
carbofuran	EXTR/FLORISL	2 mg/kg	8	8 W	102	Potato/Final extr. in hexane	196
carbofuran	EXTR/FLORISL	2 mg/kg	23	8 W	87	Turnip/Final extr. in hexane	196
carbofuran	EXTR/FLORISL	2 mg/kg	23	8 W	102	Potato/Final extr. in hexane	196
isopropyl-n-phenylcarbamate (I	EXTRACTS	unspemg/kg	0-20	21 D	37	Apples, Plums, Tomatoes	194
isopropyl-n-phenylcarbamate (I	NONE	16 mg/kg	10	12 W	48	Apples	214
isopropyl-n-phenylcarbamate (I	NONE	16 mg/kg	0	20 W	72	Apples	214
isopropyl-n-phenylcarbamate (I	NONE	43 mg/kg	10	4 W	77	Plums	214
isopropyl-n-phenylcarbamate (I	NONE	43 mg/kg	0	6 W	73	Plums	214
isopropyl-n-phenylcarbamate (I	NONE	57 mg/kg	20	4 W	37	Tomatoes	214
isopropyl-n-phenylcarbamate (I	NONE	57 mg/kg	0	4 W	88	Tomatoes	214
isopropyl-n-phenylcarbamate (I	NONE	71 mg/kg	10	6 W	71	Tomatoes	214
isopropyl-n-(m-chlorophenyl)ca	EXTRACTS	unspemg/kg	0-20	21 D	37	Apples, Plums, Tomatoes	194
isopropyl-n-(m-chlorophenyl)ca	NONE	29 mg/kg	10	12 W	52	Apples	214
isopropyl-n-(m-chlorophenyl)ca	NONE	29 mg/kg	0	20 W	67	Apples	214
isopropyl-n-(m-chlorophenyl)ca	NONE	58 mg/kg	0	4 W	91	Tomatoes	214
isopropyl-n-(m-chlorophenyl)ca	NONE	58 mg/kg	20	4 W	44	Tomatoes	214
isopropyl-n-(m-chlorophenyl)ca	NONE	61.5 mg/kg	10	4 W	63	Plums	214
isopropyl-n-(m-chlorophenyl)ca	NONE	61.5 mg/kg	0	6 W	72	Plums	214
isopropyl-n-(m-chlorophenyl)ca	NONE	70 mg/kg	10	6 W	65	Tomatoes	214

COMPOUND CLASS PROFILE

Carbamate Pesticides

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - Extract in toluene; store at 3°C for up to 2 months before analysis or follow U.S. EPA protocol of collection in an amber glass container with teflon lined cap, pH 5-9; refrigerate; extract within 7 days and analyze within 40 days of extraction.

COMPOUND CLASS PROFILE

Chlorinated Dibenzo-p-dioxins and Dibenzofurans

Air - Canister or Bag:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store SUMMA canisters or glass sample containers at 25°C for up to 12 days before analysis.

COMPOUND CLASS PROFILE

Chlorinated Dibenzo-p-dioxins and Dibenzofurans

Air - Filter:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store filters at -20°C under air-argon gas mixture. Samples are stable for at least 2 years.

COMPOUND CLASS PROFILE

Chlorinated Dibenzo-p-dioxins and Dibenzofurans

Air - Sorbent Trap:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - follow U.S. E.P.A. protocol of sampling with distributed air volume sets. Sample tubes are sealed; refrigerated; analysis to be completed between 7 and 30 days after sampling.

COMPOUND CLASS PROFILE

Chlorinated Dibenzo-p-dioxins and Dibenzofurans

Biota:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - seal and store samples at -20°C and complete analysis as soon as possible.

COMPOUND CLASS PROFILE

Chlorinated Dibenzo-p-dioxins and Dibenzofurans

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon cap; 0.008% $Na_2S_2O_3$; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	Two studies. One study compares pH 2, 7, and 10 at 4°C and 25°C with no Cl or 10 ppm Cl added for a 14 day period. The second study compares recoveries for a duration of 24 weeks using ^{13}C labelled compounds in a special sample container.
Data Evaluation:	Analysis of the data show that significant losses occur throughout the duration of the study.
Data Deficiencies:	Insufficient data for all compounds, no statistical analysis could be performed.
Storage Recommendations:	Provisional recommendation - Follow U.S. EPA protocol of collection in an amber glass bottle with teflon cap, add 0.008% $Na_2S_2O_3$ if chlorine present; refrigerate; extract within 7 days and analyze.

COMPOUND CLASS: *Chlorinated Dibenzo-p-dioxins and Dibenzofurans* MATRIX: *Drinking/Surface Water* RUN DATE: *13-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
chlorodibenzo-p-dioxin, octa									
	NONE	1-2 - 100-200	pg/L		0 - 24	W	38 - 120		
				Average Recovery:			69	Std. Dev.: 23.9	
total chlorodibenzo-p-dioxins,									
	NONE	1-2 - 100-200	pg/L		0 - 24	W	12 - 76		
				Average Recovery:			48	Std. Dev.: 16.9	
	PH 10	1 - 1	ppb	25	14 - 14	D	76 - 81		
				Average Recovery:			79	Std. Dev.: 2.5	
	PH 2	1 - 1	ppb	25	14 - 14	D	81 - 95		
				Average Recovery:			88	Std. Dev.: 7.0	
	PH 7	1 - 1	ppb	4	14 - 14	D	74 - 85		
				Average Recovery:			80	Std. Dev.: 5.5	
	PH10.10PPMCL	1 - 1	ppb	4	14 - 14	D	41 - 57		
				Average Recovery:			49	Std. Dev.: 8.0	
	PH2. 10PPMCL	1 - 1	ppb	4	14 - 14	D	65 - 67		
				Average Recovery:			66	Std. Dev.: 1.0	
	PH7. 10PPMCL	1 - 1	ppb	4	14 - 14	D	49 - 74		
				Average Recovery:			62	Std. Dev.: 12.5	

Figure A-19 Analyte Recovery with no Preservation for Chlorinated Dibenzo-p-Dioxins and Dibenzofurans in Drinking/Surface Water Matrix



Ref: ASC 220

Matrix: Water — Class: Chorinated Dibenzo-p-dioxins and Dibenzofurans

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
chlorodibenzo-p-dioxin, octa	NONE	1-2 ng/L		0 W	80	13C; Custom-made Sample Cont.	220
chlorodibenzo-p-dioxin, octa	NONE	1-2 ng/L		6 W	63	13C; Custom-made Sample Cont.	220
chlorodibenzo-p-dioxin, octa	NONE	1-2 ng/L		12 W	56	13C; Custom-made Sample Cont.	220
chlorodibenzo-p-dioxin, octa	NONE	1-2 ng/L		24 W	38	13C; Custom-made Sample Cont.	220
chlorodibenzo-p-dioxin, octa	NONE	100-2pg/L		0 W	120	13C; Custom-made Sample Cont.	220
chlorodibenzo-p-dioxin, octa	NONE	100-2pg/L		6 W	60	13C; Custom-made Sample Cont.	220
chlorodibenzo-p-dioxin, octa	NONE	100-2pg/L		12 W	63	13C; Custom-made Sample Cont.	220
chlorodibenzo-p-dioxin, octa	NONE	100-2pg/L		24 W	0	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,		1-2 NG		0 W		C13,CUSTOM MADE SAM. CONTAINER	220
total chlorodibenzo-p-dioxins,		1-2 NG		0 W			220
total chlorodibenzo-p-dioxins,	NONE	1-2 ng/L		0 W	50	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,	NONE	1-2 ng/L		0 W			220
total chlorodibenzo-p-dioxins,	NONE	1-2 ng/L		6 W	45	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,	NONE	1-2 ng/L		12 W	12	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,	NONE	1-2 ng/L		24 W	43	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,	NONE	100-2pg/L		0 W	59	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,	NONE	100-2pg/L		6 W	47	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,	NONE	100-2pg/L		12 W	76	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,	NONE	100-2pg/L		24 W	54	13C; Custom-made Sample Cont.	220
total chlorodibenzo-p-dioxins,	PH 10	1 ppb	4	14 D	76	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH 10	1 ppb	25	14 D	81	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH 2	1 ppb	4	14 D	81	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH 2	1 ppb	25	14 D	95	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH 7	1 ppb	25	14 D	85	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH 7	1 ppb	4	14 D	74	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH10,10PPMCL	1 ppb	25	14 D	41	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH10,10PPMCL	1 ppb	4	14 D	57	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH2, 10PPMCL	1 ppb	25	14 D	65	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH2, 10PPMCL	1 ppb	4	14 D	67	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH7, 10PPMCL	1 ppb	25	14 D	49	2,3,7,8	89
total chlorodibenzo-p-dioxins,	PH7, 10PPMCL	1 ppb	4	14 D	74	2,3,7,8	89

COMPOUND CLASS PROFILE

Chlorinated Dibenzo-p-dioxins and Dibenzofurans

Sediment:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - seal and store samples at -20°C and complete analysis as soon as possible.

COMPOUND CLASS PROFILE

Chlorinated Dibenzo-p-dioxins and Dibenzofurans

Vegetation:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - seal and store samples at -20°C and complete analysis as soon as possible.

COMPOUND CLASS PROFILE

Chlorinated Dibenzo-p-dioxins and Dibenzofurans

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon cap; 0.008% $Na_2S_2O_3$; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - Follow U.S. EPA protocol of collection in an amber glass bottle with teflon cap, add 0.008% $Na_2S_2O_3$ if chlorine present; refrigerate; extract within 7 days and analyze.

COMPOUND CLASS PROFILE

Neutral Chlorinated Extractables

Air - Canister or Bag:

Existing Criteria:	None
Experimental Data:	Two Studies. No preservation. One to 4 ppb level. Storage at 25°C for up to 30 days.
Data Evaluation:	None
Data Deficiencies:	Data is insufficient for detailed analysis. Only 2 data entries each for hexachlorobutadiene and 1,2,4-trichlorobenzene available. No data obtained for remainder of compounds on target list.
Storage Recommendations:	Tentative recommendation - store SUMMA canisters or glass sample containers at 25°C for up to 12 days before analysis.

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Air - Canister* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
hexachlorobutadiene (HCBD)									
	NONE	0.98 - 1.05	ppb	25	30 - 30	D	84 - 133		
				Average Recovery:			109	Std. Dev.: 24.5	
1,2,4-trichlorobenzene									
	NONE	3.6 - 3.6	ppb	25	4 - 7	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Air - Canisters Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
hexachlorobutadiene (HCBD)		0.98 ppb	25	30 D	84		8
hexachlorobutadiene (HCBD)		1.05 ppb	25	30 D	133		8
1,2,4-trichlorobenzene		3.6 ppb	25	4 D	100		10
1,2,4-trichlorobenzene		3.6 ppb	25	7 D	100		10

COMPOUND CLASS PROFILE

Neutral Chlorinated Extractables

Air - Filter:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store filters at -20°C under air-argon gas mixture. Samples are stable for at least 2 years.

COMPOUND CLASS PROFILE

Neutral Chlorinated Extractables

Air - Sorbent Trap:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - follow U.S. E.P.A. protocol of sampling with distributed air volume sets. Sample tubes are sealed; refrigerated; analysis to be completed between 7 and 30 days after sampling.

COMPOUND CLASS PROFILE

Neutral Chlorinated Extractables

Biota:

Existing Criteria:	None
Experimental Data:	Three studies, compared temperature, time, and preservation techniques (freezing, freeze-drying).
Data Evaluation:	For most of the compounds listed, freeze-drying is acceptable. For PCB's in fish, freezing is acceptable for up to 1 year.
Data Deficiencies:	Insufficient or no data obtained for most of the compounds on the target list.
Storage Recommendations:	Store PCB's at -20°C with no preservation for at least one year before analysis. Other compounds, store at -40°C for 4 weeks with no preservation or freeze drying; storage at -40°C for up to 6 months.

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Biota* RUN DATE: *13-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
aldrin									
	FREEZE-DRY	.038 - 0.38	mg/kg		16 - 23	D	82 - 95		
				Average Recovery:			91	Std. Dev.: 4.2	
a-chlordane									
	FREEZE-DRY	.018 - 0.31	mg/kg		3 - 23	D	90 - 117		
				Average Recovery:			102	Std. Dev.: 8.2	
g-chlordane									
	FREEZE-DRY	.024 - 0.24	mg/kg		16 - 23	D	92 - 100		
				Average Recovery:			95	Std. Dev.: 2.4	
p,p'-ddd									
	FREEZE-DRY	.062 - 0.62	mg/kg		23 - 23	D	51 - 105		
				Average Recovery:			69	Std. Dev.: 22.0	
	NONE	-		-40	1 - 2	Y	44 - 93		
				Average Recovery:			69	Std. Dev.: 21.0	
p,p'-dde									
	FREEZE-DRY	.03 - 4.8	mg/kg	23	3 - 23	M	93 - 146		
				Average Recovery:			107	Std. Dev.: 17.3	
	NONE	7 - 7	mg/kg	-35	48 - 48	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	TIN CANS	-		21	6 - 36	M	51 - 97		
				Average Recovery:			79	Std. Dev.: 12.2	
4,4'-ddt									
	FREEZE-DRY	.03 - 0.030	mg/kg		23 - 23	D	42 - 107		
				Average Recovery:			70	Std. Dev.: 28.9	
dieldrin									
	FREEZE-DRY	.038 - 0.38	mg/kg		3 - 23	D	34 - 108		
				Average Recovery:			96	Std. Dev.: 6.2	
	NONE	0.25 - 0.25	mg/kg	-35	48 - 48	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,8-dib-mirex									

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Biota* RUN DATE: *13-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
2,8-dih-mirex									
	FREEZE-DRY	.039 - 0.39	mg/kg		3 - 23	D	92 - 113		
				Average Recovery:			101	Std. Dev.: 6.9	
	NONE	0.1 - 0.1	mg/kg	-35	1 - 25	M	42 - 100		
				Average Recovery:			66	Std. Dev.: 19.4	
heptachlor									
	FREEZE-DRY	.047 - 0.47	mg/kg		16 - 23	D	76 - 94		
				Average Recovery:			38	Std. Dev.: 5.4	
heptachlor epoxide									
	FREEZE-DRY	.029 - 0.29	mg/kg		3 - 23	D	79 - 100		
				Average Recovery:			94	Std. Dev.: 6.0	
	NONE	0.1 - 0.1	mg/kg	-35	48 - 48	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
hexachlorobenzene									
	FREEZE-DRY	.028 - 0.28	mg/kg		3 - 23	D	56 - 108		
				Average Recovery:			92	Std. Dev.: 14.7	
	NONE	0.20 - 0.20	mg/kg	-35	48 - 48	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	TIN CANS	-		21	6 - 36	M	66 - 98		
				Average Recovery:			85	Std. Dev.: 9.8	
nonachlor									
	FREEZE-DRY	.03 - 0.30	mg/kg		3 - 23	D	87 - 110		
				Average Recovery:			100	Std. Dev.: 7.2	
oxychlordane									
	FREEZE-DRY	.2 - 0.17	mg/kg	23	3 - 12	M	82 - 105		
				Average Recovery:			97	Std. Dev.: 9.2	
	NONE	0.15 - 0.15	mg/kg	-35	27 - 27	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
pentachlorobenzene									
	FREEZE-DRY	.01 - 0.10	mg/kg		16 - 23	D	26 - 90		
				Average Recovery:			62	Std. Dev.: 17.4	

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Biota* RUN DATE: *13-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
1,2,3,5-tetrachlorobenzene									
	FREEZE-DRY	.05 - 0.50	mg/kg		16 - 23	D	15 - 82		
				Average Recovery:			37	Std. Dev.: 19.9	
total pcbs									
	NONE	2-6 - 90	mg/kg	-35	1 - 48	M	79 - 113		
				Average Recovery:			103	Std. Dev.: 9.8	
1,2,3-trichlorobenzene									
	FREEZE-DRY	.07 - 0.70	mg/kg		16 - 23	D	10 - 69		
				Average Recovery:			27	Std. Dev.: 17.9	

Figure A-20 Analyte Recovery of Freeze Dried Samples at Above Freezing Temperatures for Neutral Chlorinated Extractables in Biota Matrix



Ref: ASC 223, 321

Figure A-21 Analyte Recovery of Freeze Dried Samples at Below Freezing Temperatures for Neutral Chlorinated Extractables in Biota Matrix



Ref: ASC 223, 321

Figure A-22 Analyte Recovery of Freeze Dried Samples for Neutral Chlorinated Extractables in Biota Matrix



Ref: ASC 223, 321

Figure A-23 Analyte Recovery with no Preservatives for Neutral Chlorinated Extractables in Biota Matrix



Ref: ASC 221, 222, 224

Figure A-24 Analyte Recovery in Tin Cans of Processed Meat for Neutral Chlorinated Extractables in Biota Matrix



Ref: ASC 307

Matrix: Biota Class: Neutral Chlorinated Extractables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
aldrin	FREEZE DRIED	0.03 mg/Kg	25	16 D	92		321
aldrin	FREEZE DRIED	0.38 mg/Kg	25	23 D	93		321
aldrin	FREEZE-DRY	0.03 mg/kg		16 D	82	dried, not stored	223
aldrin	FREEZE-DRY	0.03 mg/kg		16 D	92	dried, stored	223
aldrin	FREEZE-DRY	0.03 mg/kg		16 D	87	wet sample	223
aldrin	FREEZE-DRY	0.38 mg/kg		23 D	93	dried, stored	223
aldrin	FREEZE-DRY	0.38 mg/kg		23 D	95	dried, not stored	223
a-chlordane	FREEZE DRIED	0.01 mg/Kg	23	6 M	111	DARK	321
a-chlordane	FREEZE DRIED	0.01 mg/Kg	-23	6 M	105	DARK	321
a-chlordane	FREEZE DRIED	0.01 mg/Kg	23	9 M	106	DARK	321
a-chlordane	FREEZE DRIED	0.01 mg/Kg	-23	9 M	111	DARK	321
a-chlordane	FREEZE DRIED	0.01 mg/Kg	-23	12 M	111	DARK	321
a-chlordane	FREEZE DRIED	0.01 mg/Kg	23	12 M	117	DARK	321
a-chlordane	FREEZE DRIED	0.03 mg/Kg	25	16 D	96		321
a-chlordane	FREEZE DRIED	0.31 mg/Kg	25	23 D	94		321
a-chlordane	FREEZE-DRY	0.01 mg/kg	23	3 M	0	dark storage	223
a-chlordane	FREEZE-DRY	0.01 mg/kg	23	9 M	0	dark storage	223
a-chlordane	FREEZE-DRY	0.02 mg/kg	23	6 M	0	dark storage	223
a-chlordane	FREEZE-DRY	0.02 mg/kg	23	12 M	0	dark storage	223
a-chlordane	FREEZE-DRY	0.03 mg/kg		16 D	96	dried, stored	223
a-chlordane	FREEZE-DRY	0.03 mg/kg		16 D	90	wet sample	223
a-chlordane	FREEZE-DRY	0.03 mg/kg		16 D	100	dried, not stored	223
a-chlordane	FREEZE-DRY	0.31 mg/kg		23 D	96	dried, not stored	223
a-chlordane	FREEZE-DRY	0.31 mg/kg		23 D	94	dried, stored	223
g-chlordane	FREEZE DRIED	0.02 mg/Kg	25	16 D	95		321
g-chlordane	FREEZE DRIED	0.24 mg/Kg	25	23 D	93		321
g-chlordane	FREEZE-DRY	0.02 mg/kg		16 D	100	dried, not stored	223
g-chlordane	FREEZE-DRY	0.02 mg/kg		16 D	92	wet sample	223
g-chlordane	FREEZE-DRY	0.02 mg/kg		16 D	95	dried, stored	223
g-chlordane	FREEZE-DRY	0.24 mg/kg		23 D	93	dried, stored	223
g-chlordane	FREEZE-DRY	0.24 mg/kg		23 D	95	dried, not stored	223
p,p'-ddd	FREEZE DRIED	0.06 mg/Kg	25	23 D	51		321
p,p'-ddd	FREEZE DRIED	0.62 mg/Kg	25	23 D	51		321
p,p'-ddd	FREEZE-DRY	0.06 mg/kg		23 D	105	wet sample	223
p,p'-ddd	FREEZE-DRY	0.06 mg/kg		23 D	84	dried, not stored	223
p,p'-ddd	FREEZE-DRY	0.06 mg/kg		23 D	51	dried, stored	223
p,p'-ddd	FREEZE-DRY	0.62 mg/kg		23 D	51	dried, stored	223
p,p'-ddd	FREEZE-DRY	0.62 mg/kg		23 D	93	dried, not stored	223
p,p'-ddd	NONE		-40	1 Y	93.1	fish	222
p,p'-ddd	NONE		-20	1 Y	86	fish	222
p,p'-ddd	NONE		-20	2 Y	44.2	fish	222
p,p'-ddd	NONE		-40	2 Y	52.3	fish	222
p,p'-dde	FREEZE DRIED	0.03 mg/Kg	25	23 D	146		321
p,p'-dde	FREEZE DRIED	0.3 mg/Kg	25	23 D	95		321
p,p'-dde	FREEZE DRIED	4.6 mg/Kg	-23	6 M	107	DARK	321
p,p'-dde	FREEZE DRIED	4.6 mg/Kg	23	6 M	98	DARK	321
p,p'-dde	FREEZE DRIED	4.6 mg/Kg	23	9 M	109	DARK	321
p,p'-dde	FREEZE DRIED	4.6 mg/Kg	-23	9 M	104	DARK	321
p,p'-dde	FREEZE DRIED	4.6 mg/Kg	-23	12 M	102	DARK	321

Matrix: Biota Class: Neutral Chlorinated Extractables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
p,p'-dde	FREEZE DRIED	4.6 mg/Kg	23	12 M	102	DARK	321
p,p'-dde	FREEZE-DRY	0.03 mg/kg		23 D	93	wet sample	223
p,p'-dde	FREEZE-DRY	0.03 mg/kg		23 D	146	dried, sample	223
p,p'-dde	FREEZE-DRY	0.03 mg/kg		23 D	95	dried, not sample	223
p,p'-dde	FREEZE-DRY	0.3 mg/kg		23 D	96	dried, stored	223
p,p'-dde	FREEZE-DRY	0.3 mg/kg		23 D	98	dried, not stored	223
p,p'-dde	FREEZE-DRY	4.5 mg/kg	23	6 M	0	dark storage	223
p,p'-dde	FREEZE-DRY	4.6 mg/kg	23	3 M	0	dark storage	223
p,p'-dde	FREEZE-DRY	4.7 mg/kg	23	12 M	0	dark storage	223
p,p'-dde	FREEZE-DRY	4.8 mg/kg	23	9 M	0	dark storage	223
p,p'-dde	NONE	7 mg/kg	-35	48 M	100	herring gull egg homogenates	224
p,p'-dde	TIN CANS		21	6 M	86	rel hum 75%, liver pate	307
p,p'-dde	TIN CANS		21	6 M	96	rel hum 75%, pork	307
p,p'-dde	TIN CANS		21	6 M	97	rel hum 75%, luncheon meat	307
p,p'-dde	TIN CANS		21	6 M	94	rel hum 75%, beef with bacon	307
p,p'-dde	TIN CANS		21	12 M	92	rel hum 75%, luncheon meat	307
p,p'-dde	TIN CANS		21	12 M	75	rel hum 75%, liver pate	307
p,p'-dde	TIN CANS		21	12 M	88	rel hum 75%, beef with bacon	307
p,p'-dde	TIN CANS		21	12 M	90	rel hum 75%, pork	307
p,p'-dde	TIN CANS		21	18 M	69	rel hum 75%, liver pate	307
p,p'-dde	TIN CANS		21	18 M	87	rel hum 75%, luncheon meat	307
p,p'-dde	TIN CANS		21	18 M	85	rel hum 75%, beef with bacon	307
p,p'-dde	TIN CANS		21	18 M	87	rel hum 75%, pork	307
p,p'-dde	TIN CANS		21	24 M	80	rel hum 75%, beef with bacon	307
p,p'-dde	TIN CANS		21	24 M	82	rel hum 75%, pork	307
p,p'-dde	TIN CANS		21	24 M	77	rel hum 75%, luncheon meat	307
p,p'-dde	TIN CANS		21	24 M	57	rel hum 75%, liver pate	307
p,p'-dde	TIN CANS		21	30 M	56	rel hum 75%, liver pate	307
p,p'-dde	TIN CANS		21	30 M	77	rel hum 75%, pork	307
p,p'-dde	TIN CANS		21	30 M	73	rel hum 75%, luncheon meat	307
p,p'-dde	TIN CANS		21	30 M	78	rel hum 75%, beef with bacon	307
p,p'-dde	TIN CANS		21	36 M	51	rel hum 75%, liver pate	307
p,p'-dde	TIN CANS		21	36 M	72	rel hum 75%, beef with bacon	307
p,p'-dde	TIN CANS		21	36 M	67	rel hum 75%, luncheon meat	307
p,p'-dde	TIN CANS		21	36 M	76	rel hum 75%, pork	307
4,4'-ddt	FREEZE DRIED	0.03 mg/Kg	25	23 D	42		321
4,4'-ddt	FREEZE-DRY	0.03 mg/kg		23 D	107	wet sample	223
4,4'-ddt	FREEZE-DRY	0.03 mg/kg		23 D	42	dried, stored	223
4,4'-ddt	FREEZE-DRY	0.03 mg/kg		23 D	90	dried, not stored	223
dieldrin	FREEZE DRIED	0.03 mg/Kg	25	16 D	93		321
dieldrin	FREEZE DRIED	0.29 mg/Kg	-23	6 M	100	DARK	321
dieldrin	FREEZE DRIED	0.29 mg/Kg	23	6 M	108	DARK	321
dieldrin	FREEZE DRIED	0.29 mg/Kg	-23	9 M	93	DARK	321
dieldrin	FREEZE DRIED	0.29 mg/Kg	23	9 M	104	DARK	321
dieldrin	FREEZE DRIED	0.29 mg/Kg	-23	12 M	96	DARK	321
dieldrin	FREEZE DRIED	0.29 mg/Kg	23	12 M	104	DARK	321
dieldrin	FREEZE DRIED	0.38 mg/Kg	25	23 D	92		321
dieldrin	FREEZE-DRY	0.03 mg/kg		16 D	93	dried, stored	223
dieldrin	FREEZE-DRY	0.03 mg/kg		16 D	84	wet sample	223

Matrix: Biota Class: Neutral Chlorinated Extractables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
dieldrin	FREEZE-DRY	0.03 mg/kg		16 D	98	dried, not stored	223
dieldrin	FREEZE-DRY	0.25 mg/kg	23	3 M	0	dark storage	223
dieldrin	FREEZE-DRY	0.26 mg/kg	23	9 M	0	dark storage	223
dieldrin	FREEZE-DRY	0.27 mg/kg	23	6 M	0	dark storage	223
dieldrin	FREEZE-DRY	0.27 mg/kg	23	12 M	0	dark storage	223
dieldrin	FREEZE-DRY	0.38 mg/kg		23 D	95	dried, not stored	223
dieldrin	FREEZE-DRY	0.38 mg/kg		23 D	92	dried, stored	223
dieldrin	NONE	0.25 mg/kg	-35	48 H	100	herring gull egg homogenates	224
2,8-dih-mirex	FREEZE DRIED	0.03 mg/Kg	25	16 D	95		321
2,8-dih-mirex	FREEZE DRIED	0.16 mg/Kg	23	6 M	107	DARK	321
2,8-dih-mirex	FREEZE DRIED	0.16 mg/Kg	-23	6 M	100	DARK	321
2,8-dih-mirex	FREEZE DRIED	0.16 mg/Kg	23	9 M	107	DARK	321
2,8-dih-mirex	FREEZE DRIED	0.16 mg/Kg	-23	9 M	100	DARK	321
2,8-dih-mirex	FREEZE DRIED	0.16 mg/Kg	23	12 M	113	DARK	321
2,8-dih-mirex	FREEZE DRIED	0.16 mg/Kg	-23	12 M	113	DARK	321
2,8-dih-mirex	FREEZE DRIED	0.39 mg/Kg	25	23 D	94		321
2,8-dih-mirex	FREEZE-DRY	0.03 mg/kg		16 D	95	dried, stored	223
2,8-dih-mirex	FREEZE-DRY	0.03 mg/kg		16 D	92	wet sample	223
2,8-dih-mirex	FREEZE-DRY	0.03 mg/kg		16 D	101	dried, not stored	223
2,8-dih-mirex	FREEZE-DRY	0.15 mg/kg	23	3 M	0	dark storage	223
2,8-dih-mirex	FREEZE-DRY	0.16 mg/kg	23	6 M	0	dark storage	223
2,8-dih-mirex	FREEZE-DRY	0.16 mg/kg	23	9 M	0	dark storage	223
2,8-dih-mirex	FREEZE-DRY	0.17 mg/kg	23	12 M	0	dark storage	223
2,8-dih-mirex	FREEZE-DRY	0.39 mg/kg		23 D	94	dried, stored	223
2,8-dih-mirex	FREEZE-DRY	0.39 mg/kg		23 D	98	dried, not stored	223
2,8-dih-mirex	NONE		-20	1 Y	64.4	fish	222
2,8-dih-mirex	NONE		-40	1 Y	69.3	fish	222
2,8-dih-mirex	NONE		-20	2 Y	42.3	fish	222
2,8-dih-mirex	NONE		-40	2 Y	53.8	fish	222
2,8-dih-mirex	NONE	0.1 mg/kg	-35	25 H	100	herring gull egg homogenates	224
heptachlor	FREEZE DRIED	0.04 mg/Kg	25	16 D	87		321
heptachlor	FREEZE DRIED	0.47 mg/Kg	25	23 D	91		321
heptachlor	FREEZE-DRY	0.04 mg/kg		16 D	76	dried, not stored	223
heptachlor	FREEZE-DRY	0.04 mg/kg		16 D	89	wet sample	223
heptachlor	FREEZE-DRY	0.04 mg/kg		16 D	87	dried, stored	223
heptachlor	FREEZE-DRY	0.47 mg/kg		23 D	94	dried, not stored	223
heptachlor	FREEZE-DRY	0.47 mg/kg		23 D	91	dried, stored	223
heptachlor epoxide	FREEZE DRIED	0.02 mg/Kg	25	16 D	92		321
heptachlor epoxide	FREEZE DRIED	0.12 mg/Kg	-23	6 M	100	DARK	321
heptachlor epoxide	FREEZE DRIED	0.12 mg/Kg	23	6 M	100	DARK	321
heptachlor epoxide	FREEZE DRIED	0.12 mg/Kg	-23	9 M	100	DARK	321
heptachlor epoxide	FREEZE DRIED	0.12 mg/Kg	23	9 M	100	DARK	321
heptachlor epoxide	FREEZE DRIED	0.12 mg/Kg	-23	12 M	92	DARK	321
heptachlor epoxide	FREEZE DRIED	0.12 mg/Kg	23	12 M	100	DARK	321
heptachlor epoxide	FREEZE DRIED	0.29 mg/Kg	25	23 D	90		321
heptachlor epoxide	FREEZE-DRY	0.02 mg/kg		16 D	92	dried, stored	223
heptachlor epoxide	FREEZE-DRY	0.02 mg/kg		16 D	79	wet sample	223
heptachlor epoxide	FREEZE-DRY	0.02 mg/kg		16 D	89	dried, not stored	223
heptachlor epoxide	FREEZE-DRY	0.12 mg/kg	23	3 M	0	dark storage	223

Matrix: Biota Class: Neutral Chlorinated Extractables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
heptachlor epoxide	FREEZE-DRY	0.12 mg/kg	23	6 M	0	dark storage	223
heptachlor epoxide	FREEZE-DRY	0.12 mg/kg	23	9 M	0	dark storage	223
heptachlor epoxide	FREEZE-DRY	0.12 mg/kg	23	12 M	0	dark storage	223
heptachlor epoxide	FREEZE-DRY	0.29 mg/kg		23 D	92	dried, not stored	223
heptachlor epoxide	FREEZE-DRY	0.29 mg/kg		23 D	90	dried, stored	223
heptachlor epoxide	NONE	0.1 mg/kg	-35	48 H	100	herring gull egg homogenates	224
hexachlorobenzene	FREEZE DRIED	0.02 mg/Kg	25	16 D	83		321
hexachlorobenzene	FREEZE DRIED	0.05 mg/Kg	23	6 M	100	DARK	321
hexachlorobenzene	FREEZE DRIED	0.05 mg/Kg	-23	6 M	105	DARK	321
hexachlorobenzene	FREEZE DRIED	0.05 mg/Kg	-23	9 M	105	DARK	321
hexachlorobenzene	FREEZE DRIED	0.05 mg/Kg	23	9 M	108	DARK	321
hexachlorobenzene	FREEZE DRIED	0.05 mg/Kg	-23	12 M	108	DARK	321
hexachlorobenzene	FREEZE DRIED	0.05 mg/Kg	23	12 M	107	DARK	321
hexachlorobenzene	FREEZE DRIED	0.28 mg/Kg	25	23 D	83		321
hexachlorobenzene	FREEZE-DRY	0.02 mg/kg		16 D	93	wet sample	223
hexachlorobenzene	FREEZE-DRY	0.02 mg/kg		16 D	56	dried, not stored	223
hexachlorobenzene	FREEZE-DRY	0.02 mg/kg		16 D	83	dried, stored	223
hexachlorobenzene	FREEZE-DRY	0.05 mg/kg	23	3 M	0	dark storage	223
hexachlorobenzene	FREEZE-DRY	0.05 mg/kg	23	6 M	0	dark storage	223
hexachlorobenzene	FREEZE-DRY	0.06 mg/kg	23	9 M	0	dark storage	223
hexachlorobenzene	FREEZE-DRY	0.06 mg/kg	23	12 M	0	dark storage	223
hexachlorobenzene	FREEZE-DRY	0.28 mg/kg		23 D	85	dried, not stored	223
hexachlorobenzene	FREEZE-DRY	0.28 mg/kg		23 D	84	dried, stored	223
hexachlorobenzene	NONE	0.2 mg/kg	-35	48 H	100	herring gull egg homogenates	224
hexachlorobenzene	TIN CANS		21	6 M	96	rel hum 75%, liver pate	307
hexachlorobenzene	TIN CANS		21	6 M	96	rel hum 75%, pork	307
hexachlorobenzene	TIN CANS		21	6 M	98	rel hum 75%, beef with bacon	307
hexachlorobenzene	TIN CANS		21	6 M	97	rel hum 75%, luncheon meat	307
hexachlorobenzene	TIN CANS		21	12 M	88	rel hum 75%, liver pate	307
hexachlorobenzene	TIN CANS		21	12 M	87	rel hum 75%, luncheon meat	307
hexachlorobenzene	TIN CANS		21	12 M	93	rel hum 75%, pork	307
hexachlorobenzene	TIN CANS		21	12 M	94	rel hum 75%, beef with bacon	307
hexachlorobenzene	TIN CANS		21	18 M	81	rel hum 75%, luncheon meat	307
hexachlorobenzene	TIN CANS		21	18 M	91	rel hum 75%, pork	307
hexachlorobenzene	TIN CANS		21	18 M	97	rel hum 75%, beef with bacon	307
hexachlorobenzene	TIN CANS		21	18 M	84	rel hum 75%, liver pate	307
hexachlorobenzene	TIN CANS		21	24 M	77	rel hum 75%, liver pate	307
hexachlorobenzene	TIN CANS		21	24 M	83	rel hum 75%, pork	307
hexachlorobenzene	TIN CANS		21	24 M	95	rel hum 75%, beef with bacon	307
hexachlorobenzene	TIN CANS		21	24 M	77	rel hum 75%, luncheon meat	307
hexachlorobenzene	TIN CANS		21	30 M	74	rel hum 75%, liver pate	307
hexachlorobenzene	TIN CANS		21	30 M	72	rel hum 75%, luncheon meat	307
hexachlorobenzene	TIN CANS		21	30 M	78	rel hum 75%, pork	307
hexachlorobenzene	TIN CANS		21	30 M	92	rel hum 75%, beef with bacon	307
hexachlorobenzene	TIN CANS		21	36 M	75	rel hum 75%, pork	307
hexachlorobenzene	TIN CANS		21	36 M	68	rel hum 75%, luncheon meat	307
hexachlorobenzene	TIN CANS		21	36 M	82	rel hum 75%, beef with bacon	307
hexachlorobenzene	TIN CANS		21	36 M	66	rel hum 75%, liver pate	307
nonachlor	FREEZE DRIED	0.03 mg/Kg	25	16 D	95		321

Matrix: Biota Class: Neutral Chlorinated Extractables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
nonachlor	FREEZE DRIED	0.1 mg/Kg	23	6 M	110	DARK	321
nonachlor	FREEZE DRIED	0.1 mg/Kg	-23	6 M	100	DARK	321
nonachlor	FREEZE DRIED	0.1 mg/Kg	23	9 M	110	DARK	321
nonachlor	FREEZE DRIED	0.1 mg/Kg	-23	9 M	100	DARK	321
nonachlor	FREEZE DRIED	0.1 mg/Kg	-23	12 M	109	DARK	321
nonachlor	FREEZE DRIED	0.1 mg/Kg	23	12 M	110	DARK	321
nonachlor	FREEZE DRIED	0.3 mg/Kg	25	23 D	95		321
nonachlor	FREEZE-DRY	0.03 mg/kg		16 D	96	dried, not stored	223
nonachlor	FREEZE-DRY	0.03 mg/kg		16 D	95	dried, stored	223
nonachlor	FREEZE-DRY	0.03 mg/kg		16 D	87	wet sample	223
nonachlor	FREEZE-DRY	0.1 mg/kg	23	3 M	0	dark storage	223
nonachlor	FREEZE-DRY	0.11 mg/kg	23	6 M	0	dark storage	223
nonachlor	FREEZE-DRY	0.11 mg/kg	23	9 M	0	dark storage	223
nonachlor	FREEZE-DRY	0.11 mg/kg	23	12 M	0	dark storage	223
nonachlor	FREEZE-DRY	0.3 mg/kg		23 D	96	dried, stored	223
nonachlor	FREEZE-DRY	0.3 mg/kg		23 D	97	dried, not stored	223
oxychlordane	FREEZE DRIED	0.2 mg/Kg	-23	6 M	105	DARK	321
oxychlordane	FREEZE DRIED	0.2 mg/Kg	23	6 M	94	DARK	321
oxychlordane	FREEZE DRIED	0.2 mg/Kg	23	9 M	88	DARK	321
oxychlordane	FREEZE DRIED	0.2 mg/Kg	-23	9 M	105	DARK	321
oxychlordane	FREEZE DRIED	0.2 mg/Kg	23	12 M	82	DARK	321
oxychlordane	FREEZE DRIED	0.2 mg/Kg	-23	12 M	105	DARK	321
oxychlordane	FREEZE-DRY	0.14 mg/kg	23	12 M	0	dark storage	223
oxychlordane	FREEZE-DRY	0.16 mg/kg	23	6 M	0	dark storage	223
oxychlordane	FREEZE-DRY	0.16 mg/kg	23	9 M	0	dark storage	223
oxychlordane	FREEZE-DRY	0.17 mg/kg	23	3 M	0	dark storage	223
oxychlordane	NONE	0.15 mg/kg	-35	27 M	100	herring gull egg homogenates	224
pentachlorobenzene	FREEZE DRIED	0.01 mg/Kg	25	16 D	65		321
pentachlorobenzene	FREEZE DRIED	0.1 mg/Kg	25	23 D	61		321
pentachlorobenzene	FREEZE-DRY	0.01 mg/kg		16 D	90	wet sample	223
pentachlorobenzene	FREEZE-DRY	0.01 mg/kg		16 D	26	dried, not stored	223
pentachlorobenzene	FREEZE-DRY	0.01 mg/kg		16 D	65	dried, stored	223
pentachlorobenzene	FREEZE-DRY	0.1 mg/kg		23 D	61	dried, stored	223
pentachlorobenzene	FREEZE-DRY	0.1 mg/kg		23 D	67	dried, not stored	223
1,2,3,5-tetrachlorobenzene	FREEZE DRIED	0.05 mg/Kg	25	16 D	26		321
1,2,3,5-tetrachlorobenzene	FREEZE DRIED	0.5 mg/Kg	25	23 D	36		321
1,2,3,5-tetrachlorobenzene	FREEZE-DRY	0.05 mg/kg		16 D	82	wet sample	223
1,2,3,5-tetrachlorobenzene	FREEZE-DRY	0.05 mg/kg		16 D	15	dried, not stored	223
1,2,3,5-tetrachlorobenzene	FREEZE-DRY	0.05 mg/kg		16 D	26	dried, stored	223
1,2,3,5-tetrachlorobenzene	FREEZE-DRY	0.5 mg/kg		23 D	35	dried, stored	223
1,2,3,5-tetrachlorobenzene	FREEZE-DRY	0.5 mg/kg		23 D	40	dried,not stored	223
total pcbs	NONE		-40	1 Y	101	fish	222
total pcbs	NONE		-20	1 Y	91.3	fish	222
total pcbs	NONE		-40	2 Y	93	fish	222
total pcbs	NONE		-20	2 Y	78.6	fish	222
total pcbs	NONE	2-6 ppm	-70	1 Y	96.7	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-20	1 Y	102	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-20	2 W	112	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-70	2 W	110	fresh fish fillets-skin on	221

Matrix: Biota — Class: Neutral Chlorinated Extractables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
total pcbs	NONE	2-6 ppm	-20	2 Y	109	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-70	2 Y	103	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-70	3 M	103	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-20	3 M	104	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-20	4 W	116	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-70	4 W	111	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-70	6 M	118	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-20	6 M	112	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-20	8 W	108	fresh fish fillets-skin on	221
total pcbs	NONE	2-6 ppm	-70	8 W	103	fresh fish fillets-skin on	221
total pcbs	NONE	25 mg/kg	-35	36 M	100	herring gull egg homogenates	224
total pcbs	NONE	90 mg/kg	-35	48 M	85	herring gull egg homogenates	224
1,2,3-trichlorobenzene	FREEZE DRIED	0.07 mg/Kg	25	16 D	19		321
1,2,3-trichlorobenzene	FREEZE DRIED	0.7 mg/Kg	25	23 D	27		321
1,2,3-trichlorobenzene	FREEZE-DRY	0.07 mg/kg		16 D	69	wet sample	223
1,2,3-trichlorobenzene	FREEZE-DRY	0.07 mg/kg		16 D	19	dried, stored	223
1,2,3-trichlorobenzene	FREEZE-DRY	0.07 mg/kg		16 D	10	dried, not stored	223
1,2,3-trichlorobenzene	FREEZE-DRY	0.7 mg/kg		23 D	27	dried, stored	223
1,2,3-trichlorobenzene	FREEZE-DRY	0.7 mg/kg		23 D	19	dried,not stored	223

COMPOUND CLASS PROFILE

Neutral Chlorinated Extractables

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual. Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One major study. Preservation with $CuSO_4$ and Chloroform studied. 100-400 ng/L level in several natural waters and in reagent water.
Data Evaluation:	Statistical Evaluation of $CuSO_4$ vs $CHCl_3$. Chloroform gives higher recoveries, demonstrates sample stability within 1 S.D. for all compounds for 15 weeks study duration.
Data Deficiencies:	No data obtained for chlorobenzenes, toxaphene, total PCB, OCS, nonachlor, chlorotoluenes, HCBD, hexachlorocyclopentadiene.
Storage Recommendations:	Store samples at 4°C with no preservation, extract within 6 weeks and analyze. For longer storage times, addition of chloroform will increase storage time to 15 weeks.

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
aldrin									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 15	W	61 - 106		
				Average Recovery:			85	Std. Dev.: 13.5	
	CUSO4	0.1 - 0.1	ug/L	4	3 - 15	W	53 - 88		
				Average Recovery:			68	Std. Dev.: 13.4	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
alpha-BHC									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 63	W	56 - 100		
				Average Recovery:			82	Std. Dev.: 14.5	
	CUSO4	0.1 - 0.1	ug/L	4	3 - 15	W	88 - 100		
				Average Recovery:			97	Std. Dev.: 5.2	
	PH=2	2 - 2	ug/L	4	0 - 14	D	92 - 108		
				Average Recovery:			98	Std. Dev.: 6.9	
	PH=7	2 - 2	ug/L	4	0 - 21	D	75 - 105		
				Average Recovery:			92	Std. Dev.: 9.7	
	PH=9	2 - 2	ug/L	4	0 - 14	D	95 - 105		
				Average Recovery:			100	Std. Dev.: 4.1	
beta-BHC									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 15	W	75 - 105		
				Average Recovery:			93	Std. Dev.: 8.4	
	CUSO4	0.1 - 0.1	ug/L	4	3 - 15	W	98 - 106		
				Average Recovery:			103	Std. Dev.: 3.4	
	PH=2	2 - 2	ug/L	4	0 - 14	D	95 - 109		
				Average Recovery:			100	Std. Dev.: 6.6	
	PH=7	2 - 2	ug/L	4	0 - 21	D	80 - 115		
				Average Recovery:			94	Std. Dev.: 11.3	
	PH=9	2 - 2	ug/L	4	0 - 14	D	98 - 108		
				Average Recovery:			104	Std. Dev.: 4.2	
delta-BHC									
	PH=2	2 - 2	ug/L	4	0 - 14	D	92 - 105		
				Average Recovery:			97	Std. Dev.: 5.6	

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
delta-BHC									
	PH=7	2 - 2	ug/L	4	0 - 21	D	82 - 105		
				Average Recovery:			94	Std. Dev.: 8.5	
	PH=9	2 - 2	ug/L	4	0 - 14	D	65 - 105		
				Average Recovery:			78	Std. Dev.: 18.9	
gamma-BHC									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 15	W	62 - 96		
				Average Recovery:			74	Std. Dev.: 8.4	
	CUSO4	0.1 - 0.1	ug/L	4	3 - 15	W	88 - 92		
				Average Recovery:			91	Std. Dev.: 1.6	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	PH=2	2 - 2	ug/L	4	0 - 14	D	92 - 108		
				Average Recovery:			99	Std. Dev.: 6.7	
	PH=7	2 - 2	ug/L	4	0 - 21	D	80 - 105		
				Average Recovery:			93	Std. Dev.: 8.3	
	PH=9	2 - 2	ug/L	4	0 - 14	D	95 - 108		
				Average Recovery:			100	Std. Dev.: 5.6	
a-chlordane									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 15	W	78 - 100		
				Average Recovery:			92	Std. Dev.: 7.0	
	CUSO4	0.1 - 0.1.	ug/L	4	3 - 15	W	80 - 90		
				Average Recovery:			85	Std. Dev.: 3.5	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
g-chlordane									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 15	W	77 - 99		
				Average Recovery:			89	Std. Dev.: 5.2	
	CUSO4	0.1 - 0.1	ug/L	4	3 - 15	W	69 - 97		
				Average Recovery:			78	Std. Dev.: 11.4	
p,p'-ddd									

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
p,p'-ddd									
	CHLOROFORM	0.4 - 0.4	ug/L	4	3 - 15	W	80 - 102		
				Average Recovery:			94	Std. Dev.: 5.0	
	CUSO4	0.2 - 0.2	ug/L	4	3 - 15	W	68 - 93		
				Average Recovery:			78	Std. Dev.: 9.9	
p,p'-dde									
	CHLOROFORM	0.2 - 0.2	ug/L	4	3 - 15	W	80 - 102		
				Average Recovery:			92	Std. Dev.: 6.3	
	CUSO4	0.2 - 0.2	ug/L	4	3 - 15	W	59 - 89		
				Average Recovery:			69	Std. Dev.: 11.9	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
o,p'-ddt									
	CHLOROFORM	0.4 - 0.4	ug/L	4	3 - 15	W	80 - 127		
				Average Recovery:			96	Std. Dev.: 9.6	
	CUSO4	0.4 - 0.4	ug/L	4	3 - 15	W	57 - 91		
				Average Recovery:			69	Std. Dev.: 13.7	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
4,4'-ddt									
	CHLOROFORM	0.4 - 0.4	ug/L	4	3 - 15	W	85 - 150		
				Average Recovery:			99	Std. Dev.: 15.2	
	CUSO4	0.4 - 0.4	ug/L	4	3 - 15	W	59 - 95		
				Average Recovery:			75	Std. Dev.: 13.3	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
dieldrin									
	CHLOROFORM	0.2 - 0.2	ug/L	4	3 - 15	W	85 - 974		
				Average Recovery:			133	Std. Dev.: 175.7	
	CUSO4	0.2 - 0.2	ug/L	4	3 - 15	W	81 - 100		
				Average Recovery:			92	Std. Dev.: 6.9	

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
dieldrin									
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2,8-dih-mirex									
	CHLOROFORM	0.2 - 0.2	ug/L	4	3 - 15	W	86 - 102		
				Average Recovery:			94	Std. Dev.: 4.2	
	CUSO4	0.2 - 0.2	ug/L	4	3 - 15	W	51 - 79		
				Average Recovery:			62	Std. Dev.: 10.5	
alpha-endosulfan (Endosulfan I									
	CHLOROFORM	0.2 - 0.2	ug/L	4	3 - 15	W	77 - 102		
				Average Recovery:			92	Std. Dev.: 7.3	
	CUSO4	0.2 - 0.2	ug/L	4	3 - 15	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
beta-endosulfan (Endosulfan II									
	CHLOROFORM	0.2 - 0.2	ug/L	4	3 - 15	W	84 - 106		
				Average Recovery:			93	Std. Dev.: 5.7	
	CUSO4	0.2 - 0.2	ug/L	4	3 - 15	W	91 - 102		
				Average Recovery:			96	Std. Dev.: 4.6	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
endrin									
	CHLOROFORM	0.4 - 0.4	ug/L	4	3 - 15	W	46 - 272		
				Average Recovery:			100	Std. Dev.: 48.6	
	CUSO4	0.4 - 0.4	ug/L	4	3 - 15	W	85 - 99		
				Average Recovery:			90	Std. Dev.: 5.3	
heptachlor									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 15	W	60 - 83		
				Average Recovery:			71	Std. Dev.: 5.6	
	CUSO4	0.1 - 0.1	ug/L	4	3 - 15	W	21 - 62		
				Average Recovery:			40	Std. Dev.: 15.2	

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
heptachlor									
	NONE	-		4	6 - 6	W	70 - 70		
				Average Recovery:			70	Std. Dev.: 0.0	
heptachlor epoxide									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 15	W	81 - 112		
				Average Recovery:			91	Std. Dev.: 7.3	
	CUSO4	0.1 - 0.1	ug/L	4	3 - 15	W	84 - 96		
				Average Recovery:			89	Std. Dev.: 4.4	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
hexachlorobenzene									
	CHLOROFORM	0.1 - 0.1	ug/L	4	3 - 15	W	48 - 66		
				Average Recovery:			57	Std. Dev.: 5.0	
	CUSO4	0.1 - 0.1	ug/L	4	3 - 15	W	49 - 82		
				Average Recovery:			63	Std. Dev.: 11.9	
hexachlorobutadiene (HCBD)									
	CHLOROFORM	0.1 - 0.1	ug/L	4	15 - 15	W	59 - 59		
				Average Recovery:			59	Std. Dev.: 0.0	
	PH=2	.2 - .2	ug/L.	4	0 - 14	D	70 - 120		
				Average Recovery:			90	Std. Dev.: 18.5	
	PH=7	.2 - .2	ug/L.	4	0 - 21	D	25 - 110		
				Average Recovery:			68	Std. Dev.: 25.5	
	PH=9	.2 - .2	ug/L	4	0 - 14	D	72 - 115		
				Average Recovery:			97	Std. Dev.: 14.8	
hexachlorocyclopentadiene									
		.2 - .2	ug/L.	4	0 - 0	D	145 - 145		
				Average Recovery:			145	Std. Dev.: 0.0	
	PH=2	.2 - .2	ug/L.	4	0 - 14	D	70 - 168		
				Average Recovery:			114	Std. Dev.: 40.5	
	PH=7	.2 - .2	ug/L.	4	1 - 21	D	47 - 105		
				Average Recovery:			68	Std. Dev.: 22.2	

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
hexachlorocyclopentadiene									
	PH=9	.2 - .2	ug/L.	4	0 - 14	D	108 - 160		
				Average Recovery:			139	Std. Dev.: 22.5	
hexachloroethane									
	PH=2	.2 - .2	ug/L	4	0 - 14	D	80 - 105		
				Average Recovery:			91	Std. Dev.: 10.4	
	PH=7	.2 - .2	ug/L	4	0 - 21	D	40 - 100		
				Average Recovery:			69	Std. Dev.: 19.2	
	PH=9	.2 - .2	ug/L	4	0 - 14	D	85 - 105		
				Average Recovery:			95	Std. Dev.: 8.2	
methoxychlor (DMDT)									
	CHLOROFORM	0.4 - 0.4	ug/L	4	3 - 15	W	82 - 312		
				Average Recovery:			112	Std. Dev.: 53.4	
	CUSO4	0.4 - 0.4	ug/L	4	3 - 15	W	92 - 109		
				Average Recovery:			100	Std. Dev.: 6.4	
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
pentachlorobenzene									
	PH=2	.2 - .2	ug/L	4	0 - 14	D	80 - 118		
				Average Recovery:			97	Std. Dev.: 15.9	
	PH=7	.2 - .2	ug/L	4	0 - 21	D	50 - 110		
				Average Recovery:			77	Std. Dev.: 20.2	
	PH=9	.2 - .2	ug/L	4	0 - 14	D	110 - 255		
				Average Recovery:			200	Std. Dev.: 64.2	
1,2,3,4-tetrachlorobenzene									
	PH=2	2 - 2	ug/L	4	0 - 14	D	80 - 110		
				Average Recovery:			92	Std. Dev.: 13.1	
	PH=7	2 - 2	ug/L	4	0 - 21	D	40 - 105		
				Average Recovery:			72	Std. Dev.: 20.9	
	PH=9	2 - 2	ug/L	4	0 - 14	D	85 - 115		
				Average Recovery:			100	Std. Dev.: 12.2	

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
1,2,3,5-tetrachlorobenzene									
	PH=2	2 - 2	ug/L	4	0 - 14	D	78 - 115		
				Average Recovery:			93	Std. Dev.: 16.0	
	PH=7	2 - 2	ug/L	4	0 - 21	D	25 - 105		
				Average Recovery:			67	Std. Dev.: 25.6	
	PH=9	2 - 2	ug/L	4	0 - 14	D	90 - 110		
				Average Recovery:			102	Std. Dev.: 3.5	
1,2,4,5-tetrachlorobenzene									
	PH=2	2 - 2	ug/L	4	0 - 14	D	78 - 115		
				Average Recovery:			93	Std. Dev.: 16.0	
	PH=7	2 - 2	ug/L	4	0 - 21	D	25 - 105		
				Average Recovery:			67	Std. Dev.: 25.6	
	PH=9	2 - 2	ug/L	4	0 - 14	D	85 - 115		
				Average Recovery:			100	Std. Dev.: 12.2	
total pcbs									
	NONE	-		4	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
1,2,3-trichlorobenzene									
	PH=2	2 - 2	ug/L.	4	0 - 14	D	75 - 113		
				Average Recovery:			93	Std. Dev.: 15.6	
	PH=7	2 - 2	ug/L.	4	0 - 21	D	35 - 100		
				Average Recovery:			68	Std. Dev.: 21.6	
	PH=9	2 - 2	ug/L.	4	0 - 14	D	88 - 110		
				Average Recovery:			98	Std. Dev.: 9.0	
1,2,4-trichlorobenzene									
	PH=2	2 - 2	ug/L.	4	0 - 14	D	25 - 108		
				Average Recovery:			66	Std. Dev.: 33.9	
	PH=7	2 - 2	ug/L.	4	0 - 21	D	15 - 100		
				Average Recovery:			53	Std. Dev.: 31.2	
	PH=9	2 - 2	ug/L.	4	0 - 14	D	22 - 110		
				Average Recovery:			59	Std. Dev.: 37.3	

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
1,3,5-trichlorobenzene									
	PH=2	2 - 2	ug/L	4	0 - 14	D	65 - 112		
				Average Recovery:			86	Std. Dev.: 19.6	
	PH=7	2 - 2	ug/L	4	0 - 21	D	35 - 105		
				Average Recovery:			65	Std. Dev.: 22.4	
	PH=9	2 - 2	ug/L	4	0 - 14	D	75 - 110		
				Average Recovery:			92	Std. Dev.: 14.3	

Figure A-25 Analyte Recovery with Chloroform Preservation for Neutral Chlorinated Extractables in Drinking/Surface Water Matrix



Ref: ASC 216

Figure A-26 Analyte Recovery with Copper Sulphate Preservation For Neutral Chlorinated Extractables in Drinking/Surface Water Matrix



Ref: ASC 216

Figure A-27 Analyte Recovery at pH 2 for Neutral Chlorinated Extractables in Drinking/Surface Water Matrix



Ref: ASC 302

Figure A-28 Analyte Recovery at pH 7 for Neutral Chlorinated Extractables in Drinking/Surface Water Matrix



Ref: ASC 302

Figure A-29 Analyte Recovery at pH 9 for Neutral Chlorinated Extractables in Drinking/Surface Water Matrix



Ref: ASC 302

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	82	L. Ontario water	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	61	Saskatchewan water	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	105	Corrected for Method Recovery	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	67	Quebec Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	66	British Columbia Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	67	Lake Ontario Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	92	Recov Corr. Lake Ontario 4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	74	New Brunswick Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	100	Recov Corr. Mersey River Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	86	Recov Corr. Fraser River Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	91	Recov Corr. E.Proper R.-4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	3 W	85	Recov Corr. R. Outausis 4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	78	British Columbia Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	73	Lake Ontario Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov Corr. R. Outausis 4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	70	New Brunswick Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov Corr. Lake Ontario 4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	70	L. Ontario water	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov Corr. Mersey River Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	79	Quebec Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov Corr. Fraser River Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	90	Corrected for Method Recovery	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	77	Saskatchewan water	216
aldrin	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov Corr. E.Proper R.-4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	9 W	97	Corrected for Method Recovery	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	77	Recov Corr. R. Outausis 4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	100	Recov Corr. Lake Ontario 4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	76	Lake Ontario Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	100	Recov Corr. Mersey River Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	73	British Columbia Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	67	Saskatchewan water	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	71	New Brunswick Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	61	Quebec Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	95	Recov Corr. Fraser River Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	10 W	100	Recov Corr. E.Proper R.-4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	77	Quebec Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	97	Recov Corr. Fraser River Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	100	Recov Corr. Mersey River Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	73	Saskatchewan water	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	75	British Columbia Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	76	Lake Ontario Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	83	L. Ontario water	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	100	Recov Corr. Lake Ontario 4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	100	Recov Corr. E.Proper R.-4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	100	Recov Corr. R. Outausis 4 rep	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	78	New Brunswick Water	216
aldrin	CHLOROFORM	0.1 ug/L	4	15 W	106	Corrected for Method Recovery	216
aldrin	CUSO4	0.1 ug/L	4	3 W	88	Corrected for Method Recovery	216
aldrin	CUSO4	0.1 ug/L	4	6 W	72	Corrected for Method Recovery	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
aldrin	CUSO4	0.1 ug/L	4	9 W	59	Corrected for Method Recovery	216
aldrin	CUSO4	0.1 ug/L	4	15 W	53	Corrected for Method Recovery	216
aldrin	NONE		4	6 W	100	stored in dark	258
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	65	Lake Ontario Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	71	Quebec Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	62	Saskatchewan water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	81	Recov. Corr. Fraser R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	92	Recovery Corr. avg. of 3 reps.	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	100	Recov. Corr. L.Ontario (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	69	New Brunswick Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	77	L. Ontario water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	100	Recov. Corr. R. Outasis(avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	91	Recov. Corr: E.Proper R(avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	3 W	100	Recov. Corr. Mersey R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	64	Saskatchewan water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	77	Recovery Corr. avg. of 3 reps.	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov. Corr. Fraser R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov. Corr. Mersey R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov. Corr. Fraser R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	Recov. Corr. R. Outasis(avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	65	L. Ontario water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	92	Recov. Corr. L.Ontario (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	67	Lake Ontario Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	74	Quebec Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	6 W	65	New Brunswick Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	9 W	79	L. Ontario water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	9 W	94	Recovery Corr. avg. of 3 reps.	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	61	Lake Ontario Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	81	Recov. Corr. Fraser R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	56	Quebec Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	85	Recov. Corr: E.Proper R(avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	100	Recov. Corr. Mersey R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	57	Saskatchewan water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	67	New Brunswick Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	84	Recov. Corr. L.Ontario (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	10 W	79	Recov. Corr. R. Outasis(avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	80	Recovery Corr. avg. of 3 reps.	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Recov. Corr: E.Proper R(avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	70	Lake Ontario Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	72	New Brunswick Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Recov. Corr. R. Outasis(avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Recov. Corr. L.Ontario (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Recov. Corr. Mersey R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	68	L. Ontario water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	74	Saskatchewan water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	94	Recov. Corr. Fraser R. (avg 3)	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	15 W	70	Quebec Water	216
alpha-BHC	CHLOROFORM	0.1 ug/L	4	63 W	94	Recov. Corr: E.Proper R(avg 3)	216
alpha-BHC	CUSO4	0.1 ug/L	4	3 W	88	Recovery Corr. avg. of 3 reps.	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
alpha-BHC	CUSO4	0.1 ug/L	4	6 W	100	Recovery Corr. avg. of 3 reps.	216
alpha-BHC	CUSO4	0.1 ug/L	4	9 W	100	Recovery Corr. avg. of 3 reps.	216
alpha-BHC	CUSO4	0.1 ug/L	4	15 W	100	Recovery Corr. avg. of 3 reps.	216
alpha-BHC	PH=2	2 ug/L	4	0 D	108		302
alpha-BHC	PH=2	2 ug/L	4	7 D	92		302
alpha-BHC	PH=2	2 ug/L	4	14 D	95		302
alpha-BHC	PH=7	2 ug/L	4	0 D	105		302
alpha-BHC	PH=7	2 ug/L	4	1 D	102		302
alpha-BHC	PH=7	2 ug/L	4	3 D	90		302
alpha-BHC	PH=7	2 ug/L	4	7 D	90		302
alpha-BHC	PH=7	2 ug/L	4	14 D	75		302
alpha-BHC	PH=7	2 ug/L	4	21 D	90		302
alpha-BHC	PH=9	2 ug/L	4	0 D	105		302
alpha-BHC	PH=9	2 ug/L	4	7 D	100		302
alpha-BHC	PH=9	2 ug/L	4	14 D	95		302
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	76	Saskatchewan water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	80	Quebec Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	85	New Brunswick Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	75	Lake Ontario Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	100	Rec.Corr: L.Ontario (Avg 3)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	80	British Columbia Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	80	Rec.Corr: L. Ontario (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	101	L. Ontario water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	100	Rec.Corr: Fraser River(Avg 3)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	90	Rec.Corr: E.Proper R. (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	91	Rec.Corr: R.Outausis (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	3 W	100	Rec.Corr: Mersey River (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	88	Rec.Corr: L.Ontario (Avg 3)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	Rec.Corr: Mersey River (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	Rec.Corr: Fraser River(Avg 3)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	Rec.Corr: R.Outausis (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	93	Saskatchewan water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	105	Quebec Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	78	L. Ontario water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	Rec.Corr: E.Proper R. (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	95	Rec.Corr: L. Ontario (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	88	Lake Ontario Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	98	British Columbia Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	6 W	100	New Brunswick Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	9 W	89	L. Ontario water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	9 W	100	Rec.Corr: L.Ontario (Avg 3)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	100	Rec.Corr: Fraser River(Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	100	Rec.Corr: Mersey River (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	88	Rec.Corr: L. Ontario (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	93	Rec.Corr: E.Proper R. (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	100	Rec.Corr: Mersey River (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	95	Rec.Corr: R.Outausis (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	84	Quebec Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	82	Lake Ontario Water	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	78	Saskatchewan water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	84	British Columbia Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	10 W	88	New Brunswick Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	98	British Columbia Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: R.Outausis (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: E.Proper R. (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	104	New Brunswick Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	94	Lake Ontario Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: Fraser River(Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: L.Ontario (Avg 3)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	93	Quebec Water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	97	Saskatchewan water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 .	105	L. Ontario water	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: L. Ontario (Avg 4)	216
beta-BHC	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: Mersey River (Avg 4)	216
beta-BHC	CUSO4	0.1 ug/L	4	3 W	106	Rec.Corr: L.Ontario (Avg 3)	216
beta-BHC	CUSO4	0.1 ug/L	4	6 W	101	Rec.Corr: L.Ontario (Avg 3)	216
beta-BHC	CUSO4	0.1 ug/L	4	9 W	98	Rec.Corr: L.Ontario (Avg 3)	216
beta-BHC	CUSO4	0.1 ug/L	4	15 W	106	Rec.Corr: L.Ontario (Avg 3)	216
beta-BHC	PH=2	2 ug/L	4	0 D	109		302
beta-BHC	PH=2	2 ug/L	4	7 D	95		302
beta-BHC	PH=2	2 ug/L	4	14 D	95		302
beta-BHC	PH=7	2 ug/L	4	0 D	100		302
beta-BHC	PH=7	2 ug/L	4	1 D	115		302
beta-BHC	PH=7	2 ug/L	4	3 D	95		302
beta-BHC	PH=7	2 ug/L	4	7 D	90		302
beta-BHC	PH=7	2 ug/L	4	14 D	80		302
beta-BHC	PH=7	2 ug/L	4	21 D	85		302
beta-BHC	PH=9	2 ug/L	4	0 D	108		302
beta-BHC	PH=9	2 ug/L	4	7 D	105		302
beta-BHC	PH=9	2 ug/L	4	14 D	98		302
delta-BHC	PH=2	2 ug/L	4	0 D	105		302
delta-BHC	PH=2	2 ug/L	4	7 D	92		302
delta-BHC	PH=2	2 ug/L	4	14 D	95		302
delta-BHC	PH=7	2 ug/L	4	0 D	105		302
delta-BHC	PH=7	2 ug/L	4	1 D	105		302
delta-BHC	PH=7	2 ug/L	4	3 D	90		302
delta-BHC	PH=7	2 ug/L	4	7 D	90		302
delta-BHC	PH=7	2 ug/L	4	14 D	82		302
delta-BHC	PH=7	2 ug/L	4	21 D	90		302
delta-BHC	PH=9	2 ug/L	4	0 D	105		302
delta-BHC	PH=9	2 ug/L	4	7 D	65		302
delta-BHC	PH=9	2 ug/L	4	14 D	65		302
gamma-BHC	CHLOROFORM	0.1 ug/L	4	3 W	73	Quebec Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	3 W	67	British Columbia Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	3 W	63	British Columbia Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	3 W	91	L. Ontario water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	3 W	62	Lake Ontario Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	3 W	65	Saskatchewan water	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
gamma-BHC	CHLOROFORM	0.1 ug/L	4	3 W	66	New Brunswick Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	6 W	78	Lake Ontario Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	6 W	76	Saskatchewan water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	6 W	81	Quebec Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	6 W	80	British Columbia Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	6 W	75	New Brunswick Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	6 W	70	L. Ontario water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	6 W	83	British Columbia Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	9 W	96	L. Ontario water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	10 W	69	Lake Ontario Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	10 W	67	Saskatchewan water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	10 W	72	British Columbia Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	10 W	64	British Columbia Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	10 W	67	Quebec Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	10 W	72	New Brunswick Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	15 W	78	Lake Ontario Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	15 W	73	British Columbia Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	15 W	78	Saskatchewan water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	15 W	71	British Columbia Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	15 W	90	L. Ontario water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	15 W	76	Quebec Water	216
gamma-BHC	CHLOROFORM	0.1 ug/L	4	15 W	74	New Brunswick Water	216
gamma-BHC	CUSO4	0.1 ug/L	4	3 W	90	L. Ontario water	216
gamma-BHC	CUSO4	0.1 ug/L	4	6 W	92	L. Ontario water	216
gamma-BHC	CUSO4	0.1 ug/L	4	9 W	92	L. Ontario water	216
gamma-BHC	CUSO4	0.1 ug/L	4	9 W	92	L. Ontario water	216
gamma-BHC	CUSO4	0.1 ug/L	4	15 W	88	L. Ontario water	216
gamma-BHC	NONE		4	6 W	100	stored in dark	258
gamma-BHC	PH=2	2 ug/L	4	0 D	108		302
gamma-BHC	PH=2	2 ug/L	4	7 D	92		302
gamma-BHC	PH=2	2 ug/L	4	14 D	97		302
gamma-BHC	PH=7	2 ug/L	4	0 D	105		302
gamma-BHC	PH=7	2 ug/L	4	1 D	102		302
gamma-BHC	PH=7	2 ug/L	4	3 D	92		302
gamma-BHC	PH=7	2 ug/L	4	7 D	90		302
gamma-BHC	PH=7	2 ug/L	4	14 D	80		302
gamma-BHC	PH=7	2 ug/L	4	21 D	90		302
gamma-BHC	PH=9	2 ug/L	4	0 D	108		302
gamma-BHC	PH=9	2 ug/L	4	7 D	98		302
gamma-BHC	PH=9	2 ug/L	4	14 D	95		302
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	79	British Columbia Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	96	L. Ontario water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	100	Rec.Corr: R.Outasis (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	84	Rec.Corr: Mersey R. (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	100	Rec.Corr: (Avg 3 Replicates)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	91	Rec.Corr: E.Proper R.(Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	88	Rec.Corr: L. Ontario (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	90	Rec.Corr: Fraser R. (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	84	New Brunswick Water	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	82	Quebec Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	81	Saskatchewan water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	84	Lake Ontario Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	90	New Brunswick Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	87	Saskatchewan water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	83	Lake Ontario Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	97	Quebec Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	93	Rec.Corr: (Avg 3 Replicates)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	100	Rec.Corr: Fraser R. (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	78	L. Ontario water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	100	Rec.Corr: Mersey R. (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	94	British Columbia Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	87	Rec.Corr: L. Ontario (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	100	Rec.Corr: R.Outasis (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	100	Rec.Corr: E.Proper R.(Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	9 W	100	Rec.Corr: R.Outasis (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	9 W	89	L. Ontario water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	9 W	100	Rec.Corr: (Avg 3 Replicates)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	100	Rec.Corr: Fraser R. (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	100	Rec.Corr: Mersey R. (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	87	Rec.Corr: L. Ontario (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	93	Rec.Corr: E.Proper R.(Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	87	British Columbia Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	83	Saskatchewan water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	90	New Brunswick Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	84	Quebec Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	83	Lake Ontario Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	92	Saskatchewan water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	97	New Brunswick Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	92	Lake Ontario Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	90	Quebec water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: E.Proper R.(Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: Fraser R. (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: L. Ontario (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	90	British Columbia Water	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: Mersey R. (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: (Avg 3 Replicates)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	100	Rec.Corr: R.Outasis (Avg 4)	216
a-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	97	L. Ontario water	216
a-chlordane	CUSO4	0.1 ug/L	4	6 W	85	Rec.Corr: (Avg 3 Replicates)	216
a-chlordane	CUSO4	0.1 ug/L	4	9 W	80	Rec.Corr: (Avg 3 Replicates)	216
a-chlordane	CUSO4	0.1 ug/L	4	15 W	85	Rec.Corr: (Avg 3 Replicates)	216
a-chlordane	CUSO4	0.1. ug/L	4	3 W	90	Rec.Corr: (Avg 3 Replicates)	216
a-chlordane	NONE		4	6 W	100	stored in dark	258
g-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	85	Quebec Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	96	L. Ontario water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	83	British Columbia Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	88	Lake Ontario Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	85	Saskatchewan water	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
g-chlordane	CHLOROFORM	0.1 ug/L	4	3 W	87	New Brunswick Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	77	L. Ontario water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	8 W	86	Saskatchewan water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	84	Lake Ontario Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	89	British Columbia Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	96	Quebec Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	6 W	90	New Brunswick Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	9 W	85	L. Ontario water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	88	British Columbia Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	92	New Brunswick Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	86	Saskatchewan water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	86	Quebec Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	10 W	86	Lake Ontario Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	93	British Columbia Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	94	Lake Ontario Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	96	L. Ontario water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	99	New Brunswick Water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	95	Saskatchewan water	216
g-chlordane	CHLOROFORM	0.1 ug/L	4	15 W	92	Quebec Water	216
g-chlordane	CUSO4	0.1 ug/L	4	3 W	97	L. Ontario water	216
g-chlordane	CUSO4	0.1 ug/L	4	6 W	74	L. Ontario water	216
g-chlordane	CUSO4	0.1 ug/L	4	9 W	69	L. Ontario water	216
g-chlordane	CUSO4	0.1 ug/L	4	15 W	70	L. Ontario water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	3 W	92	Saskatchewan water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	3 W	96	New Brunswick Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	3 W	96	L. Ontario water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	3 W	91	British Columbia Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	3 W	91	Quebec Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	3 W	90	Lake Ontario Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	6 W	101	Quebec Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	6 W	93	Lake Ontario Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	6 W	80	L. Ontario water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	6 W	102	British Columbia Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	6 W	89	Saskatchewan water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	6 W	92	New Brunswick Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	9 W	94	L. Ontario water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	10 W	91	British Columbia Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	10 W	98	New Brunswick Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	10 W	89	Saskatchewan water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	10 W	92	Quebec Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	10 W	92	Lake Ontario Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	15 W	101	New Brunswick Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	15 W	99	British Columbia Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	15 W	95	L. Ontario water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	15 W	101	Lake Ontario Water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	15 W	98	Saskatchewan water	216
p,p'-ddd	CHLOROFORM	0.4 ug/L	4	15 W	97	Quebec Water	216
p,p'-ddd	CUSO4	0.2 ug/L	4	3 W	93	L. Ontario water	216
p,p'-ddd	CUSO4	0.2 ug/L	4	6 W	70	L. Ontario water	216

Matrix: Water — Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
p,p'-ddd	CUSO4	0.2 ug/L	4	9 W	68	L. Ontario water	216
p,p'-ddd	CUSO4	0.2 ug/L	4	15 W	79	L. Ontario water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	3 W	87	Quebec Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	3 W	83	British Columbia Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	3 W	80	Saskatchewan water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	3 W	94	L. Ontario water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	3 W	98	Lake Ontario Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	3 W	87	New Brunswick Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	6 W	99	British Columbia Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	6 W	82	L. Ontario water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	6 W	98	Quebec Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	6 W	99	Lake Ontario Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	6 W	92	New Brunswick Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	9 W	89	L. Ontario water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	10 W	88	British Columbia Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	10 W	85	Saskatchewan water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	10 W	94	New Brunswick Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	10 W	88	Quebec Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	10 W	87	Lake Ontario Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	15 W	102	New Brunswick Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	15 W	98	L. Ontario water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	15 W	100	Lake Ontario Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	15 W	92	British Columbia Water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	15 W	97	Saskatchewan water	216
p,p'-dde	CHLOROFORM	0.2 ug/L	4	15 W	95	Quebec Water	216
p,p'-dde	CUSO4	0.2 ug/L	4	3 W	89	L. Ontario water	216
p,p'-dde	CUSO4	0.2 ug/L	4	6 W	65	L. Ontario water	216
p,p'-dde	CUSO4	0.2 ug/L	4	9 W	59	L. Ontario water	216
p,p'-dde	CUSO4	0.2 ug/L	4	15 W	62	L. Ontario water	216
p,p'-dde	NONE		4	6 W	100	stored in dark	258
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	96	Saskatchewan water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	80	British Columbia Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	99	L. Ontario water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	93	Lake Ontario Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	89	Quebec Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	85	New Brunswick Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	89	L. Ontario water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	101	Quebec Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	94	Saskatchewan water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	97	British Columbia Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	100	Lake Ontario Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	94	New Brunswick Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	9 W	92	L. Ontario water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	90	British Columbia Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	96	New Brunswick Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	87	Saskatchewan water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	94	Quebec Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	91	Lake Ontario Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	127	New Brunswick Water	216

Matrix: Water — Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	100	Lake Ontario Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	118	British Columbia Water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	97	L. Ontario water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	96	Saskatchewan water	216
o,p'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	103	Quebec Water	216
o,p'-ddt	CUSO4	0.4 ug/L	4	3 W	91	L. Ontario water	216
o,p'-ddt	CUSO4	0.4 ug/L	4	6 W	69	L. Ontario water	216
o,p'-ddt	CUSO4	0.4 ug/L	4	9 W	57	L. Ontario water	216
o,p'-ddt	CUSO4	0.4 ug/L	4	15 W	58	L. Ontario water	216
o,p'-ddt	NONE		4	6 W	100	stored in dark	258
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	85	Saskatchewan water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	85	Lake Ontario Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	91	Quebec Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	99	L. Ontario water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	92	New Brunswick Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	3 W	87	British Columbia Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	93	L. Ontario water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	100	New Brunswick Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	90	Lake Ontario Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	94	British Columbia Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	92	Saskatchewan water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	6 W	106	Quebec Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	9 W	97	L. Ontario water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	89	British Columbia Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	97	New Brunswick Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	92	Lake Ontario Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	95	Saskatchewan water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	10 W	98	Quebec Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	97	L. Ontario water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	97	Lake Ontario Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	150	New Brunswick Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	92	Saskatchewan water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	141	British Columbia Water	216
4,4'-ddt	CHLOROFORM	0.4 ug/L	4	15 W	106	Quebec Water	216
4,4'-ddt	CUSO4	0.4 ug/L	4	3 W	95	L. Ontario water	216
4,4'-ddt	CUSO4	0.4 ug/L	4	6 W	80	L. Ontario water	216
4,4'-ddt	CUSO4	0.4 ug/L	4	9 W	59	L. Ontario water	216
4,4'-ddt	CUSO4	0.4 ug/L	4	15 W	66	L. Ontario water	216
4,4'-ddt	NONE		4	6 W	100	stored in dark	258
dieldrin	CHLOROFORM	0.2 ug/L	4	3 W	90	Lake Ontario Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	3 W	89	Saskatchewan water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	3 W	94	L. Ontario water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	3 W	91	Quebec Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	3 W	85	British Columbia Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	3 W	92	New Brunswick Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	6 W	98	Quebec Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	6 W	96	Lake Ontario Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	6 W	93	British Columbia Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	6 W	88	Saskatchewan water	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
dieldrin	CHLOROFORM	0.2 ug/L	4	6 W	91	New Brunswick Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	6 W	104	L. Ontario water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	9 W	104	L. Ontario water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	10 W	99	British Columbia Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	10 W	92	New Brunswick Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	10 W	92	Lake Ontario Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	10 W	89	Saskatchewan water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	10 W	94	Quebec Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	15 W	974	L. Ontario water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	15 W	128	British Columbia Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	15 W	102	Quebec Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	15 W	112	New Brunswick Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	15 W	92	Lake Ontario Water	216
dieldrin	CHLOROFORM	0.2 ug/L	4	15 W	91	Saskatchewan water	216
dieldrin	CUSO4	0.2 ug/L	4	3 W	81	L. Ontario water	216
dieldrin	CUSO4	0.2 ug/L	4	6 W	100	L. Ontario water	216
dieldrin	CUSO4	0.2 ug/L	4	9 W	91	L. Ontario water	216
dieldrin	CUSO4	0.2 ug/L	4	15 W	94	L. Ontario water	216
dieldrin	NONE		4	6 W	100	stored in dark	258
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	3 W	96	L. Ontario water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	3 W	99	British Columbia Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	3 W	90	New Brunswick Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	3 W	86	Saskatchewan water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	3 W	92	Lake Ontario Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	3 W	89	Quebec Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	6 W	91	Saskatchewan water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	6 W	86	L. Ontario water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	6 W	95	British Columbia Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	6 W	95	Lake Ontario Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	6 W	99	Quebec Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	6 W	91	New Brunswick Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	9 W	92	L. Ontario water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	10 W	92	Quebec Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	10 W	98	New Brunswick Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	10 W	91	Saskatchewan water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	10 W	90	British Columbia Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	10 W	95	Lake Ontario Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	15 W	102	New Brunswick Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	15 W	98	British Columbia Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	15 W	98	L. Ontario water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	15 W	98	Lake Ontario Water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	15 W	94	Saskatchewan water	216
2,8-dih-mirex	CHLOROFORM	0.2 ug/L	4	15 W	97	Quebec Water	216
2,8-dih-mirex	CUSO4	0.2 ug/L	4	3 W	79	L. Ontario water	216
2,8-dih-mirex	CUSO4	0.2 ug/L	4	6 W	59	L. Ontario water	216
2,8-dih-mirex	CUSO4	0.2 ug/L	4	9 W	57	L. Ontario water	216
2,8-dih-mirex	CUSO4	0.2 ug/L	4	15 W	51	L. Ontario water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	89	L. Ontario water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	90	Rec.Corr: Fraser R. (Avg 4)	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	100	Rec.Corr: L. Ontario (Avg 3)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	94	Rec.Corr: E.Proper R.(Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	92	Rec.Corr: R.Outasis (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	100	Rec.Corr: Mersey R. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	87	New Brunswick Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	100	Rec.Corr: L. Ontario (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	80	British Columbia Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	85	Quebec Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	83	Lake Ontario Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	3 W	83	Saskatchewan water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	79	Lake Ontario Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	94	Quebec Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	81	Saskatchewan water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	100	Rec.Corr: Fraser R. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	100	Rec.Corr: L. Ontario (Avg 3)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	89	New Brunswick Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	86	Rec.Corr: L. Ontario (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	100	Rec.Corr: Mersey R. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	92	Rec.Corr: E.Proper R.(Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	90	British Columbia Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	98	L. Ontario water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	100	Rec.Corr: R.Outasis (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	93	Rec.Corr: R.Outasis (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	6 W	100	Rec.Corr: R.Outasis (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	9 W	98	L. Ontario water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	9 W	100	Rec.Corr: L. Ontario (Avg 3)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	100	Rec.Corr: Mersey R. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	100	Rec.Corr: Fraser R. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	91	Rec.Corr: E.Proper R.(Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	92	Rec.Corr: L. Ontario (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	85	New Brunswick Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	93	British Columbia Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	86	Quebec Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	80	Saskatchewan water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	10 W	85	Lake Ontario Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	80	Lake Ontario Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	98	New Brunswick Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	98	Quebec Water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	77	Saskatchewan water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	100	Rec.Corr: Fraser R. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	100	Rec.Corr: L. Ontario (Avg 3)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	87	Rec.Corr: E.Proper R.(Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	100	Rec.Corr: Mersey R. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	87	Rec.Corr: L. Ontario (Avg 4)	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	89	L. Ontario water	216
alpha-endosulfan (Endosulfan I	CHLOROFORM	0.2 ug/L	4	15 W	102	British Columbia Water	216
alpha-endosulfan (Endosulfan I	CUSO4	0.2 ug/L	4	3 W	100	Rec.Corr: Reagent Wat. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CUSO4	0.2 ug/L	4	6 W	100	Rec.Corr: Reagent Wat. (Avg 4)	216
alpha-endosulfan (Endosulfan I	CUSO4	0.2 ug/L	4	9 W	100	Rec.Corr: Reagent Wat. (Avg 4)	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
alpha-endosulfan (Endosulfan I	CUSO4	0.2 ug/L	4	15 W	100	Rec.Corr: Reagent Wat. (Avg 4)	216
alpha-endosulfan (Endosulfan I	NONE		4	6 W	100	stored in dark	258
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	3 W	89	Saskatchewan water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	3 W	85	British Columbia Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	3 W	99	Quebec Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	3 W	90	L. Ontario water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	3 W	94	Lake Ontario Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	3 W	90	New Brunswick Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	6 W	106	Quebec Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	6 W	96	British Columbia Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	6 W	89	Lake Ontario Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	6 W	101	L. Ontario water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	6 W	89	New Brunswick Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	9 W	104	L. Ontario water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	10 W	98	British Columbia Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	10 W	93	Quebec Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	10 W	97	New Brunswick Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	10 W	94	Saskatchewan water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	10 W	90	Lake Ontario Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	15 W	99	New Brunswick Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	15 W	95	British Columbia Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	15 W	88	Lake Ontario Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	15 W	87	L. Ontario water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	15 W	93	Quebec Water	216
beta-endosulfan (Endosulfan II	CHLOROFORM	0.2 ug/L	4	15 W	84	Saskatchewan water	216
beta-endosulfan (Endosulfan II	CUSO4	0.2 ug/L	4	3 W	91	L. Ontario water	216
beta-endosulfan (Endosulfan II	CUSO4	0.2 ug/L	4	6 W	102	L. Ontario water	216
beta-endosulfan (Endosulfan II	CUSO4	0.2 ug/L	4	9 W	92	L. Ontario water	216
beta-endosulfan (Endosulfan II	CUSO4	0.2 ug/L	4	15 W	91	L. Ontario water	216
beta-endosulfan (Endosulfan II	NONE		4	6 W	100	stored in dark	258
endrin	CHLOROFORM	0.4 ug/L	4	3 W	89	L. Ontario water	216
endrin	CHLOROFORM	0.4 ug/L	4	3 W	74	Lake Ontario Water	216
endrin	CHLOROFORM	0.4 ug/L	4	3 W	66	Quebec Water	216
endrin	CHLOROFORM	0.4 ug/L	4	3 W	59	New Brunswick Water	216
endrin	CHLOROFORM	0.4 ug/L	4	3 W	68	Saskatchewan water	216
endrin	CHLOROFORM	0.4 ug/L	4	3 W	46	British Columbia Water	216
endrin	CHLOROFORM	0.4 ug/L	4	6 W	101	L. Ontario water	216
endrin	CHLOROFORM	0.4 ug/L	4	6 W	80	Lake Ontario Water	216
endrin	CHLOROFORM	0.4 ug/L	4	6 W	96	Quebec Water	216
endrin	CHLOROFORM	0.4 ug/L	4	6 W	81	British Columbia Water	216
endrin	CHLOROFORM	0.4 ug/L	4	6 W	82	Saskatchewan water	216
endrin	CHLOROFORM	0.4 ug/L	4	6 W	97	New Brunswick Water	216
endrin	CHLOROFORM	0.4 ug/L	4	9 W	98	L. Ontario water	216
endrin	CHLOROFORM	0.4 ug/L	4	10 W	85	British Columbia Water	216
endrin	CHLOROFORM	0.4 ug/L	4	10 W	78	Saskatchewan water	216
endrin	CHLOROFORM	0.4 ug/L	4	10 W	99	Quebec Water	216
endrin	CHLOROFORM	0.4 ug/L	4	10 W	78	New Brunswick Water	216
endrin	CHLOROFORM	0.4 ug/L	4	10 W	85	Lake Ontario Water	216
endrin	CHLOROFORM	0.4 ug/L	4	15 W	100	L. Ontario water	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
endrin	CHLOROFORM	0.4 ug/L	4	15 W	90	Saskatchewan water	216
endrin	CHLOROFORM	0.4 ug/L	4	15 W	90	Lake Ontario Water	216
endrin	CHLOROFORM	0.4 ug/L	4	15 W	272	British Columbia Water	216
endrin	CHLOROFORM	0.4 ug/L	4	15 W	202	New Brunswick Water	216
endrin	CHLOROFORM	0.4 ug/L	4	15 W	180	Quebec Water	216
endrin	CUSO4	0.4 ug/L	4	3 W	99	L. Ontario water	216
endrin	CUSO4	0.4 ug/L	4	6 W	89	L. Ontario water	216
endrin	CUSO4	0.4 ug/L	4	9 W	88	L. Ontario water	216
endrin	CUSO4	0.4 ug/L	4	15 W	85	L. Ontario water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	3 W	78	L. Ontario water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	3 W	70	Saskatchewan water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	3 W	69	Quebec Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	3 W	67	New Brunswick Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	3 W	69	Lake Ontario Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	3 W	63	British Columbia Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	6 W	70	Saskatchewan water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	6 W	70	Lake Ontario Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	6 W	70	New Brunswick Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	6 W	78	British Columbia Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	6 W	72	L. Ontario water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	9 W	73	L. Ontario water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	10 W	66	British Columbia Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	10 W	67	New Brunswick Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	10 W	65	Lake Ontario Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	10 W	62	Saskatchewan water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	10 W	60	Quebec Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	15 W	77	L. Ontario water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	15 W	80	New Brunswick Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	15 W	75	Quebec Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	15 W	71	Saskatchewan water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	15 W	83	British Columbia Water	216
heptachlor	CHLOROFORM	0.1 ug/L	4	15 W	73	Lake Ontario Water	216
heptachlor	CUSO4	0.1 ug/L	4	3 W	62	L. Ontario water	216
heptachlor	CUSO4	0.1 ug/L	4	6 W	45	L. Ontario water	216
heptachlor	CUSO4	0.1 ug/L	4	9 W	33	L. Ontario water	216
heptachlor	CUSO4	0.1 ug/L	4	15 W	21	L. Ontario water	216
heptachlor	NONE		4	6 W	70	stored in dark	258
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	3 W	89	New Brunswick Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	3 W	98	L. Ontario water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	3 W	87	Quebec Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	3 W	83	British Columbia Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	3 W	94	Lake Ontario Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	3 W	86	Saskatchewan water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	6 W	84	Saskatchewan water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	6 W	93	L. Ontario water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	6 W	94	Quebec Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	6 W	89	New Brunswick Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	6 W	93	British Columbia Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	6 W	83	Lake Ontario Water	216

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	9 W	97	L. Ontario water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	10 W	96	British Columbia Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	10 W	85	New Brunswick Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	10 W	81	Lake Ontario Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	10 W	86	Quebec Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	10 W	82	Saskatchewan water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	15 W	102	Quebec Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	15 W	88	Saskatchewan water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	15 W	95	L. Ontario water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	15 W	112	British Columbia Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	15 W	89	Lake Ontario Water	216
heptachlor epoxide	CHLOROFORM	0.1 ug/L	4	15 W	100	New Brunswick Water	216
heptachlor epoxide	CUSO4	0.1 ug/L	4	3 W	87	L. Ontario water	216
heptachlor epoxide	CUSO4	0.1 ug/L	4	6 W	96	L. Ontario water	216
heptachlor epoxide	CUSO4	0.1 ug/L	4	9 W	84	L. Ontario water	216
heptachlor epoxide	CUSO4	0.1 ug/L	4	15 W	90	L. Ontario water	216
heptachlor epoxide	NONE		4	6 W	100	stored in dark	258
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	3 W	56	Quebec Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	3 W	53	Saskatchewan water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	3 W	61	L. Ontario water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	3 W	56	British Columbia Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	3 W	51	Lake Ontario Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	3 W	54	New Brunswick Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	6 W	63	Quebec Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	6 W	57	Saskatchewan water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	6 W	62	L. Ontario water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	6 W	66	British Columbia Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	6 W	55	Lake Ontario Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	6 W	51	New Brunswick Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	9 W	66	L. Ontario water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	10 W	57	British Columbia Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	10 W	59	New Brunswick Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	10 W	53	Saskatchewan water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	10 W	53	Lake Ontario Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	10 W	48	Quebec Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	15 W	50	L. Ontario water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	15 W	56	Lake Ontario Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	15 W	64	British Columbia water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	15 W	59	New Brunswick Water	216
hexachlorobenzene	CHLOROFORM	0.1 ug/L	4	15 W	59	Saskatchewan water	216
hexachlorobenzene	CUSO4	0.1 ug/L	4	3 W	82	L. Ontario water	216
hexachlorobenzene	CUSO4	0.1 ug/L	4	6 W	62	L. Ontario water	216
hexachlorobenzene	CUSO4	0.1 ug/L	4	9 W	60	L. Ontario water	216
hexachlorobenzene	CUSO4	0.1 ug/L	4	15 W	49	L. Ontario water	216
hexachlorobutadiene (HCBD)	CHLOROFORM	0.1 ug/L	4	15 W	59	Quebec Water	216
hexachlorobutadiene (HCBD)	PH=2	0.2 ug/L	4	0 D	110		302
hexachlorobutadiene (HCBD)	PH=2	0.2 ug/L.	4	0 D	120		302
hexachlorobutadiene (HCBD)	PH=2	0.2 ug/L.	4	7 D	80		302
hexachlorobutadiene (HCBD)	PH=2	0.2 ug/L	4	7 D	70		302

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
hexachlorobutadiene (HCBD)	PH=2	0.2 ug/L	4	14 D	75		302
hexachlorobutadiene (HCBD)	PH=2	0.2 ug/L.	4	14 D	85		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L.	4	0 D	110		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L	4	0 D	100		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L.	4	1 D	100		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L	4	1 D	77		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L	4	3 D	50		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L.	4	3 D	80		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L	4	7 D	55		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L.	4	7 D	75		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L	4	14 D	25		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L.	4	14 D	45		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L	4	21 D	40		302
hexachlorobutadiene (HCBD)	PH=7	0.2 ug/L.	4	21 D	62		302
hexachlorobutadiene (HCBD)	PH=9	0.2 ug/L	4	0 D	110		302
hexachlorobutadiene (HCBD)	PH=9	0.2 ug/L.	4	0 D	115		302
hexachlorobutadiene (HCBD)	PH=9	0.2 ug/L	4	7 D	88		302
hexachlorobutadiene (HCBD)	PH=9	0.2 ug/L.	4	7 D	105		302
hexachlorobutadiene (HCBD)	PH=9	0.2 ug/L.	4	14 D	90		302
hexachlorobutadiene (HCBD)	PH=9	0.2 ug/L	4	14 D	72		302
hexachlorocyclopentadiene		0.2 ug/L.	4	0 D	145		302
hexachlorocyclopentadiene	PH=2	0.2 ug/L.	4	0 D	168		302
hexachlorocyclopentadiene	PH=2	0.2 ug/L.	4	7 D	70		302
hexachlorocyclopentadiene	PH=2	0.2 ug/L.	4	14 D	105		302
hexachlorocyclopentadiene	PH=7	0.2 ug/L.	4	1 D	105		302
hexachlorocyclopentadiene	PH=7	0.2 ug/L.	4	3 D	80		302
hexachlorocyclopentadiene	PH=7	0.2 ug/L.	4	7 D	60		302
hexachlorocyclopentadiene	PH=7	0.2 ug/L.	4	14 D	47		302
hexachlorocyclopentadiene	PH=7	0.2 ug/L.	4	21 D	47		302
hexachlorocyclopentadiene	PH=9	0.2 ug/L.	4	0 D	160		302
hexachlorocyclopentadiene	PH=9	0.2 ug/L.	4	7 D	150		302
hexachlorocyclopentadiene	PH=9	0.2 ug/L.	4	14 D	108		302
hexachloroethane	PH=2	0.2 ug/L	4	0 D	105		302
hexachloroethane	PH=2	0.2 ug/L	4	7 D	80		302
hexachloroethane	PH=2	0.2 ug/L	4	14 D	88		302
hexachloroethane	PH=7	0.2 ug/L	4	0 D	100		302
hexachloroethane	PH=7	0.2 ug/L	4	1 D	85		302
hexachloroethane	PH=7	0.2 ug/L	4	3 D	60		302
hexachloroethane	PH=7	0.2 ug/L	4	7 D	70		302
hexachloroethane	PH=7	0.2 ug/L	4	14 D	40		302
hexachloroethane	PH=7	0.2 ug/L	4	21 D	60		302
hexachloroethane	PH=9	0.2 ug/L	4	0 D	105		302
hexachloroethane	PH=9	0.2 ug/L	4	7 D	95		302
hexachloroethane	PH=9	0.2 ug/L	4	14 D	85		302
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	3 W	98	Quebec Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	3 W	102	Saskatchewan water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	3 W	87	L. Ontario water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	3 W	82	Lake Ontario Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	3 W	99	New Brunswick Water	216

Matrix: water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	3 W	89	British Columbia Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	6 W	84	Saskatchewan water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	6 W	97	L. Ontario water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	6 W	99	Lake Ontario Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	6 W	83	British Columbia Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	6 W	131	Quebec Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	6 W	103	New Brunswick Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	9 W	95	L. Ontario water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	10 W	94	British Columbia Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	10 W	90	New Brunswick water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	10 W	87	Saskatchewan water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	10 W	91	Quebec Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	10 W	95	Lake Ontario Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	15 W	255	New Brunswick Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	15 W	105	Lake Ontario Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	15 W	91	L. Ontario water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	15 W	312	British Columbia Water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	15 W	102	Saskatchewan water	216
methoxychlor (DMDT)	CHLOROFORM	0.4 ug/L	4	15 W	107	Quebec Water	216
methoxychlor (DMDT)	CUSO4	0.4 ug/L	4	3 W	109	L. Ontario water	216
methoxychlor (DMDT)	CUSO4	0.4 ug/L	4	6 W	92	L. Ontario water	216
methoxychlor (DMDT)	CUSO4	0.4 ug/L	4	9 W	96	L. Ontario water	216
methoxychlor (DMDT)	CUSO4	0.4 ug/L	4	15 W	102	L. Ontario water	216
methoxychlor (DMDT)	NONE		4	6 W	100	stored in dark	259
pentachlorobenzene	PH=2	0.2 ug/L	4	0 D	118		302
pentachlorobenzene	PH=2	0.2 ug/L	4	7 D	80		302
pentachlorobenzene	PH=2	0.2 ug/L	4	14 D	92		302
pentachlorobenzene	PH=7	0.2 ug/L	4	0 D	110		302
pentachlorobenzene	PH=7	0.2 ug/L	4	1 D	95		302
pentachlorobenzene	PH=7	0.2 ug/L	4	3 D	75		302
pentachlorobenzene	PH=7	0.2 ug/L	4	7 D	70		302
pentachlorobenzene	PH=7	0.2 ug/L	4	14 D	50		302
pentachlorobenzene	PH=7	0.2 ug/L	4	21 D	61		302
pentachlorobenzene	PH=9	0.2 ug/L	4	0 D	110		302
pentachlorobenzene	PH=9	0.2 ug/L	4	7 D	255		302
pentachlorobenzene	PH=9	0.2 ug/L	4	14 D	235		302
1,2,3,4-tetrachlorobenzene	PH=2	2 ug/L	4	0 D	110		302
1,2,3,4-tetrachlorobenzene	PH=2	2 ug/L	4	7 D	80		302
1,2,3,4-tetrachlorobenzene	PH=2	2 ug/L	4	14 D	85		302
1,2,3,4-tetrachlorobenzene	PH=7	2 ug/L	4	0 D	105		302
1,2,3,4-tetrachlorobenzene	PH=7	2 ug/L	4	1 D	90		302
1,2,3,4-tetrachlorobenzene	PH=7	2 ug/L	4	3 D	65		302
1,2,3,4-tetrachlorobenzene	PH=7	2 ug/L	4	7 D	70		302
1,2,3,4-tetrachlorobenzene	PH=7	2 ug/L	4	14 D	40		302
1,2,3,4-tetrachlorobenzene	PH=7	2 ug/L	4	21 D	60		302
1,2,3,4-tetrachlorobenzene	PH=9	2 ug/L	4	0 D	115		302
1,2,3,4-tetrachlorobenzene	PH=9	2 ug/L	4	7 D	100		302
1,2,3,4-tetrachlorobenzene	PH=9	2 ug/L	4	14 D	85		302
1,2,3,5-tetrachlorobenzene	PH=2	2 ug/L	4	0 D	115		302

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
1,2,3,5-tetrachlorobenzene	PH=2	2 ug/L	4	7 D	78		302
1,2,3,5-tetrachlorobenzene	PH=2	2 ug/L	4	14 D	85		302
1,2,3,5-tetrachlorobenzene	PH=7	2 ug/L	4	0 D	105		302
1,2,3,5-tetrachlorobenzene	PH=7	2 ug/L	4	1 D	90		302
1,2,3,5-tetrachlorobenzene	PH=7	2 ug/L	4	3 D	60		302
1,2,3,5-tetrachlorobenzene	PH=7	2 ug/L	4	7 D	65		302
1,2,3,5-tetrachlorobenzene	PH=7	2 ug/L	4	14 D	25		302
1,2,3,5-tetrachlorobenzene	PH=7	2 ug/L	4	21 D	55		302
1,2,3,5-tetrachlorobenzene	PH=9	2 ug/L	4	0 D	110		302
1,2,3,5-tetrachlorobenzene	PH=9	2 ug/L	4	7 D	105		302
1,2,3,5-tetrachlorobenzene	PH=9	2 ug/L	4	14 D	90		302
1,2,4,5-tetrachlorobenzene	PH=2	2 ug/L	4	0 D	115		302
1,2,4,5-tetrachlorobenzene	PH=2	2 ug/L	4	7 D	78		302
1,2,4,5-tetrachlorobenzene	PH=2	2 ug/L	4	14 D	85		302
1,2,4,5-tetrachlorobenzene	PH=7	2 ug/L	4	0 D	105		302
1,2,4,5-tetrachlorobenzene	PH=7	2 ug/L	4	1 D	90		302
1,2,4,5-tetrachlorobenzene	PH=7	2 ug/L	4	3 D	60		302
1,2,4,5-tetrachlorobenzene	PH=7	2 ug/L	4	7 D	65		302
1,2,4,5-tetrachlorobenzene	PH=7	2 ug/L	4	14 D	25		302
1,2,4,5-tetrachlorobenzene	PH=7	2 ug/L	4	21 D	55		302
1,2,4,5-tetrachlorobenzene	PH=9	2 ug/L	4	0 D	115		302
1,2,4,5-tetrachlorobenzene	PH=9	2 ug/L	4	7 D	100		302
1,2,4,5-tetrachlorobenzene	PH=9	2 ug/L	4	14 D	85		302
total pcbs	NONE		4	6 W	100	stored in dark	258
1,2,3-trichlorobenzene	PH=2	2 ug/L.	4	0 D	113		302
1,2,3-trichlorobenzene	PH=2	2 ug/L.	4	7 D	75		302
1,2,3-trichlorobenzene	PH=2	2 ug/L.	4	14 D	90		302
1,2,3-trichlorobenzene	PH=7	2 ug/L.	4	0 D	100		302
1,2,3-trichlorobenzene	PH=7	2 ug/L.	4	1 D	90		302
1,2,3-trichlorobenzene	PH=7	2 ug/L.	4	3 D	60		302
1,2,3-trichlorobenzene	PH=7	2 ug/L.	4	7 D	65		302
1,2,3-trichlorobenzene	PH=7	2 ug/L.	4	14 D	35		302
1,2,3-trichlorobenzene	PH=7	2 ug/L.	4	21 D	57		302
1,2,3-trichlorobenzene	PH=9	2 ug/L.	4	0 D	110		302
1,2,3-trichlorobenzene	PH=9	2 ug/L.	4	7 D	97		302
1,2,3-trichlorobenzene	PH=9	2 ug/L.	4	14 D	88		302
1,2,4-trichlorobenzene	PH=2	2 ug/L.	4	0 D	108		302
1,2,4-trichlorobenzene	PH=2	2 ug/L.	4	7 D	65		302
1,2,4-trichlorobenzene	PH=2	2 ug/L.	4	14 D	25		302
1,2,4-trichlorobenzene	PH=7	2 ug/L.	4	0 D	100		302
1,2,4-trichlorobenzene	PH=7	2 ug/L.	4	1 D	80		302
1,2,4-trichlorobenzene	PH=7	2 ug/L.	4	3 D	55		302
1,2,4-trichlorobenzene	PH=7	2 ug/L.	4	7 D	50		302
1,2,4-trichlorobenzene	PH=7	2 ug/L.	4	14 D	15		302
1,2,4-trichlorobenzene	PH=7	2 ug/L.	4	21 D	15		302
1,2,4-trichlorobenzene	PH=9	2 ug/L.	4	0 D	110		302
1,2,4-trichlorobenzene	PH=9	2 ug/L.	4	7 D	45		302
1,2,4-trichlorobenzene	PH=9	2 ug/L.	4	14 D	22		302
1,3,5-trichlorobenzene	PH=2	2 ug/L	4	0 D	112		302

Matrix: Water Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
1,3,5-trichlorobenzene	PH=2	2 ug/L	4	7 D	65		302
1,3,5-trichlorobenzene	PH=2	2 ug/L	4	14 D	80		302
1,3,5-trichlorobenzene	PH=7	2 ug/L	4	0 D	105		302
1,3,5-trichlorobenzene	PH=7	2 ug/L	4	1 D	80		302
1,3,5-trichlorobenzene	PH=7	2 ug/L	4	3 D	60		302
1,3,5-trichlorobenzene	PH=7	2 ug/L	4	7 D	60		302
1,3,5-trichlorobenzene	PH=7	2 ug/L	4	14 D	35		302
1,3,5-trichlorobenzene	PH=7	2 ug/L	4	21 D	50		302
1,3,5-trichlorobenzene	PH=9	2 ug/L	4	0 D	110		302
1,3,5-trichlorobenzene	PH=9	2 ug/L	4	7 D	90		302
1,3,5-trichlorobenzene	PH=9	2 ug/L	4	14 D	75		302

COMPOUND CLASS PROFILE

Neutral Chlorinated Extractables

Sediment:

Existing Criteria:	None
Experimental Data:	Two Studies, limited data, no preservation at various temperatures for up to 26 months.
Data Evaluation:	None
Data Deficiencies:	No data obtained for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - store in glass containers at -85°C for up to 2 years before analysis.

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Sediment* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION	T (C)	TIME		RECOVERY	COMMENT	REFERENCE
gamma-BHC								
		-	-150	26 - 26	M	75 - 75		
			Average Recovery:			75	Std. Dev.: 0.0	
o,p'-dde								
		-	-150	26 - 26	M	75 - 100		
			Average Recovery:			88	Std. Dev.: 12.5	
o,p'-ddt								
		-	-85	26 - 26	M	75 - 100		
			Average Recovery:			88	Std. Dev.: 12.5	
4,4'-ddt								
		-	-85	26 - 26	M	75 - 83		
			Average Recovery:			79	Std. Dev.: 4.0	
hexachlorobenzene								
		-	-85	26 - 26	M	100 - 112		
			Average Recovery:			106	Std. Dev.: 6.0	
	NONE	-	-20	3 - 7	D	60 - 65		
			Average Recovery:			62	Std. Dev.: 2.1	

Matrix: Sediment Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
gamma-BHC			-85	26 M	75	in glass	243
gamma-BHC			-150	26 M	75	in glass	243
p,p'-dde			-85	26 M	100	in glass	243
p,p'-dde			-150	26 M	75	in glass	243
o,p'-ddt			-150	26 M	75	in glass	243
o,p'-ddt			-85	26 M	100	in glass	243
4,4'-ddt			-150	26 M	75	in glass	243
4,4'-ddt			-85	26 M	83	in glass	243
hexachlorobenzene			-150	26 M	100	in glass	243
hexachlorobenzene			-85	26 M	112	in glass	243
hexachlorobenzene	NONE		-20	3 D	60		232
hexachlorobenzene	NONE		4	3 D	63		232
hexachlorobenzene	NONE		4	7 D	65		232
hexachlorobenzene	NONE		-20	7 D	60		232

COMPOUND CLASS PROFILE

Neutral Chlorinated Extractables

Vegetation:

Existing Criteria:	None
Experimental Data:	Four studies, some use extraction and storage at various temperatures. Other studies have no preservatives and low temperatures.
Data Evaluation:	Comparison of data indicates that extraction and storage gives excellent recoveries after 5 years. On the other hand, wrapping the sample in aluminum foil and freezing is also stable over the long term.
Data Deficiencies:	Limited data obtained, no statistical analysis possible. No data obtained for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - store samples at 4°C with extraction as soon as possible after sampling. Extracts can be stored at 4°C for up to 8 weeks and in some cases for 5 years.

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Vegetation* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
aldrin									
	AL-FOIL	0.04 - - 0.04 - 0.27	mg/kg	-18	5 - 5	Y	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
gamma-BHC									
	CH3CN-EXTR.	0.1 - 0.1	mg/kg	23	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	EXTR & CL-UP	0.1 - 0.1	mg/kg	8	8 - 8	W	95 - 95		
				Average Recovery:			95	Std. Dev.: 0.0	
	EXTR/FLORISL	0.1 - 0.1	mg/kg	23	8 - 8	W	94 - 94		
				Average Recovery:			94	Std. Dev.: 0.0	
4,4'-ddt									
	NONE	12.7 - 4.4	mg/kg	12	1 - 16	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
dieldrin									
	AL-FOIL	0.03 - - 0.03 - 0.80	mg/kg	-18	5 - 5	Y	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Vegetation Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
aldrin	AL-FOIL	0.04 - 0.27 mg/kg	-18	5 Y	100	Used C-14 labelled spike	97
gamma-BHC	CH3CN-EXTR.	0.1 mg/kg	8	8 W	100	Extracts of tomatoes	196
gamma-BHC	CH3CN-EXTR.	0.1 mg/kg	23	8 W	100	Extracts of tomatoes	196
gamma-BHC	EXTR & CL-UP	0.1 mg/kg	8	8 W	95	Tomatoes/Final extr. in hexane	196
gamma-BHC	EXTR/FLORISL	0.1 mg/kg	23	8 W	94	Tomatoes/Final extr. in hexane	196
4,4'-ddt	NONE	12.7 ppm	7	1 D	0		212
4,4'-ddt	NONE	13.2 ppm	7	5 D	0		212
4,4'-ddt	NONE	14.4 ppm	7	16 D	0		212
4,4'-ddt	NONE	14.7 ppm	7	9 D	0		212
4,4'-ddt	NONE	14.9 ppm	7	13 D	0		212
4,4'-ddt	NONE	3.7 mg/kg	12	4 D	100		211
4,4'-ddt	NONE	3.8 mg/kg	12	7 D	100		211
4,4'-ddt	NONE	4.4 mg/kg	12	1 D	100		211
dieldrin	AL-FOIL	0.03 - 0.80 mg/kg	-18	5 Y	100	Used C-14 labelled spike	97

COMPOUND CLASS PROFILE

Neutral Chlorinated Extractables

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual. Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One study, no preservatives and low temperatures.
Data Evaluation:	Evaluation of recoveries with storage time.
Data Deficiencies:	Limited data obtained, no statistical analysis possible. No data obtained for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - collection in amber glass bottles; addition of chloroform; refrigerate; extract within 7 days and analyze.

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Wastewater* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
aldrin									
		10 - 10	ug/L	4	2 - 2	W	80 - 80		
				Average Recovery:			80	Std. Dev.: 0.0	
gamma-BHC									
		10 - 10	ug/L	4	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
a-chlordane									
		10 - 10	ug/L	4	8 - 8	W	85 - 85		
				Average Recovery:			85	Std. Dev.: 0.0	
p,p'-ddd									
		10 - 10	ug/L	4	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
p,p'-dde									
		10 - 10	ug/L	4	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
4,4'-ddt									
		10 - 10	ug/L	4	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
dieldrin									
		10 - 10	ug/L	4	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
alpha-endosulfan (Endosulfan I									
		10 - 10	ug/L	4	1 - 1	W	30 - 30		
				Average Recovery:			30	Std. Dev.: 0.0	
endrin									
		10 - 10	ug/L	4	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
heptachlor									
		10 - 10	ug/L	4	1 - 1	W	25 - 25		
				Average Recovery:			25	Std. Dev.: 0.0	

COMPOUND CLASS: *Neutral Chlorinated Extractables* MATRIX: *Wastewater* RUN DATE: *12-Oct-*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFEREN
heptachlor epoxide		10 - 10	ug/L	4	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Waste Waters Class: Neutral Chlorinated Extracables

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
aldrin		10 ug/L	4	2 W	80		74
gamma-BHC		10 ug/L	4	8 W	100		74
a-chlordane		10 ug/L	4	8 W	85		74
p,p'-ddd		10 ug/L	4	8 W	100		74
p,p'-dde		10 ug/L	4	8 W	100		74
4,4'-ddt		10 ug/L	4	8 W	100		74
dieldrin		10 ug/L	4	8 W	100		74
alpha-endosulfan (Endosulfan I		10 ug/L	4	1 W	30		74
endrin		10 ug/L	4	8 W	100		74
heptachlor		10 ug/L	4	1 W	25		74
heptachlor epoxide		10 ug/L	4	8 W	100		74

COMPOUND CLASS PROFILE

Organophosphorus Pesticides

Biota:

Existing Criteria:	None
Experimental Data:	One study, extracts at low temperature at 6 months.
Data Evaluation:	Evaluated recovery at 6 months.
Data Deficiencies:	Insufficient or no data obtained for most of the compounds on the target list.
Storage Recommendations:	Tentative recommendation - extract in 2-propanol and store at -17°C for up to 6 months for most compounds.

COMPOUND CLASS: *Organophosphorus Pesticides* MATRIX: *Biota* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION	T (C)	TIME		RECOVERY	COMMENT	REFERENCE
diazinon								
	2-PROPANOL	-	-17	6 - 6	M	90 - 90		
			Average Recovery:			90	Std. Dev.: 0.0	
dichlorvos								
	2-PROPANOL	-	-17	6 - 6	M	90 - 90		
			Average Recovery:			90	Std. Dev.: 0.0	
ethyl parathion								
	2-PROPANOL	-	-17	6 - 6	M	93 - 93		
			Average Recovery:			93	Std. Dev.: 0.0	
guthion (azinphos-methyl)								
	2-PROPANOL	-	-17	6 - 6	M	90 - 90		
			Average Recovery:			90	Std. Dev.: 0.0	
methyl parathion								
	2-PROPANOL	-	-17	6 - 6	M	90 - 90		
			Average Recovery:			90	Std. Dev.: 0.0	
mevinphos								
	2-PROPANOL	-	-17	6 - 6	M	87 - 87		
			Average Recovery:			87	Std. Dev.: 0.0	
phorate								
	2-PROPANOL	-	-17	6 - 6	M	60 - 60		
			Average Recovery:			60	Std. Dev.: 0.0	

Matrix: Biota Class: Organophosphorus Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
diazinon	2-PROPANOL		-17	6 M	90		313
dichlorvos	2-PROPANOL		-17	6 M	90		313
ethyl parathion	2-PROPANOL		-17	6 M	93		313
guthion (azinphos-methyl)	2-PROPANOL		-17	6 M	90		313
methyl parathion	2-PROPANOL		-17	6 M	90		313
mevinphos	2-PROPANOL		-17	6 M	87		313
phorate	2-PROPANOL		-17	6 M	60		313

COMPOUND CLASS PROFILE

Organophosphorus Pesticides

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One major study. No preservation, comparison of storage at 4°C for 28 and 42 days was studied. 1-10 ug/L level.
Data Evaluation:	Statistical Evaluation of storage for 28 and 42 days demonstrates that for the majority of the compounds, sample recoveries are higher at 28 days than at 42 days.
Data Deficiencies:	No data obtained for chlorpyriphos, dichlorvos, mevinphos, ethyl parathion, reldan.
Storage Recommendations:	Provisional recommendation - store samples at 4°C for up to 6 weeks with no preservation.

COMPOUND CLASS: *Organophosphorus Pesticides* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION	T (C)	TIME		RECOVERY	COMMENT	REFERENCE
chlorpyriphos (dursban)								
	HEXANE	-	25	6 - 6	W	91 - 91		
			Average Recovery:			91	Std. Dev.: 0.0	
diazinon								
	HEXANE	-	25	6 - 6	W	90 - 90		
			Average Recovery:			90	Std. Dev.: 0.0	
	NONE	1 - unspecified ug/L	4	0 - 42	D	85 - 104		
			Average Recovery:			93	Std. Dev.: 6.9	
ethion								
	HEXANE	-	25	6 - 6	W	98 - 98		
			Average Recovery:			98	Std. Dev.: 0.0	
	NONE	1 - 10 ug/L	4	28 - 42	D	91 - 103		
			Average Recovery:			96	Std. Dev.: 4.6	
ethyl parathion								
	NONE	1 - 10 ug/L	4	28 - 42	D	97 - 111		
			Average Recovery:			98	Std. Dev.: 3.9	
guthion (azinophos-methyl)								
	NONE	1 - 10 ug/L	4	21 - 42	D	70 - 115		
			Average Recovery:			93	Std. Dev.: 16.8	
malathion								
	HEXANE	-	25	6 - 6	W	91 - 91		
			Average Recovery:			91	Std. Dev.: 0.0	
	NONE	1 - unspecified ug/L	4	0 - 42	D	74 - 104		
			Average Recovery:			92	Std. Dev.: 11.3	
methyl parathion								
	NONE	1 - unspecified ug/L	4	0 - 42	D	74 - 108		
			Average Recovery:			93	Std. Dev.: 12.5	
methyl trithion (methyl carbop								
	HEXANE	-	25	6 - 6	W	89 - 89		
			Average Recovery:			89	Std. Dev.: 0.0	

COMPOUND CLASS: *Organophosphorus Pesticides* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
methyl trithion (methyl carbo									
	NONE	1 - 10	ug/L	4	28 - 42	D	94 - 113		
				Average Recovery:			102	Std. Dev.: 7.0	
phorate									
	NONE	1 - 10	ug/L	4	28 - 42	D	63 - 89		
				Average Recovery:			77	Std. Dev.: 9.3	
reldan (methyl chlorpyriphos)									
	HEXANE	-		25	6 - 6	W	90 - 90		
				Average Recovery:			90	Std. Dev.: 0.0	
ronnel (fenchlorphos)									
	HEXANE	-		25	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	NONE	1 - unspecified	ug/L	4	0 - 42	D	92 - 103		
				Average Recovery:			96	Std. Dev.: 4.5	

Figure A-30 Analyte Recovery with no Preservatives for Organophosphorus Pesticides in Drinking/Surface Water Matrix



Ref: ASC 166, 168

Matrix: Water Class: Organophosphorus Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
chlorpyriphos (dursban)	HEXANE		25	6 W	91	extract	247
diazinon	HEXANE		25	6 W	90	extract	247
diazinon	NONE	1 ug/L	4	28 D	104		166
diazinon	NONE	1 ug/L	4	42 D	91		166
diazinon	NONE	10 ug/L	4	28 D	93		166
diazinon	NONE	10 ug/L	4	42 D	85		166
diazinon	NONE	unspecified ug/L	4	0 D	0	Approximate result see article	168
ethion	HEXANE		25	6 W	98	extract	247
ethion	NONE	1 ug/L	4	28 D	103		166
ethion	NONE	1 ug/L	4	42 D	93		166
ethion	NONE	10 ug/L	4	28 D	97		166
ethion	NONE	10 ug/L	4	42 D	91		166
ethyl parathion	NONE	1 ug/L	4	28 D	111		166
ethyl parathion	NONE	1 ug/L	4	42 D	101		166
ethyl parathion	NONE	10 ug/L	4	28 D	94		166
ethyl parathion	NONE	10 ug/L	4	42 D	87		166
guthion (azinphos-methyl)	NONE	1 ug/L	4	28 D	115		166
guthion (azinphos-methyl)	NONE	1 ug/L	4	42 D	108		166
guthion (azinphos-methyl)	NONE	10 ug/L	4	21 D	80	Approximate result see article	168
guthion (azinphos-methyl)	NONE	10 ug/L	4	28 D	91		166
guthion (azinphos-methyl)	NONE	10 ug/L	4	42 D	70		166
malathion	HEXANE		25	6 W	91	extract	247
malathion	NONE	1 ug/L	4	28 D	104		166
malathion	NONE	1 ug/L	4	42 D	98		166
malathion	NONE	10 ug/L	4	28 D	90		166
malathion	NONE	10 ug/L	4	42 D	74		166
malathion	NONE	unspecified ug/L	4	0 D	0	Approximate result see article	168
methyl parathion	NONE	1 ug/L	4	28 D	108		166
methyl parathion	NONE	1 ug/L	4	42 D	99		166
methyl parathion	NONE	10 ug/L	4	28 D	91		166
methyl parathion	NONE	10 ug/L	4	42 D	74		166
methyl parathion	NONE	unspecified ug/L	4	0 D	0	Approximate result see article	168
methyl trithion (methyl cartop	HEXANE		25	6 W	89	extract	247
methyl trithion (methyl cartop	NONE	1 ug/L	4	28 D	113		166
methyl trithion (methyl cartop	NONE	1 ug/L	4	42 D	100		166
methyl trithion (methyl cartop	NONE	10 ug/L	4	28 D	99		166
methyl trithion (methyl cartop	NONE	10 ug/L	4	42 D	94		166
phorate	NONE	1 ug/L	4	28 D	77		166
phorate	NONE	1 ug/L	4	42 D	63		166
phorate	NONE	10 ug/L	4	28 D	89		166
phorate	NONE	10 ug/L	4	42 D	79		166
reldan (methyl chlorpyriphos)	HEXANE		25	6 W	90	extract	247
ronnel (fenchlorphos)	HEXANE		25	6 W	100	extract	247
ronnel (fenchlorphos)	NONE	1 ug/L	4	28 D	103		166
ronnel (fenchlorphos)	NONE	1 ug/L	4	42 D	92		166
ronnel (fenchlorphos)	NONE	10 ug/L	4	28 D	97		166
ronnel (fenchlorphos)	NONE	10 ug/L	4	42 D	92		166
ronnel (fenchlorphos)	NONE	unspecified ug/L	4	0 D	0	Approximate result see article	168

COMPOUND CLASS PROFILE

Organophosphorus Pesticides

Sediment:

Existing Criteria:	None
Experimental Data:	One study, one entry for each of two compounds, low temperature, no preservation for 40 months.
Data Evaluation:	None
Data Deficiencies:	No data obtained for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - samples to be stored at -85°C for up to 40 months with no preservation.

COMPOUND CLASS: *Organophosphorus Pesticides* MATRIX: *Sediment* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION	T (C)	TIME		RECOVERY	COMMENT	REFERENCE
ethyl parathion								
		-	-85	40 - 40	M	70 - 70		
			Average Recovery:			70	Std. Dev.: 0.0	
malathion								
		-	-85	40 - 40	M	100 - 100		
			Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Sediment — Class: Organophosphorus Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
ethyl parathion			-85	40 M	70	in glass	243
malathion			-85	40 M	100	in glass	243

COMPOUND CLASS PROFILE

Organophosphorus Pesticides

Vegetation:

Existing Criteria:	None
Experimental Data:	Numerous studies, some use extraction and storage at various temperatures. Other studies have no preservatives and low temperatures.
Data Evaluation:	Comparison of data indicates that extraction and storage gives excellent recoveries after long term storage. On the other hand, storage of samples with no preservation at various temperatures is stable.
Data Deficiencies:	Limited data obtained, no statistical analysis possible. Some of the data obtained is qualitative. Data is conflicting from some of the studies. No data available for chlorpyriphos, methyl parathion, phorate, reldan, ronnel.
Storage Recommendations:	Provisional recommendation - store samples at 4°C; extraction within 7 days; extracts stable for 8 weeks and in some cases 7 months at 4°C.

COMPOUND CLASS: *Organophosphorus Pesticides* MATRIX: *Vegetation* RUN DATE: *13-Oct-*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
diazinon									
	CH3CN-EXTR.	0.1 - 0.1	mg/kg	8	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	CHCL3-EXTR	1 - 2	mg/kg	4	7 - 7	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	COMM. DRIED	-		25	3 - 18	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	EXTR & CL-UP	0.1 - 0.1	mg/kg	23	8 - 8	W	102 - 102		
				Average Recovery:			102	Std. Dev.: 0.0	
	HEXANE-EXTR	1 - 10	mg/kg	4	19 - 19	M	75 - 75		
				Average Recovery:			75	Std. Dev.: 0.0	
	NONE	0.1 - 0.1	mg/kg	9	2 - 6	W	-		
				Average Recovery:			0	Std. Dev.: 0.0	
dichlorvos									
	NONE	24 - 24	mg/kg	-15	2 - 49	M	30 - 33		
				Average Recovery:			33	Std. Dev.: 3.5	
ethion									
	EXTRACTS	10 - 10	mg/kg	4	5 - 5	M	-		
				Average Recovery:			0	Std. Dev.: 0.0	
	NONE	0.1 - 0.1	mg/kg	9	2 - 6	W	-		
				Average Recovery:			0	Std. Dev.: 0.0	
ethyl parathion									
	CH3CN-EXTR.	0.1 - 0.1	mg/kg	8	8 - 8	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	COMM. DRIED	-		25	18 - 18	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	EXTR/FLORISL	0.1 - 0.1	mg/kg	23	8 - 8	W	98 - 99		
				Average Recovery:			99	Std. Dev.: 0.5	
	NONE	1 - 10	mg/kg	-20	2 - 180	D	50 - 50		
				Average Recovery:			50	Std. Dev.: 0.0	
guthion (azinphos-methyl)									

COMPOUND CLASS: *Organophosphorus Pesticides* MATRIX: *Vegetation* RUN DATE: *13-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
guthion (azinophos-methyl)									
	HEXANE-EXTR	unspec - unspecified	mg/kg	4	2 - 2	M	60 - 60		
				Average Recovery:			60	Std. Dev.: 0.0	
	NONE	1 - 1	mg/kg	9	2 - 6	W	-		
				Average Recovery:			0	Std. Dev.: 0.0	
malathion									
	COMM. DRIED	-		25	6 - 6	W	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
	NONE	0.06 - 8	mg/kg	9	1 - 8	W	10 - 100		
				Average Recovery:			40	Std. Dev.: 34.9	
methyl trithion (methyl cartoo									
	NONE	0.5 - 0.5	mg/kg	9	2 - 6	W	-		
				Average Recovery:			0	Std. Dev.: 0.0	
mevinphos									
	NONE	0.25 - 10	mg/kg	-20	2 - 6	M	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Figure A-31 Analyte Recovery with no Preservatives for Organophosphorus Pesticides in Vegetation Matrix



Ref: ASC 194, 195, 211, 212, 315

Matrix: Vegetation Class: Organophosphorus Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
diazinon	CH3CN-EXTR.	0.1 mg/kg	23	8 W	100	Extracts of tomatoes	196
diazinon	CH3CN-EXTR.	0.1 mg/kg	8	8 W	100	Extracts of tomatoes	196
diazinon	CHCL3-EXTR	1 mg/kg	4	7 M	100	CHCl3 extracts of citrus fruit	194
diazinon	CHCL3-EXTR	2 mg/kg	4	7 M	100	CHCl3 extracts of vegetables	194
diazinon	COMM. DRIED		25	3 W	100	suff. stable in pea + spinach	120
diazinon	COMM. DRIED		25	18 M	100	carrot and savoy cabbage	120
diazinon	EXTR & CL-UP	0.1 mg/kg	8	8 W	102	Tomatoes/Final extr. in hexane	196
diazinon	EXTR & CL-UP	0.1 mg/kg	23	8 W	102	Tomatoes/Final extr. in hexane	196
diazinon	HEXANE-EXTR	1 mg/kg	4	19 M	0	hexane extracts of citrus fr.	194
diazinon	HEXANE-EXTR	10 mg/kg	4	19 M	75	hexane extracts of citrus fr.	194
diazinon	NONE	0.1 mg/kg	25	2 D	0	Stable - recov. not quantified	195
diazinon	NONE	0.1 mg/kg	9	6 W	0	Stable - recov. not quantified	195
dichlorvos			25	7 D	30	grain - no husk	315
dichlorvos			25	16 D	0	grain - husk intact	315
dichlorvos			-17	49 D	30	grain - husk intact	315
dichlorvos	NONE	24 mg/kg	-15	2 M	37.5	Stoned Wheat	194
ethion	EXTRACTS	10 mg/kg	4	5 M	0	Stable - Recovery Unspecified	194
ethion	NONE	0.1 mg/kg	25	2 D	0	Stable - recov. not quantified	195
ethion	NONE	0.1 mg/kg	9	6 W	0	Stable - recov. not quantified	195
ethyl parathion	CH3CN-EXTR.	0.1 mg/kg	23	8 W	100	Extracts of tomatoes	196
ethyl parathion	CH3CN-EXTR.	0.1 mg/kg	8	8 W	100	Extracts of tomatoes	196
ethyl parathion	COMM. DRIED		25	18 M	100		120
ethyl parathion	EXTR/FLORISL	0.1 mg/kg	8	8 W	98	Tomatoes/Final extr. in hexane	196
ethyl parathion	EXTR/FLORISL	0.1 mg/kg	23	8 W	99	Tomatoes/Final extr. in hexane	196
ethyl parathion	NONE	1 mg/kg	25	2 D	0	Stable - recov. not quantified	195
ethyl parathion	NONE	1 mg/kg	9	6 W	0	Stable - recov. not quantified	195
ethyl parathion	NONE	10 mg/kg	-15	6 M	0	Stable - recovery unspecified	194
ethyl parathion	NONE	10 mg/kg	-20	10 D	0	Stable- unspecified (spinach)	194
ethyl parathion	NONE	10 mg/kg	7	13 D	0	Stable - recovery unspecified	194
ethyl parathion	NONE	10 mg/kg	-20	60 D	50	spinach	194
ethyl parathion	NONE	10 mg/kg	-20	120 D	50	spinach - Recovery < 50%	194
ethyl parathion	NONE	10 mg/kg	-20	180 D	50	spinach - Recovery < 50%	194
guthion (azinphos-methyl)	HEXANE-EXTR	unspecified mg/kg	4	2 M	60	hexane extracts of citrus fr.	194
guthion (azinphos-methyl)	NONE	1 mg/kg	25	2 D	0	Stable - recov. not quantified	195
guthion (azinphos-methyl)	NONE	1 mg/kg	9	6 W	0	Stable - recov. not quantified	195
malathion	COMM. DRIED		0	6 W	100	suff. stable in pea + spinach	120
malathion	COMM. DRIED		25	6 W	0	pea and spinach	120
malathion	NONE	0.06 ppm	7	8 D	0		212
malathion	NONE	0.41 ppm	7	4 D	0		212
malathion	NONE	1.12 ppm	7	1 D	0		212
malathion	NONE	10 mg/kg	4	1 D	20	Strawberry/plum/tomat./gooseb.	194
malathion	NONE	10 mg/kg	20	1 D	20	Strawberry/plum/tomat./gooseb.	194
malathion	NONE	10 mg/kg	4	2 D	10	Strawberry/plum/tomat./gooseb.	194
malathion	NONE	10 mg/kg	20	2 D	10	Strawberry/plum/tomat./gooseb.	194
malathion	NONE	10 mg/kg	20	2 D	10	Max.Recov. @4 deg, decr. @ 20	194
malathion	NONE	4.42 mg/kg	12	7 D	70	Tomatoes	211
malathion	NONE	5.18 mg/kg	12	4 D	82	Tomatoes	211
malathion	NONE	6.28 mg/kg	12	1 D	100		211
malathion	NONE	8 mg/kg	25	2 D	0	Stable - recov. not quantified	195

Matrix: Vegetation Class: Organophosphorus Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
malathion	NONE	8 mg/kg	9	6 W	0	Stable - recov. not quantified	195
methyl trithion (methyl cartop	NONE	0.5 mg/kg	25	2 D	0	Stable - recov. not quantified	195
methyl trithion (methyl cartop	NONE	0.5 mg/kg	9	6 W	0	Stable - recov. not quantified	195
mevinphos	NONE	0.25 mg/kg	25	2 D	0	Stable - recov. not quantified	195
mevinphos	NONE	0.25 mg/kg	9	6 W	0	Stable - recov. not quantified	195
mevinphos	NONE	10 mg/kg	-20	6 M	100	Stable over study 6wk - 6mth	194

COMPOUND CLASS PROFILE

Organophosphorus Pesticides

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One study. No preservation, low temperature, storage times up to 8 weeks.
Data Evaluation:	Evaluation of recoveries for various storage times.
Data Deficiencies:	No data obtained for majority of compounds on target list.
Storage Recommendations:	Tentative recommendation - store samples at 4°C; extract with 7 days; store extracts at 4°C and analyze as soon as possible.

COMPOUND CLASS: *Organophosphorus Pesticides* MATRIX: *Wastewater* RUN DATE: *12-Oct-*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
ethion									
		10 - 10	ug/L	4	8 - 8	W	50 - 50		
				Average Recovery:			50	Std. Dev.: 0.0	
ethyl parathion									
		10 - 10	ug/L	4	1 - 1	W	50 - 50		
				Average Recovery:			50	Std. Dev.: 0.0	
malathion									
		10 - 10	ug/L	4	2 - 2	W	10 - 10		
				Average Recovery:			10	Std. Dev.: 0.0	
methyl parathion									
		10 - 10	ug/L	4	2 - 2	W	10 - 10		
				Average Recovery:			10	Std. Dev.: 0.0	
methyl trithion (methyl cartop									
		10 - 10	ug/L	4	2 - 2	W	10 - 10		
				Average Recovery:			10	Std. Dev.: 0.0	

Matrix: Waste Waters Class: Organophosphorus Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
ethion		10 ug/L	4	8 W	50		74
ethyl parathion		10 ug/L	4	1 W	50		74
malathion		10 ug/L	4	2 W	10		74
methyl parathion		10 ug/L	4	2 W	10		74
methyl trithion (methyl cartop		10 ug/L	4	2 W	10		74

COMPOUND CLASS PROFILE

Acid Extractables - Phenoxy Acid Herbicides

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One study with limited data. Preservation with H_2SO_4, pH <2, storage at 20°C for 41 and 50 days was studied at the 200 ug/L level.
Data Evaluation:	Evaluation of storage for 41 and 50 days demonstrates that for the compounds studied, sample recoveries are about the same at 41 days and at 50 days.
Data Deficiencies:	No data obtained for picloram and insufficient data obtained for rest of compounds.
Storage Recommendations:	Tentative recommendation - collect samples in amber glass bottles; pH=2 with H_2SO_4; samples stable for 50 days at 4°C.

COMPOUND CLASS: *Acid Extractables - Phenoxy Acid Herbicides* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
dicamba									
	H2SO4 PH(2	200 - 200	ug/L	20	41 - 50	D	92 - 102		
				Average Recovery:			97	Std. Dev.: 5.2	
2,4-dichlorophenoxy-acetic aci									
	H2SO4 PH(2	200 - 200	ug/L	20	41 - 50	D	103 - 105		
				Average Recovery:			104	Std. Dev.: 1.0	
2,4-dichloro-4-phenoxybutyric									
	H2SO4 PH(2	200 - 200	ug/L	20	50 - 50	D	102 - 102		
				Average Recovery:			102	Std. Dev.: 0.0	
dichloroprop (2,4-DP)									
	H2SO4 PH(2	200 - 200	ug/L	20	41 - 50	D	102 - 102		
				Average Recovery:			102	Std. Dev.: 0.0	
silvex									
	H2SO4 PH(2	200 - 200	ug/L	20	50 - 50	D	99 - 99		
				Average Recovery:			99	Std. Dev.: 0.0	
2,4,5-trichlorophenoxy acetic									
	H2SO4 PH(2	200 - 200	ug/L	20	50 - 50	D	94 - 94		
				Average Recovery:			94	Std. Dev.: 0.0	

Matrix: Water Class: Acid Extractables - Phenoxy Acid Herbicides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
dicamba	H2SO4 PH<2	200 ug/L	20	41 D	102	Distilled water	202
dicamba	H2SO4 PH<2	200 ug/L	20	50 D	91.6	Hamilton Bay Water	202
2,4-dichlorophenoxy-acetic aci	H2SO4 PH<2	200 ug/L	20	41 D	103	Hamilton Bay Water	202
2,4-dichlorophenoxy-acetic aci	H2SO4 PH<2	200 ug/L	20	50 D	105	Hamilton Bay Water	202
2,4-dichloro-4-phenoxybutyric	H2SO4 PH<2	200 ug/L	20	50 D	102	Distilled & Hamilton Bay Water	202
dichloroprop (2,4-DP)	H2SO4 PH<2	200 ug/L	20	41 D	102	Distilled Water	202
dichloroprop (2,4-DP)	H2SO4 PH<2	200 ug/L	20	50 D	102	Hamilton Bay Water	202
silvex	H2SO4 PH<2	200 ug/L	20	50 D	99	Distilled & Hamilton Bay Water	202
2,4,5-trichlorophenoxy acetic	H2SO4 PH<2	200 ug/L	20	50 D	94	Distilled & Hamilton Bay Water	202

COMPOUND CLASS PROFILE

Acid Extractables - Phenoxy Acid Herbicides

Sediment:

Existing Criteria:	None.
Experimental Data:	One study. No preservation. 100-300 mg/Kg level. Storage at -15°C for 330 days.
Data Evaluation:	None
Data Deficiencies:	Data is insufficient for any analysis. Only 2 data entries for picloram obtained.
Storage Recommendations:	Tentative recommendation - store at -15°C for up to 33 days with no preservation before analysis.

COMPOUND CLASS: *Acid Extractables - Phenoxy Acid Herbicides* MATRIX: *Sediment* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME	RECOVERY	COMMENT	REFERENCE
dicloram								
	NONE	100 - 300	mg/kg	-15	330 - 330 D	91 - 92		
				Average Recovery:		92	Std. Dev.: 0.5	

Matrix: Sediment Class: Acid Extractables - Phenoxy Acid Herbicides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
picloram		100 mg/kg	-15	330 D	92	Uncorrect for Method Recovery	7
picloram		300 mg/kg	-15	330 D	91	Uncorrect for Method Recovery	7

COMPOUND CLASS PROFILE

Acid Extractables - Phenoxy Acid Herbicides

Vegetation:

Existing Criteria:	None.
Experimental Data:	One study. No preservation. No concentration level specified. Storage at -20°C for 24 and 73 weeks.
Data Evaluation:	None
Data Deficiencies:	Data is insufficient for detailed analysis. Only 2 data entries for 2,4-dichlorophenoxy-acetic acid obtained.
Storage Recommendations:	Tentative recommendation - store unpreserved samples at -20°C for up to 73 weeks before analysis.

COMPOUND CLASS: *Acid Extractables - Phenoxy Acid Herbicides* MATRIX: *Vegetation* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION	T (C)	TIME	RECOVERY	COMMENT	REFERENCE
2.4-dichlorophenoxy-acetic aci							
	NONE	-	-20	24 - 73 W	97 - 100		
			Average Recovery:		98	Std. Dev.: 1.6	

Matrix: Vegetation Class: Acid Extractables - Phenoxy Acid Herbicides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
2,4-dichlorophenoxy-acetic aci			-20	24 W	100	millet seeds	51
2,4-dichlorophenoxy-acetic aci			-20	73 W	96.8	potatoe tubers	51

COMPOUND CLASS PROFILE

Acid Extractables - Phenoxy Acid Herbicides

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained.
Storage Recommendations:	Tentative recommendation - collect samples in amber glass bottles; pH=2 with H_2SO_4; samples stable for 50 days at 4°C or follow U.S. EPA protocol of collection in amber glass bottle with teflon lined cap; pH 5-9, refrigerate; extract within 7 days and analyze within 40 days of extraction.

COMPOUND CLASS PROFILE

Phenyl Urea Pesticides

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - follow U.S. EPA protocol of collection in an amber glass bottle with teflon cap; pH 5-9; refrigerate; extract within 7 days and analyze within 40 days of extraction.

COMPOUND CLASS PROFILE

Phenyl Urea Pesticides

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One Study. No preservation. 10 ug/L level. Storage at 4°C for 4 weeks.
Data Evaluation:	None
Data Deficiencies:	Data is insufficient for any analysis. Only 1 data entry for monuron obtained.
Storage Recommendations:	Tentative recommendation - follow U.S. EPA protocol of collection in an amber glass bottle with teflon cap; pH 5-9; refrigerate; extract within 7 days and analyze within 40 days of extraction.

COMPOUND CLASS: *Phenyl Urea Pesticides* MATRIX: *Wastewater* RUN DATE: *12-Oct-8?*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
monuron									
		10 - 10	ug/L	4	4 - 4	W	20 - 20		
				Average Recovery:			20	Std. Dev.: 0.0	

Matrix: Waste Waters Class: Phenyl Urea Pesticides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
monuron		10 ug/L	4	4 W	20		74

COMPOUND CLASS PROFILE

Resin and Fatty Acids

Drinking/Surface Water:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - preserve samples at pH 11; store at 3°C for up to 10 days before extraction and analysis.

COMPOUND CLASS PROFILE

Resin and Fatty Acids

Waste Water:

Existing Criteria:	None
Experimental Data:	One study, data at different pH, temperature and storage time.
Data Evaluation:	Evaluation of recoveries at different pH; storage time, and temperature.
Data Deficiencies:	Limited data obtained for most compounds on list.
Storage Recommendations:	Provisional recommendation - preserve samples at pH 11; store at 3°C for up to 10 days before extraction and analysis.

COMPOUND CLASS: *Resin and Fatty Acids* MATRIX: Wastewater RUN DATE: 26-Oct-89

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
bietic acid									
	pH=11	1.03 - 6.72	PPM	3	4 - 10	D	90 - 130		
				Average Recovery:			107	Std. Dev.: 13.3	
hlorodehydroabietic acid									
	PH=11	3.14 - 3.14	ppm	22	4 - 7	D	103 - 110		
				Average Recovery:			107	Std. Dev.: 3.5	
	PH=3	3.14 - 3.14	ppm	22	4 - 7	D	89 - 96		
				Average Recovery:			93	Std. Dev.: 3.5	
ehydroabietic acid									
	pH=11	0.96 - 6.29	PPM	3	4 - 10	D	72 - 117		
				Average Recovery:			97	Std. Dev.: 12.9	
ichlorodehydroabietic acid									
	PH=11	3 - 3	ppm	22	4 - 7	D	107 - 112		
				Average Recovery:			110	Std. Dev.: 2.5	
	PH=3	3 - 3	ppm	22	4 - 7	D	89 - 100		
				Average Recovery:			95	Std. Dev.: 5.5	
,10-dichlorostearic acid									
	PH=11	4.04 - 4.04	ppm	22	4 - 7	D	110 - 123		
				Average Recovery:			117	Std. Dev.: 6.5	
	PH=3	4.04 - 4.04	ppm	22	4 - 7	D	92 - 98		
				Average Recovery:			95	Std. Dev.: 3.0	
sopimaric acid									
	pH=11	1.18 - 5.03	PPM	22	4 - 10	D	82 - 113		
				Average Recovery:			101	Std. Dev.: 9.5	
inoleic acid									
	pH=11	0.66 - 8.34	PPM	3	4 - 10	D	79 - 109		
				Average Recovery:			101	Std. Dev.: 9.0	
inolenic acid									
	pH=11	0.02 - <0.02	PPM	3	4 - 10	D	20 - 200		
				Average Recovery:			106	Std. Dev.: 45.8	

OUND CLASS: *Resin and Fatty Acids* MATRIX: *Wastewater* RUN DATE: *26-Oct-89*

OUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
c acid									
	pH=11	.86 - 9.37	PPM	3	4 - 10	D	85 - 113		
				Average Recovery:			102	Std. Dev.: 9.7	
ic acid									
	pH=11	1.60 - 2.76	PPM	22	4 - 10	D	98 - 108		
				Average Recovery:			103	Std. Dev.: 4.3	

Figure A-32 Analyte Recovery with Temperature at pH 11 for Resin and Fatty Acids in Waste Water Matrix



Ref: ASC 230

Matrix: Waste Waters Class: Resin and Fatty Acids

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
dehydroabietic acid	pH=11	6.29 PPM	3	5 D	96	PULP MILL SEWER	230
dehydroabietic acid	pH=11	6.29 PPM	3	10 D	94	PULP MILL SEWER	230
oleic acid	pH=11	3.68 PPM	3	10 D	109	AERATED LAGOON pH=11	230
oleic acid	pH=11	3.68 PPM	3	5 D	109	AERATED LAGOON pH=11	230
linolenic acid	pH=11	<0.02 PPM	3	10 D	100	PULP MILL SEWER	230
isopimaric acid	pH=11	3.5 PPM	3	10 D	113	PULP MILL SEWER	230
linolenic acid	pH=11	<0.02 PPM	3	10 D	100	AERATED LAGOON pH 11	230
isopimaric acid	pH=11	3.5 PPM	3	5 D	109	PULP MILL SEWER	230
oleic acid	pH=11	9.37 PPM	3	10 D	100	PULP MILL SEWER	230
linoleic acid	pH=11	8.34 PPM	3	5 D	102	PULP MILL SEWER	230
linoleic acid	pH=11	2.28 PPM	3	5 D	107	AERATED LAGOON pH 11	230
abietic acid	pH=11	6.72 PPM	3	10 D	105	PULP MILL SEWER	230
linoleic acid	pH=11	2.28 PPM	3	10 D	109	AERATED LAGOON pH 11	230
abietic acid	pH=11	2.01 PPM	3	5 D	90	PULP MILL SEWER	230
linolenic acid	pH=11	<0.02 PPM	3	5 D	100	AERATED LAGOON pH 11	230
abietic acid	pH=11	2.01 PPM	3	10 D	123	AERATED LAGOON pH 11	230
linoleic acid	pH=11	8.34 PPM	3	10 D	108	PULP MILL SEWER	230
isopimaric acid	pH=11	1.78 PPM	3	10 D	101	AERATED LAGOON pH 11	230
isopimaric acid	pH=11	1.78 PPM	3	5 D	93	AERATED LAGOON pH 11	230
dehydroabietic acid	pH=11	1.68 PPM	3	5 D	72	AERATED LAGOON pH 11	230
oleic acid	pH=11	9.37 PPM	3	5 D	101	PULP MILL SEWER	230
linolenic acid	pH=11	<0.02 PPM	3	5 D	100	PULP MILL SEWER	230
abietic acid	pH=11	6.72 PPM	3	5 D	109	PULP MILL SEWER	230
dehydroabietic acid	pH=11	1.68 PPM	3	10 D	117	AERATED LAGOON pH 11	230
abietic acid	pH=11	2.37 PPM	22	4 D	106	AERATED LAGOON pH 11	230
9,10-dichlorostearic acid	PH=11	4.04 ppm	22	7 D	123		230
9,10-dichlorostearic acid	PH=11	4.04 ppm	22	4 D	110		230
pimaric acid	pH=11	1.6 PPM	22	10 D	100	PULP MILL SEWER	230
isopimaric acid	pH=11	5.03 PPM	22	4 D	82	AERATED LAGOON pH 11	230
isopimaric acid	pH=11	1.18 PPM	22	10 D	110	PULP MILL SEWER	230
isopimaric acid	pH=11	5.03 PPM	22	10 D	103	AERATED LAGOON pH 11	230
dehydroabietic acid	pH=11	1.06 PPM	22	4 D	91	PULP MILL SEWER	230
oleic acid	pH=11	5.49 PPM	22	4 D	109	AERATED LAGOON pH 11	230
pimaric acid	pH=11	2.76 PPM	22	4 D	98	AERATED LAGOON pH 11	230
oleic acid	pH=11	5.49 PPM	22	10 D	113	AERATED LAGOON pH 11	230
dichlorodehydroabietic acid	PH=11	3 ppm	22	4 D	107		230
oleic acid	pH=11	0.86 PPM	22	4 D	88	PULP MILL SEWER	230
chlorodehydroabietic acid	PH=11	3.14 ppm	22	4 D	103		230
oleic acid	pH=11	0.86 PPM	22	10 D	85	PULP MILL SEWER	230
linoleic acid	pH=11	3.42 PPM	22	10 D	79	AERATED LAGOON pH 11	230
linoleic acid	pH=11	0.66 PPM	22	4 D	103	PULP MILL SEWER	230
dehydroabietic acid	pH=11	1.06 PPM	22	10 D	110	PULP MILL SEWER	230
linoleic acid	pH=11	0.66 PPM	22	10 D	100	PULP MILL SEWER	230
dehydroabietic acid	pH=11	0.96 PPM	22	4 D	89	AERATED LAGOON pH 11	230
linolenic acid	pH=11	0.08 PPM	22	4 D	125	AERATED LAGOON pH 11	230
pimaric acid	pH=11	1.6 PPM	22	4 D	108	PULP MILL SEWER	230
linolenic acid	pH=11	0.08 PPM	22	10 D	20	AERATED LAGOON pH 11	230
abietic acid	pH=11	1.08 PPM	22	4 D	98	PULP MILL SEWER	230
linolenic acid	pH=11	0.02 PPM	22	10 D	100	PULP MILL SEWER	230

Matrix: Waste Waters Class: Resin and Fatty Acids

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
pimaric acid	pH=11	2.76 PPM	22	10 D	107	AERATED LAGOON pH 11	230
linolenic acid	pH=11	0.02 PPM	22	4 D	200	PULP MILL SEWER	230
chlorodehydroabietic acid	PH=11	3.14 ppm	22	7 D	110		230
abietic acid	pH=11	2.37 PPM	22	10 D	91	AERATED LAGOON pH 11	230
dichlorodehydroabietic acid	PH=11	3 ppm	22	7 D	112		230
dehydroabietic acid	pH=11	0.96 PPM	22	10 D	103	AERATED LAGOON pH 11	230
abietic acid	pH=11	1.03 PPM	22	10 D	130	PULP MILL SEWER	230
isopimaric acid	pH=11	1.18 PPM	22	4 D	99	PULP MILL SEWER	230
linoleic acid	pH=11	3.42 PPM	22	4 D	98	AERATED LAGOON pH 11	230
dichlorodehydroabietic acid	PH=3	3 ppm	22	4 D	100		230
chlorodehydroabietic acid.	PH=3	3.14 ppm	22	4 D	96		230
chlorodehydroabietic acid	PH=3	3.14 ppm	22	7 D	89		230
dichlorodehydroabietic acid	PH=3	3 ppm	22	7 D	89		230
9,10-dichlorostearic acid	PH=3	4.04 ppm	22	4 D	98		230
9,10-dichlorostearic acid	PH=3	4.04 ppm	22	7 D	92		230

COMPOUND CLASS PROFILE

Triazine Herbicides

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	One study, limited data for extracts for one compound with time and light conditions.
Data Evaluation:	Evaluation of recoveries in light conditions, and time.
Data Deficiencies:	No data obtained for majority of compounds on target list.
Storage Recommendations:	Tentative recommendation would be extraction of samples with ethyl acetate; storage at 24°C for up to 1 year in light or follow U.S. EPA protocol of collection in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days and analyze within 40 days of extraction.

COMPOUND CLASS: *Triazine Herbicides* MATRIX: *Drinking/Surface Water* RUN DATE: *12-Oct-8*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENC
atrazine									
	ETHYL ACETAT	200 - 200	ug/ul	24	1 - 10	M	50 - 90		
				Average Recovery:			79	Std. Dev.: 16.9	

Matrix: Waters Class: Triazine Herbicides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
atrazine	ETHYL ACETAT	200 pg/ul	24	1 Y	87	extract, light	235
atrazine	ETHYL ACETAT	200 pg/ul	24	1 Y	50	extract, dark	235
atrazine	ETHYL ACETAT	200 pg/ul	24	2 M	90	extract, dark	235
atrazine	ETHYL ACETAT	200 pg/ul	24	10 M	90	extract, light	235

COMPOUND CLASS PROFILE

Triazine Herbicides

Sediment:

Existing Criteria:	None
Experimental Data:	One study. Comparison of recoveries at various storage times at -20°C at the 1-10 mg/kg level after drying at 45°C for 24 hours.
Data Evaluation:	Analysis of the data indicates that samples are stable in storage for up to 180 days.
Data Deficiencies:	Limited data obtained, no statistical analysis feasible. No data obtained for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - dry at 45°C for 24 hours with analysis to be completed in 180 days. Store at -20°C.

COMPOUND CLASS: *Triazine Herbicides* MATRIX: *Sediment* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME	RECOVERY	COMMENT	REFERENCE
atrazine								
	DRY/45C/24HR	1 - 10	mg/kg	-20	30 - 360 D	40 - 95		
				Average Recovery:		78	Std. Dev.: 17.4	
metribuzin (sencor)								
	NONE	99 - 99	mg/kg	-37	295 - 295 D	75 - 75		
				Average Recovery:		75	Std. Dev.: 0.0	

Matrix: Sediment Class: Triazine Herbicides

Compound	Preservative	Conc	Temp	Time		% REC	Comments	ASC
atrazine	DRY/45C/24HR	1 mg/kg	-20	30	D	81	Corrected for Method Recovery	52
atrazine	DRY/45C/24HR	1 mg/kg	-20	90	D	86	Corrected for Method Recovery	52
atrazine	DRY/45C/24HR	1 mg/kg	-20	180	D	87	Corrected for Method Recovery	52
atrazine	DRY/45C/24HR	1 mg/kg	-20	360	D	59	Corrected for Method Recovery	52
atrazine	DRY/45C/24HR	10 mg/kg	-20	30	D	95	Corrected for Method Recovery	52
atrazine	DRY/45C/24HR	10 mg/kg	-20	90	D	91	Corrected for Method Recovery	52
atrazine	DRY/45C/24HR	10 mg/kg	-20	180	D	81	Corrected for Method Recovery	52
atrazine	DRY/45C/24HR	10 mg/kg	-20	360	D	40	Corrected for Method Recovery	52
metribuzin (sencor)	NONE	99 mg/kg	-37	295	D	75	Stabil. not prime objective	60

COMPOUND CLASS PROFILE

Triazine Herbicides

Vegetation:

Existing Criteria:	None
Experimental Data:	Two studies, one comparing the storage of extracts at 8 and 23°C. The other compares the stability of extracts to the sample.
Data Evaluation:	Comparison of data indicates that extraction and storage gives excellent recoveries at both temperatures.
Data Deficiencies:	Limited data obtained, no statistical analysis possible. Some of the data obtained is qualitative. No data obtained for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - extract samples as soon as possible and complete analysis within 2 months. Store at 4°C.

COMPOUND CLASS: *Triazine Herbicides* MATRIX: *Vegetation* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
atrazine									
	ACETONE-EXTR	1 - 1	mg/kg	23	8 - 8	W	99 - 99		
				Average Recovery:			99	Std. Dev.: 0.0	
	EXTR/FLORISL	1 - 1	mg/kg	8	8 - 8	W	100 - 102		
				Average Recovery:			101	Std. Dev.: 1.0	
cyanazine (bladex)									
	EXTRACTS	unspec - unspecified	mg/kg	-10	30 - 30	D	-		
				Average Recovery:			0	Std. Dev.: 0.0	
	NONE	unspec - unspecified	mg/kg	0	30 - 30	D	-		
				Average Recovery:			0	Std. Dev.: 0.0	

Matrix: Vegetation Class: Triazine Herbicides

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
atrazine	ACETONE-EXTR	1 mg/kg	8	8 W	99	Extracts of corn	196
atrazine	ACETONE-EXTR	1 mg/kg	23	8 W	99	Extracts of corn	196
atrazine	EXTR/FLORISL	1 mg/kg	23	8 W	100	Corn/Final extr. in hexane	196
atrazine	EXTR/FLORISL	1 mg/kg	8	8 W	102	Corn/Final extr. in hexane	196
cyanazine (bladex)	EXTRACTS	unspecified mg/kg	-10	30 D	0	Grain: stable,recov. unspec.	194
cyanazine (bladex)	NONE	unspecified mg/kg	0	30 D	0	Grain: stable,recov. unspec.	194

COMPOUND CLASS PROFILE

Triazine Herbicides

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days; analyze within 40 days of extraction.
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained.
Storage Recommendations:	Tentative recommendation would be extraction of samples with ethyl acetate; storage at 24°C for up to 1 year in light or follow U.S. EPA protocol of collection in amber glass container with teflon lined cap; pH 5-9; refrigerate; extract within 7 days and analyze within 40 days of extraction.

COMPOUND CLASS PROFILE

Volatile Organics - Halogenated

Air - Canister or Bag:

Existing Criteria:	None
Experimental Data:	Three studies. Comparison of recoveries using various storage times, concentrations and containers at 25°C with no preservation.
Data Evaluation:	Analysis of the data indicates that samples are stable for up to 12 days at 25°C in either glass sample containers or polished summa canisters.
Data Deficiencies:	Conditions are too varied for statistical analysis. No data obtained for majority of the compound on the list.
Storage Recommendations:	Tentative recommendation - store SUMMA canisters or glass sample containers at 25°C for up to 12 days before analysis.

MPOUND CLASS: *Volatile Organics - Halogenated* MATRIX: *Air - Canister* RUN DATE: *26-Oct-89*

MPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
rbon tetrachloride									
	NONE	0.87 - 1.98	ppbv	25	7 - 30	D	83 - 129		
				Average Recovery:			100	Std. Dev.: 13.5	
lorobenzene									
	NONE	0.88 - 1.34	ppbv	25	2 - 30	D	100 - 110		
				Average Recovery:			104	Std. Dev.: 3.7	
loroform									
	NONE	0.97 - 2.41	ppbv	25	7 - 30	D	93 - 223		
				Average Recovery:			120	Std. Dev.: 40.3	
-chloropropene									
	NONE	5.3 - 5.3	ppb	25	4 - 7	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2-dichlorobenzene									
	NONE	3.9 - 4.3	ppb	25	4 - 7	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
2-dichloroethane									
	NONE	.93 - 5.2	ppb	25	4 - 30	D	80 - 108		
				Average Recovery:			97	Std. Dev.: 9.6	
chloromethane									
	NONE	1 - 7	ppb	25	4 - 12	D	80 - 100		
				Average Recovery:			93	Std. Dev.: 8.7	
1,2,2-tetrachloroethane									
	NONE	4.1 - 4.1	ppb	25	4 - 7	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
1,1-trichloroethane									
	NONE	1 - 3	ppm	25	12 - 12	D	80 - 100		
				Average Recovery:			88	Std. Dev.: 8.5	
ichloroethylene									
	NONE	0.96 - 74	ppm	25	0 - 30	D	80 - 106		
				Average Recovery:			98	Std. Dev.: 8.1	

COMPOUND CLASS: *Volatile Organics - Halogenated* MATRIX: *Air - Canister* RUN DATE: *26-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
Vinyl chloride									
	NONE	0.76 - 81	ppm	25	0 - 7	D	100 - 105		
				Average Recovery:			101	Std. Dev.: 2.2	

Figure A-33 Analyte Recovery with no Preservation for Volatile Organics-Halogenated in Air-Canister or Bag Matrix



Ref: ASC 8, 10, 27, 40

Matrix: Air - Canister Class: Volatile Organics - Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
vinyl chloride	NONE	0.76 ppbv	25	7 D	100	FID detector	10
1,2-dichloroethane	NONE	0.86 ppbv	25	7 D	107	FID detector	10
1,2-dichloroethane	NONE	0.86 ppbv	25	30 D	108	FID detector	10
carbon tetrachloride	NONE	0.87 ppb	25	30 D	83		8
chlorobenzene	NONE	0.88 ppbv	25	7 D	105	FID detector	10
chlorobenzene	NONE	0.88 ppbv	25	30 D	110	FID detector	10
chlorobenzene	NONE	0.93 ppb	25	2 D	100		8
chlorobenzene	NONE	0.93 ppb	25	4 D	100		8
chlorobenzene	NONE	0.93 ppb	25	7 D	100		8
1,2-dichloroethane	NONE	0.93 ppb	25	30 D	87		8
trichloroethylene	NONE	0.96 ppbv	25	7 D	104	FID detector	10
trichloroethylene	NONE	0.96 ppbv	25	30 D	106	FID detector	10
chlorobenzene	NONE	0.97 ppb	25	30 D	107		8
chloroform	NONE	0.97 ppb	25	30 D	94		8
1,2-dichloroethane	NONE	1 ppm	25	12 D	85		40
dichloromethane	NONE	1 ppm	25	12 D	85		40
trichloroethylene	NONE	1 ppm	25	12 D	85		40
1,1,1-trichloroethane	NONE	1 ppm	25	12 D	85		40
trichloroethylene	NONE	1 ppb	25	30 D	98		8
carbon tetrachloride	NONE	1.02 ppbv	25	7 D	96	FID detector	10
carbon tetrachloride	NONE	1.02 ppbv	25	30 D	85	FID detector	10
trichloroethylene	NONE	1.02 ppb	25	30 D	89		8
chloroform	NONE	1.04 ppbv	25	7 D	100	ECD detector	10
chloroform	NONE	1.04 ppbv	25	30 D	93	ECD detector	10
trichloroethylene	NONE	1.06 ppbv	25	7 D	102	ECD detector	10
trichloroethylene	NONE	1.06 ppbv	25	30 D	94	ECD detector	10
chloroform	NONE	1.11 ppbv	25	7 D	223	FID detector	10
chloroform	NONE	1.11 ppbv	25	30 D	119	FID detector	10
carbon tetrachloride	NONE	1.23 ppbv	25	7 D	100	ECD detector	10
carbon tetrachloride	NONE	1.23 ppbv	25	30 D	129	ECD detector	10
chloroform	NONE	1.32 ppb	25	30 D	126		8
chlorobenzene	NONE	1.34 ppbv	25	7 D	106	FID detector	10
carbon tetrachloride	NONE	1.59 ppb	25	30 D	94		8
trichloroethylene	NONE	1.73 ppbv	25	7 D	106	FID detector	10
vinyl chloride	NONE	1.76 ppbv	25	7 D	105	FID detector	10
1,2-dichloroethane	NONE	1.79 ppbv	25	7 D	104	FID detector	10
chloroform	NONE	1.88 ppbv	25	7 D	105	FID detector	10
carbon tetrachloride	NONE	1.98 ppbv	25	7 D	103	FID detector	10
carbon tetrachloride	NONE	1.98 ppbv	25	7 D	107	ECD detector	10
trichloroethylene	NONE	2.26 ppbv	25	7 D	106	ECD detector	10
chloroform	NONE	2.41 ppbv	25	7 D	103	ECD detector	10
dichloromethane	NONE	3 ppm	25	12 D	100		40
trichloroethylene	NONE	3 ppm	25	12 D	100		40
1,1,1-trichloroethane	NONE	3 ppm	25	12 D	100		40
1,2-dichloroethane	NONE	3 ppm	25	12 D	100		40
1,3-dichlorobenzene	NONE	3.9 ppb	25	4 D	100		10
1,2-dichlorobenzene	NONE	3.9 ppb	25	4 D	100		10
1,2-dichlorobenzene	NONE	3.9 ppb	25	7 D	100		10
1,3-dichlorobenzene	NONE	3.9 ppb	25	7 D	100		10

Matrix: Air - Canister Class: Volatile Organics - Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
1,1,2,2-tetrachloroethane	NONE	4.1 ppb	25	4 D	100		10
1,1,2,2-tetrachloroethane	NONE	4.1 ppb	25	7 D	100		10
1,4-dichlorobenzene	NONE	4.3 ppb	25	4 D	100		10
1,4-dichlorobenzene	NONE	4.3 ppb	25	7 D	100		10
1,1-dichloroethane	NONE	5.2 ppb	25	4 D	100		10
1,1-dichloroethane	NONE	5.2 ppb	25	7 D	100		10
3-chloropropene	NONE	5.3 ppb	25	4 D	100		10
3-chloropropene	NONE	5.3 ppb	25	7 D	100		10
dichloromethane	NONE	7 ppb	25	4 D	100		10
dichloromethane	NONE	7 ppb	25	7 D	100		10
vinyl chloride	NONE	7.1 ppm	25	0 D	100	special sample bottle	27
trichloroethylene	NONE	7.2 ppm	25	0 D	100	special sample bottle	27
trichloroethylene	NONE	74 ppm	25	0 D	100	special sample bottle	27
vinyl chloride	NONE	81 ppm	25	0 D	100	special sample bottle	27
dichloromethane	NONE	10100 ppm	25	12 D	80		40
1,2-dichloroethane	NONE	10100 ppm	25	12 D	80		40
1,1,1-trichloroethane	NONE	10100 ppm	25	12 D	80		40
trichloroethylene	NONE	10100 ppm	25	12 D	80		40

COMPOUND CLASS PROFILE

Volatile Organics - Halogenated

Air - Filter:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - store filters at -20°C under air-argon gas mixture. Samples are stable for at least 2 years or store sealed samples at 4°C for up to 6 days before analysis.

COMPOUND CLASS PROFILE

Volatile Organics - Halogenated

Air - Sorbent Trap:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - follow U.S. E.P.A. protocol of sampling with distributed air volume sets. Sample tubes are sealed; refrigerated; analysis to be completed between 7 and 30 days after sampling.

COMPOUND CLASS PROFILE

Volatile Organics - Halogenated

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined septum; 0.008% $Na_2S_2O_3$; refrigerate; analyze within 14 days.
Experimental Data:	3 Studies, major study involved the comparison of preservation with ascorbic acid or thiosulphate to no preservation at 4°C and 20°C at the 1-500 ug/L level.
Data Evaluation:	Statistical evaluation of preservation with ascorbic acid vs thiosulphate, and no preservation demonstrate that the most stable and consistent result is preservation with thiosulphate and storage at 4°C for 1 week.
Data Deficiencies:	No data obtained for majority of compounds on list.
Storage Recommendations:	Follow U.S. EPA protocol of collection in an amber glass container with teflon lined septum; add 0.008% $Na_2S_2O_3$; refrigerate; complete analysis within 14 days.

COMPOUND CLASS: *Volatile Organics - Halogenated* MATRIX: *Drinking/Surface Water* RUN DATE: *13-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
bromoform									
	ASCORB. ACID	1 - (1	ug/L	4	1 - 1	W	97 - 100		
				Average Recovery:			96	Std. Dev.: 4.4	
	NONE	1 - (1	ug/L	4	1 - 56	W	100 - 117		
				Average Recovery:			105	Std. Dev.: 5.7	
	THIOSULPHATE	1 - (1	ug/L	20	1 - 1	W	100 - 105		
				Average Recovery:			103	Std. Dev.: 2.4	
bromomethane									
	NONE	50 & 5 - 50 & 500	ug/L	25	34 - 56	D	85 - 100		
				Average Recovery:			95	Std. Dev.: 7.1	
carbon tetrachloride									
	NONE	50 & 5 - 50 & 500	ug/L	25	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
chlorobenzene									
	CHLOROFORM	50-100 - 50-1000	mg/L	4	3 - 3	W	80 - 80		
				Average Recovery:			80	Std. Dev.: 0.0	
	NONE	50 & 5 - 50 & 500	ug/L	4	34 - 56	D	96 - 100		
				Average Recovery:			99	Std. Dev.: 1.9	
chlorodibromomethane									
	ASCORB. ACID	10 - 82	ug/L	20	1 - 1	W	88 - 100		
				Average Recovery:			95	Std. Dev.: 4.2	
	NONE	10 - 82	ug/L	4	1 - 1	W	104 - 140		
				Average Recovery:			116	Std. Dev.: 12.8	
	THIOSULPHATE	10 - 82	ug/L	20	1 - 1	W	100 - 104		
				Average Recovery:			101	Std. Dev.: 1.8	
chloroform									
	ASCORB. ACID	137 - 18	ug/L	20	1 - 1	W	98 - 107		
				Average Recovery:			103	Std. Dev.: 3.1	
	NONE	137 - 50 & 500	ug/L	25	1 - 56	D	100 - 142		
				Average Recovery:			117	Std. Dev.: 13.7	
	THIOSULPHATE	137 - 18	ug/L	20	1 - 1	W	105 - 131		
				Average Recovery:			116	Std. Dev.: 10.7	

COMPOUND CLASS: *Volatile Organics - Halogenated* MATRIX: *Drinking/Surface Water* RUN DATE: *13-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
chloroform									
1,2-dichlorobenzene									
	PH=2	20 - 20	ug/L	4	0 - 14	D	63 - 110		
				Average Recovery:			83	Std. Dev.: 18.5	
	PH=7	20 - 20	ug/L	4	0 - 21	D	30 - 105		
				Average Recovery:			61	Std. Dev.: 21.0	
	PH=9	20 - 20	ug/L	4	0 - 14	D	65 - 112		
				Average Recovery:			90	Std. Dev.: 15.6	
dichlorobromomethane									
	ASCORB. ACID	102 - 61	ug/L	20	1 - 1	W	96 - 109		
				Average Recovery:			101	Std. Dev.: 4.4	
	NONE	102 - 61	ug/L	4	1 - 34	W	102 - 163		
				Average Recovery:			115	Std. Dev.: 18.7	
	THIOSULPHATE	102 - 61	ug/L	20	1 - 1	W	100 - 107		
				Average Recovery:			103	Std. Dev.: 2.7	
1,1-dichloroethane									
	NONE	50 & 5 - 50 & 500	ug/L	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
1,1-dichloroethylene									
	NONE	50 & 5 - 50 & 500	ug/L	25	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
1,2-dichloropropane									
	NONE	50 & 5 - 50 & 500	ug/L	4	11 - 56	D	100 - 109		
				Average Recovery:			103	Std. Dev.: 4.2	
1,1,2,2-tetrachloroethane									
	NONE	50 & 5 - 50 & 500	ug/L	25	3 - 3	D	-		
				Average Recovery:			0	Std. Dev.: 0.0	
1,1,1-trichloroethane									
	NONE	50 & 5 - 50 & 500	ug/L	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

COMPOUND CLASS: *Volatile Organics - Halogenated* MATRIX: *Drinking/Surface Water* RUN DATE: *13-Oct-8?*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
1,1,2-trichloroethane									
	NONE	50 & 5 - 50 & 500	ug/L	25	2? - 28	D	-		
				Average Recovery:			0	Std. Dev.: 0.0	
vinyl chloride									
	NONE	-		4	34 - 34	D	98 - 98		
				Average Recovery:			98	Std. Dev.: 0.0	

Figure A-34 Analyte Recovery with Ascorbic Acid Preservation for Volatile Organics-Halogenated in Drinking/Surface Water Matrix



Ref: ASC 85

Figure A-35 Analyte Recovery with no Preservation for Volatile Organics-Halogenated in Drinking/Surface Water Matrix



Ref: ASC 9, 77, 85

Figure A-36 Analyte Recovery at Different pH for Volatile Organics-Halogenated in Drinking/Surface Water Matrix



Ref: ASC 302

Figure A-37 Analyte Recovery with Thiosulphate Preservation for Volatile Organics-Halogenated in Drinking/Surface Water Matrix



Ref: ASC 85

Matrix: Water — Class: Volatile Organics - Halogenated

Compound	Preservative	Conc	Temp	Time		% REC	Comments	ASC
bromoform		50 & 500 ug/L	4	56	D	100		77
bromoform		50 & 500 ug/L	25	56	D	100		77
bromoform	ASCORB. ACID	1 ug/L	4	1	W	100		85
bromoform	ASCORB. ACID	1 ug/L	20	1	W	100		85
bromoform	ASCORB. ACID	179 ug/L	4	1	W	97		85
bromoform	ASCORB. ACID	179 ug/L	20	1	W	96		85
bromoform	ASCORB. ACID	38 ug/L	20	1	W	87		85
bromoform	ASCORB. ACID	38 ug/L	4	1	W	95		85
bromoform	ASCORB. ACID	<1 ug/L	20	1	W	0		85
bromoform	ASCORB. ACID	<1 ug/L	4	1	W	0		85
bromoform	NONE	1 ug/L	20	1	W	100		85
bromoform	NONE	1 ug/L	4	1	W	100		85
bromoform	NONE	179 ug/L	4	1	W	108		85
bromoform	NONE	179 ug/L	20	1	W	117		85
bromoform	NONE	38 ug/L	4	1	W	105		85
bromoform	NONE	38 ug/L	20	1	W	108		85
bromoform	NONE	<1 ug/L	20	1	W	0		85
bromoform	NONE	<1 ug/L	4	1	W	0		85
bromoform	THIOSULPHATE	1 ug/L	4	1	W	100		85
bromoform	THIOSULPHATE	1 ug/L	20	1	W	100		85
bromoform	THIOSULPHATE	179 ug/L	4	1	W	105		85
bromoform	THIOSULPHATE	179 ug/L	20	1	W	105		85
bromoform	THIOSULPHATE	38 ug/L	4	1	W	105		85
bromoform	THIOSULPHATE	38 ug/L	20	1	W	105		85
bromoform	THIOSULPHATE	<1 ug/L	20	1	W	0		85
bromoform	THIOSULPHATE	<1 ug/L	4	1	W	0		85
bromomethane		50 & 500 ug/L	4	56	D	100		77
bromomethane		50 & 500 ug/L	25	56	D	100		77
bromomethane	NONE		4	34	D	85	org. free H2O, not bio. active	9
carbon tetrachloride		50 & 500 ug/L	25	56	D	100		77
carbon tetrachloride		50 & 500 ug/L	4	56	D	100		77
chlorobenzene		50 & 500 ug/L	4	56	D	100		77
chlorobenzene		50 & 500 ug/L	25	56	D	100		77
chlorobenzene	CHLOROFORM	50-1000 ng/L	4	3	W	80	no continuous decline	217
chlorobenzene	NONE		4	34	D	96	org. free H2O, not bio. active	9
chlorodibromomethane	ASCORB. ACID	10 ug/L	20	1	W	90		85
chlorodibromomethane	ASCORB. ACID	10 ug/L	4	1	W	100		85
chlorodibromomethane	ASCORB. ACID	105 ug/L	4	1	W	98		85
chlorodibromomethane	ASCORB. ACID	105 ug/L	20	1	W	96		85
chlorodibromomethane	ASCORB. ACID	28 ug/L	4	1	W	100		85
chlorodibromomethane	ASCORB. ACID	28 ug/L	20	1	W	93		85
chlorodibromomethane	ASCORB. ACID	82 ug/L	20	1	W	88		85
chlorodibromomethane	ASCORB. ACID	82 ug/L	4	1	W	94		85
chlorodibromomethane	NONE	10 ug/L	20	1	W	130		85
chlorodibromomethane	NONE	10 ug/L	4	1	W	120		85
chlorodibromomethane	NONE	105 ug/L	20	1	W	140		85
chlorodibromomethane	NONE	105 ug/L	4	1	W	117		85
chlorodibromomethane	NONE	28 ug/L	4	1	W	104		85
chlorodibromomethane	NONE	28 ug/L	20	1	W	104		85

Matrix: Water Class: Volatile Organics - Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
chlorodibromomethane	NONE	82 ug/L	20	1 W	106		85
chlorodibromomethane	NONE	82 ug/L	4	1 W	104		85
chlorodibromomethane	THIOSULPHATE	10 ug/L	4	1 W	100		85
chlorodibromomethane	THIOSULPHATE	10 ug/L	20	1 W	100		85
chlorodibromomethane	THIOSULPHATE	105 ug/L	20	1 W	100		85
chlorodibromomethane	THIOSULPHATE	105 ug/L	4	1 W	103		85
chlorodibromomethane	THIOSULPHATE	28 ug/L	20	1 W	100		85
chlorodibromomethane	THIOSULPHATE	28 ug/L	4	1 W	104		85
chlorodibromomethane	THIOSULPHATE	82 ug/L	20	1 W	100		85
chlorodibromomethane	THIOSULPHATE	82 ug/L	4	1 W	104		85
chloroform		50 & 500 ug/L	25	56 D	100		77
chloroform		50 & 500 ug/L	4	56 D	100		77
chloroform	ASCORB. ACID	137 ug/L	20	1 W	101		85
chloroform	ASCORB. ACID	137 ug/L	4	1 W	103		85
chloroform	ASCORB. ACID	14 ug/L	20	1 W	107		85
chloroform	ASCORB. ACID	14 ug/L	4	1 W	107		85
chloroform	ASCORB. ACID	145 ug/L	20	1 W	98		85
chloroform	ASCORB. ACID	145 ug/L	4	1 W	101		85
chloroform	ASCORB. ACID	18 ug/L	4	1 W	105		85
chloroform	ASCORB. ACID	18 ug/L	20	1 W	100		85
chloroform	NONE	137 ug/L	20	1 W	127		85
chloroform	NONE	137 ug/L	4	1 W	130		85
chloroform	NONE	14 ug/L	20	1 W	142		85
chloroform	NONE	14 ug/L	4	1 W	114		85
chloroform	NONE	145 ug/L	20	1 W	127		85
chloroform	NONE	145 ug/L	4	1 W	118		85
chloroform	NONE	18 ug/L	4	1 W	105		85
chloroform	NONE	18 ug/L	20	1 W	105		85
chloroform	THIOSULPHATE	137 ug/L	20	1 W	131		85
chloroform	THIOSULPHATE	137 ug/L	4	1 W	124		85
chloroform	THIOSULPHATE	14 ug/L	4	1 W	107		85
chloroform	THIOSULPHATE	14 ug/L	20	1 W	107		85
chloroform	THIOSULPHATE	145 ug/L	4	1 W	115		85
chloroform	THIOSULPHATE	145 ug/L	20	1 W	131		85
chloroform	THIOSULPHATE	18 ug/L	20	1 W	105		85
chloroform	THIOSULPHATE	18 ug/L	4	1 W	105		85
1,2-dichlorobenzene	PH=2	20 ug/L	4	0 D	110		302
1,3-dichlorobenzene	PH=2	20 ug/L	4	0 D	105		302
1,4-dichlorobenzene	PH=2	20 ug/L	4	0 D	110		302
1,4-dichlorobenzene	PH=2	20 ug/L	4	7 D	65		302
1,3-dichlorobenzene	PH=2	20 ug/L	4	7 D	63		302
1,2-dichlorobenzene	PH=2	20 ug/L	4	7 D	70		302
1,2-dichlorobenzene	PH=2	20 ug/L	4	14 D	80		302
1,4-dichlorobenzene	PH=2	20 ug/L	4	14 D	78		302
1,3-dichlorobenzene	PH=2	20 ug/L	4	14 D	68		302
1,4-dichlorobenzene	PH=7	20 ug/L	4	0 D	105		302
1,3-dichlorobenzene	PH=7	20 ug/L	4	0 D	95		302
1,2-dichlorobenzene	PH=7	20 ug/L	4	0 D	100		302
1,2-dichlorobenzene	PH=7	20 ug/L	4	1 D	80		302

Matrix: Water Class: Volatile Organics - Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
1,3-dichlorobenzene	PH=7	20 ug/L	4	1 D	65		302
1,4-dichlorobenzene	PH=7	20 ug/L	4	1 D	75		302
1,4-dichlorobenzene	PH=7	20 ug/L	4	3 D	55		302
1,3-dichlorobenzene	PH=7	20 ug/L	4	3 D	45		302
1,2-dichlorobenzene	PH=7	20 ug/L	4	3 D	52		302
1,2-dichlorobenzene	PH=7	20 ug/L	4	7 D	60		302
1,3-dichlorobenzene	PH=7	20 ug/L	4	7 D	50		302
1,4-dichlorobenzene	PH=7	20 ug/L	4	7 D	55		302
1,3-dichlorobenzene	PH=7	20 ug/L	4	14 D	52		302
1,4-dichlorobenzene	PH=7	20 ug/L	4	14 D	40		302
1,2-dichlorobenzene	PH=7	20 ug/L	4	14 D	35		302
1,2-dichlorobenzene	PH=7	20 ug/L	4	21 D	55		302
1,4-dichlorobenzene	PH=7	20 ug/L	4	21 D	55		302
1,3-dichlorobenzene	PH=7	20 ug/L	4	21 D	30		302
1,3-dichlorobenzene	PH=9	20 ug/L	4	0 D	102		302
1,4-dichlorobenzene	PH=9	20 ug/L	4	0 D	112		302
1,2-dichlorobenzene	PH=9	20 ug/L	4	0 D	110		302
1,3-dichlorobenzene	PH=9	20 ug/L	4	7 D	88		302
1,2-dichlorobenzene	PH=9	20 ug/L	4	7 D	95		302
1,4-dichlorobenzene	PH=9	20 ug/L	4	7 D	88		302
1,3-dichlorobenzene	PH=9	20 ug/L	4	14 D	65		302
1,4-dichlorobenzene	PH=9	20 ug/L	4	14 D	70		302
1,2-dichlorobenzene	PH=9	20 ug/L	4	14 D	80		302
dichlorobromomethane	ASCORB. ACID	102 ug/L	20	1 W	96		85
dichlorobromomethane	ASCORB. ACID	102 ug/L	4	1 W	100		85
dichlorobromomethane	ASCORB. ACID	35 ug/L	20	1 W	103		85
dichlorobromomethane	ASCORB. ACID	35 ug/L	4	1 W	109		85
dichlorobromomethane	ASCORB. ACID	44 ug/L	4	1 W	100		85
dichlorobromomethane	ASCORB. ACID	44 ug/L	20	1 W	96		85
dichlorobromomethane	ASCORB. ACID	61 ug/L	4	1 W	105		85
dichlorobromomethane	ASCORB. ACID	61 ug/L	20	1 W	97		85
dichlorobromomethane	NONE		4	34 D	102	org. free H2O, not bio. active	9
dichlorobromomethane	NONE	102 ug/L	4	1 W	106		85
dichlorobromomethane	NONE	102 ug/L	20	1 W	104		85
dichlorobromomethane	NONE	35 ug/L	4	1 W	129		85
dichlorobromomethane	NONE	35 ug/L	20	1 W	163		85
dichlorobromomethane	NONE	44 ug/L	20	1 W	102		85
dichlorobromomethane	NONE	44 ug/L	4	1 W	105		85
dichlorobromomethane	NONE	61 ug/L	20	1 W	111		85
dichlorobromomethane	NONE	61 ug/L	4	1 W	115		85
dichlorobromomethane	THIOSULPHATE	102 ug/L	4	1 W	106		85
dichlorobromomethane	THIOSULPHATE	102 ug/L	20	1 W	100		85
dichlorobromomethane	THIOSULPHATE	35 ug/L	20	1 W	100		85
dichlorobromomethane	THIOSULPHATE	35 ug/L	4	1 W	103		85
dichlorobromomethane	THIOSULPHATE	44 ug/L	20	1 W	100		85
dichlorobromomethane	THIOSULPHATE	44 ug/L	4	1 W	107		85
dichlorobromomethane	THIOSULPHATE	61 ug/L	4	1 W	105		85
dichlorobromomethane	THIOSULPHATE	61 ug/L	20	1 W	102		85
1,1-dichloroethane		50 & 500 ug/L	4	56 D	100		77

Matrix: Water Class: Volatile Organics - Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
1,1-dichloroethane		50 & 500 ug/L	25	56 D	100		77
1,1-dichloroethylene		50 & 500 ug/L	25	56 D	100		77
1,1-dichloroethylene		50 & 500 ug/L	4	56 D	100		77
1,2-dichloropropane		50 & 500 ug/L	25	56 D	100		77
1,2-dichloropropane		50 & 500 ug/L	4	56 D	100		77
1,2-dichloropropane	NONE		4	11 D	109	rapid decrease after 11 days	9
1,1,2,2-tetrachloroethane		50 & 500 ug/L	25	3 D	0	significant losses	77
1,1,1-trichloroethane		50 & 500 ug/L	25	56 D	100		77
1,1,1-trichloroethane		50 & 500 ug/L	4	56 D	100		77
1,1,2-trichloroethane		50 & 500 ug/L	25	28 D	0	significant losses	77
vinyl chloride	NONE		4	34 D	98	org. free H2O, not bio. active	9

COMPOUND CLASS PROFILE

Volatile Organics - Halogenated

Sediment:

Existing Criteria:	None
Experimental Data:	One study. Comparison of recoveries at 4°C and 25°C at the 250-2500 ug/kg level with no preservation.
Data Evaluation:	Analysis of the data indicates that recoveries are equal at either temperature for at least 56 days.
Data Deficiencies:	Limited data obtained, no statistical analysis possible. No data obtained for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - store samples at 4°C for up to 56 days before analysis with no preservation.

COMPOUND CLASS: *Volatile Organics - Halogenated* MATRIX: *Sediment* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
bromoform		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
bromomethane		250 & - 250 & 2500	ug/kg	25	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
carbon tetrachloride		250 & - 250 & 2500	ug/kg	25	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
chlorobenzene		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
chloroform		250 & - 250 & 2500	ug/kg	25	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
1,1-dichloroethane		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
1,1-dichloroethylene		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
1,2-dichloropropane		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
1,1,1-trichloroethane		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Sediment Class: Volatile Organics - Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
bromoform	SED	250 & 2500 ug/kg	25	56 D	100		77
bromoform	SED	250 & 2500 ug/kg	4	56 D	100		77
bromomethane	SED	250 & 2500 ug/kg	4	56 D	100		77
bromomethane	SED	250 & 2500 ug/kg	25	56 D	100		77
carbon tetrachloride	SED	250 & 2500 ug/kg	4	56 D	100		77
carbon tetrachloride	SED	250 & 2500 ug/kg	25	56 D	100		77
chlorobenzene	SED	250 & 2500 ug/kg	25	56 D	100		77
chlorobenzene	SED	250 & 2500 ug/kg	4	56 D	100		77
chloroform	SED	250 & 2500 ug/kg	4	56 D	100		77
chloroform	SED	250 & 2500 ug/kg	25	56 D	100		77
1,1-dichloroethane	SED	250 & 2500 ug/kg	25	56 D	100		77
1,1-dichloroethane	SED	250 & 2500 ug/kg	4	56 D	100		77
1,1-dichloroethylene	SED	250 & 2500 ug/kg	25	56 D	100		77
1,1-dichloroethylene	SED	250 & 2500 ug/kg	4	56 D	100		77
1,2-dichloropropane	SED	250 & 2500 ug/kg	25	56 D	100		77
1,2-dichloropropane	SED	250 & 2500 ug/kg	4	56 D	100		77
1,1,1-trichloroethane	SED	250 & 2500 ug/kg	25	56 D	100		77
1,1,1-trichloroethane	SED	250 & 2500 ug/kg	4	56 D	100		77

COMPOUND CLASS PROFILE

Volatile Organics - Halogenated

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined septum; 0.008% $Na_2S_2O_3$; refrigerate; analyze within 14 days.
Experimental Data:	One study with insufficient data for analysis.
Data Evaluation:	Data conflicts with drinking/water study due to different experimental conditions.
Data Deficiencies:	Study is flawed as samples were kept in open containers. No or insufficient data for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - follow U.S. EPA protocol of collection in an amber glass container with teflon lined septum; add 0.008% $Na_2S_2O_3$; refrigerate; complete analysis within 14 days.

COMPOUND CLASS: *Volatile Organics - Halogenated* MATRIX: *Wastewater* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
chloroform									
	NONE	250 - 250	ug/L	4.5	1 - 1	D	56 - 56		
				Average Recovery:			56	Std. Dev.: 0.0	
1,2-dichlorobenzene									
	NONE	250 - 250	ug/L	6.0	1 - 1	D	49 - 49		
				Average Recovery:			49	Std. Dev.: 0.0	

Matrix: Waste Water Class: Volatile Organics - Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
chloroform		250 ug/L	4.5	1 D	56	Open container - air losses	78
1,2-dichlorobenzene		250 ug/L	6	1 D	49	Open container - air losses	78

COMPOUND CLASS PROFILE

Volatile Organics - Non-halogenated

Air - Canister or Bag:

Existing Criteria:	None
Experimental Data:	Numerous studies. Comparison of recoveries using various storage times, concentrations and containers at 25°C with no preservation.
Data Evaluation:	Analysis of the data indicates that samples are stable for up to 12 days at 25°C with polished summa canisters or glass sample containers.
Data Deficiencies:	Conditions are too varied for statistical analysis. No data obtained for majority of the compounds on the list.
Storage Recommendations:	Tentative recommendation - store SUMMA canisters or glass sample containers at 25°C for up to 12 days before analysis.

COMPOUND CLASS: *Volatile Organics - Non-halogenated* MATRIX: *Air - Canister* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
benzene									
	NONE	0.31 - 85	ppm	25	0 - 30	D	79 - 197		
				Average Recovery:			104	Std. Dev.: 28.7	
ethylbenzene									
	NONE	3.6 - 3.6	ppb	25	4 - 7	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
ethylene									
		10 - 10	ul/l	25	0 - 60		90 - 100		
				Average Recovery:			95	Std. Dev.: 3.4	
hexane									
	NONE	103 - 9.4	ppm	25	0 - 0	D	100 - 110		
				Average Recovery:			105	Std. Dev.: 5.0	
methane									
	NONE	15 - 8	ppm	25	0 - 2	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
propane									
	NONE	2.62 - 2.62	ppbv	25	7 - 7	D	105 - 105		
				Average Recovery:			105	Std. Dev.: 0.0	
styrene									
	NONE	1.8 - 4.1	ppb	25	4 - 12	D	95 - 100		
				Average Recovery:			98	Std. Dev.: 2.2	
toluene									
	NONE	0.46 - 80	ppm	25	0 - 30	D	79 - 220		
				Average Recovery:			113	Std. Dev.: 41.5	
1,3,5-trimethylbenzene									
	NONE	3.2 - 3.2	ppb	25	4 - 7	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
o-xylene									
	NONE	0.15 - 0.15	ppbv	25	7 - 30	D	60 - 153		
				Average Recovery:			107	Std. Dev.: 46.5	

COMPOUND CLASS: *Volatile Organics - Non-halogenated* MATRIX: *Air - Canister* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
m-xylene									
	NONE	3.8 - 3.8	ppb	25	4 - 7	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
p-xylene									
	NONE	1 - 3.8	ppb	25	4 - 12	D	80 - 100		
				Average Recovery:			93	Std. Dev.: 8.7	

Figure A-38 Analyte Recovery with no Preservation for Volatile Organics-Non-Halogenated in Air-Canister or Bag Matrix



Ref: ASC 8, 10, 27, 40, 65, 101

Matrix: Air - Canister Class: Volatile Organics - Non-Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
benzene		0.31 ppbv	25	7 D	116	FID detector	10
benzene		0.31 ppbv	25	30 D	197	FID detector	10
benzene		0.61 ppb	25	30 D	109		9
benzene		1 ppm	25	12 D	85		40
benzene		10100 ppm	25	12 D	80		40
benzene		2.4 ppm	25	12 D	95.7		40
benzene		2.7-9.8ppm	25	12 D	79		40
benzene		3 ppm	25	12 D	100		40
benzene		4.4-10.ppm	25	12 D	90		40
benzene		4.8 ppb	25	4 D	100		10
benzene		4.8 ppb	25	7 D	100		10
benzene		7.8 ppm	25	0 D	100	special sample bottle	27
benzene		85 ppm	25	0 D	100	special sample bottle	27
ethylbenzene		3.6 ppb	25	4 D	100		10
ethylbenzene		3.6 ppb	25	7 D	100		10
ethylene		10 ul/l	25	0	100	time in minutes, syringes	101
ethylene		10 ul/l	25	10	95	time in minutes, syringes	101
ethylene		10 ul/l	25	20	97	time in minutes, syringes	101
ethylene		10 ul/l	25	30	93	time in minutes, syringes	101
ethylene		10 ul/l	25	60	90	time in minutes, syringes	101
hexane		103 ppm	25	0 D	100	special sample bottle	27
hexane		9.4 ppm	25	0 D	110	special sample bottle	27
methane		15 mg/L	25	2 D	100	special bottle	65
methane		4 mg/L	25	2 D	100	special bottle	65
methane		72 ppm	25	0 D	100	special sample bottle	27
methane		8 ppm	25	0 D	100	special sample bottle	27
propane		2.62 ppbv	25	7 D	105	FID detector	10
styrene		1.8 ppm	25	12 D	95.4		40
styrene		4.1 ppb	25	4 D	100		10
styrene		4.1 ppb	25	7 D	100		10
toluene		0.46 ppbv	25	7 D	135	FID detector	10
toluene		0.46 ppbv	25	30 D	220	FID detector	10
toluene		1 ppm	25	12 D	85		40
toluene		1.01 ppb	25	30 D	120		8
toluene		10100 ppm	25	12 D	80		40
toluene		2.7-9.8ppm	25	12 D	79		40
toluene		3 ppm	25	12 D	100		40
toluene		6 ppm	25	0 D	100	special sample bottle	27
toluene		80 ppm	25	0 D	100	special sample bottle	27
1,3,5-trimethylbenzene		3.2 ppb	25	4 D	100		10
1,3,5-trimethylbenzene		3.2 ppb	25	7 D	100		10
o-xylene		0.15 ppbv	25	7 D	60	FID detector	10
o-xylene		0.15 ppbv	25	30 D	153	FID detector	10
m-xylene		3.8 ppb	25	4 D	100		10
m-xylene		3.8 ppb	25	7 D	100		10
p-xylene		1 ppm	25	12 D	85		40
p-xylene		10100 ppm	25	12 D	80		40
p-xylene		3 ppm	25	12 D	100		40
p-xylene		3.8 ppb	25	4 D	100		10

Matrix: Air - Canister Class: Volatile Organics - Non-Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
p-xylene		3.8 ppb	25	7 D	100		10

COMPOUND CLASS PROFILE

Volatile Organics - Non-halogenated

Air - Filter:

Existing Criteria:	None
Experimental Data:	One Study. No preservation. 15 to 61 ppm level. Storage at 20°C for 6 days.
Data Evaluation:	Data is insufficient for any analysis.
Data Deficiencies:	Only 2 data entries for styrene obtained. No data obtained for majority of compounds on list.
Storage Recommendations:	Tentative recommendation - store filters at -20°C under air-argon gas mixture. Samples are stable for at least 2 years or store sealed samples at 4°C for up to 6 days before analysis.

COMPOUND CLASS: *Volatile Organics - Non-halogensted* MATRIX: *Air - Filter* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
styrene									
	NONE	15 - 61	ppm	20	6 - 6	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Air - Filter Class: Volatile Organics - Non-Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
styrene		15 ppm	21	6 D	100		37
styrene		61 ppm	20	6 D	100		37

COMPOUND CLASS PROFILE

Volatile Organics - Non-halogenated

Air - Sorbent Trap:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained
Storage Recommendations:	Tentative recommendation - follow U.S. E.P.A. protocol of sampling with distributed air volume sets. Sample tubes are sealed; refrigerated; analysis to be completed between 7 and 30 days after sampling.

COMPOUND CLASS PROFILE

Volatile Organics - Non-halogenated

Drinking/Surface Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined septum; 0.008% $Na_2S_2O_3$; refrigerate; analyze within 14 days.
Experimental Data:	Two studies. One study involved the use of syringes and results are questionable. The second study involved the comparison of storage at different concentration levels and temperatures
Data Evaluation:	Comparison of data indicate that stability is about the same at 4°C and at 25°C. with no preservation.
Data Deficiencies:	No data obtained for majority of compounds on list. Insufficient data for statistical analysis. Data from different studies conflict.
Storage Recommendations:	Provisional recommendation - store samples at 4°C for up to 56 days with no preservation before analysis or follow U.S EPA protocols of collection in amber glass bottle with teflon lined septum; 0.008% $Na_2S_2O_3$; refrigerate; analyze within 14 days.

COMPOUND CLASS: *Volatile Organics - Non-halogenated* MATRIX: *Drinking/Surface Water* RUN DATE: *13-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
benzene									
	NONE	45 - 50 & 500	ug/L	4	1 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
ethylbenzene									
	NONE	50 & 5 - 50 & 500	ug/L	4	34 - 56	D	98 - 100		
				Average Recovery:			99	Std. Dev.: 0.9	
styrene									
	NONE	50 & 5 - 50 & 500	ug/L	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
toluene									
	NONE	36 - 50 & 500	ug/L	25	1 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
o-xylene									
	NONE	50 & 5 - 50 & 500	ug/L	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
m-xylene									
	NONE	26 - 26	MG/M3		1 - 9	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Water — Class: Volatile Organics - Non-Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
benzene		45 MG/M3		1 D	100		140
benzene		45 MG/M3		2 D	100	questionable results	140
benzene		45 MG/M3		3 D	100		140
benzene		45 MG/M3		9 D	100		140
benzene		50 & 500 ug/L	4	56 D	100		77
benzene		50 & 500 ug/L	4	56 D	100		77
ethylbenzene		50 & 500 ug/L	4	56 D	100		77
ethylbenzene		50 & 500 ug/L	4	56 D	100		77
ethylbenzene			4	34 D	98	org. free H2O, not bio. active	9
styrene		50 & 500 ug/L	4	56 D	100		77
styrene		50 & 500 ug/L	4	56 D	100		77
toluene		36 MG/M3		1 D	100		140
toluene		36 MG/M3		2 D	100	questionable results	140
toluene		36 MG/M3		3 D	100		140
toluene		36 MG/M3		9 D	100		140
toluene		50 & 500 ug/L	4	56 D	100		77
toluene		50 & 500 ug/L	4	56 D	100		77
o-xylene		50 & 500 ug/L	4	56 D	100		77
o-xylene		50 & 500 ug/L	4	56 D	100		77
m-xylene		26 MG/M3		1 D	100		140
m-xylene		26 MG/M3		2 D	100	questionable results	140
m-xylene		26 MG/M3		3 D	100		140
m-xylene		26 MG/M3		9 D	100		140

COMPOUND CLASS PROFILE

Volatile Organics - Non-halogenated

Sediment:

Existing Criteria:	None
Experimental Data:	One study. Comparison of recoveries at 4°C and 25°C at the 250-2500 ug/kg level with no preservation.
Data Evaluation:	Analysis of the data indicates that recoveries are equal at either temperature for at least 56 days.
Data Deficiencies:	Limited data obtained, no statistical analysis possible.
Storage Recommendations:	Tentative recommendation - store samples at 4°C with no preservation. Analysis to be completed within 56 days.

COMPOUND CLASS: *Volatile Organics - Non-halogenated* MATRIX: *Sediment* RUN DATE: *12-Oct-89*

COMPOUND	PRESERVATIVE	CONCENTRATION		T (C)	TIME		RECOVERY	COMMENT	REFERENCE
benzene		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
ethylbenzene		250 & - 250 & 2500	ug/kg	25	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
styrene		250 & - 250 & 2500	ug/kg	25	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
toluene		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	
o-xylene		250 & - 250 & 2500	ug/kg	4	56 - 56	D	100 - 100		
				Average Recovery:			100	Std. Dev.: 0.0	

Matrix: Sediment Class: Volatile Organics - Non-Halogenated

Compound	Preservative	Conc	Temp	Time	% REC	Comments	ASC
benzene		250 & 2500 ug/kg	25	56 D	100		77
benzene		250 & 2500 ug/kg	4	56 D	100		77
ethylbenzene		250 & 2500 ug/kg	4	56 D	100		77
ethylbenzene		250 & 2500 ug/kg	25	56 D	100		77
styrene		250 & 2500 ug/kg	4	56 D	100		77
styrene		250 & 2500 ug/kg	25	56 D	100		77
toluene		250 & 2500 ug/kg	25	56 D	100		77
toluene		250 & 2500 ug/kg	4	56 D	100		77
o-xylene		250 & 2500 ug/kg	25	56 D	100		77
o-xylene		250 & 2500 ug/kg	4	56 D	100		77

COMPOUND CLASS PROFILE

Volatile Organics - Non-halogenated

Waste Water:

Existing Criteria:	U.S. EPA Sampling Manual Collect in amber glass container with teflon lined septum; 0.008% $Na_2S_2O_3$; refrigerate; analyze within 14 days.
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained.
Storage Recommendations:	Tentative recommendation - follow U.S EPA protocols of collection in amber glass bottle with teflon lined septum; 0.008% $Na_2S_2O_3$; refrigerate; analyze within 14 days.

COMPOUND CLASS PROFILE

Volatile Organics - Sulphur Compounds

Air - Canister or Bag:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained.
Storage Recommendations:	Tentative recommendation - store SUMMA canisters or glass sample containers at 25°C for up to 12 days before analysis.

COMPOUND CLASS PROFILE

Volatile Organics - Sulphur Compounds

Air - Filter:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained.
Storage Recommendations:	Tentative recommendation - store filters at -20°C under air-argon gas mixture. Samples are stable for at least 2 years or store sealed samples at 4°C for up to 6 days before analysis.

COMPOUND CLASS PROFILE

Volatile Organics - Sulphur Compounds

Air - Sorbent Trap:

Existing Criteria:	None
Experimental Data:	None
Data Evaluation:	None
Data Deficiencies:	No data obtained.
Storage Recommendations:	Tentative recommendation - follow U.S. E.P.A. protocol of sampling with distributed air volume sets. Sample tubes are sealed; refrigerated; analysis to be completed between 7 and 30 days after sampling.

APPENDIX B -List of Contributors to the Study.

J. Bumgarner	U.S. Environmental Protection Agency
A.S.Y. Chau	Canadian Centre for Inland Waters
H.B. Lee	Canadian Centre for Inland Waters
L. Lieberstein	Wisconsin Fish and Wildlife
B. McClenny	U.S. Environmental Protection Agency
W. Scheider	MOE-Aquatic Biology Section, Water Resources Branch
R. Turle	Environment Canada, National Wildlife Research Centre
A. Vajdic	MOE-Drinking Water Section, Water Resources Branch

APPENDIX C - DBase IV Procedures, File Structures and Relationships Used in this Study and Key Words Used in the Literature Searches.

Structure for database: C:\52709\BIBLIOG.DBF
Number of data records: 193
Date of last update : 16/03/89

Field	Field Name	Type	Width	Dec	Index
1	ASCENSION	Numeric	4		N
2	DB	Character	5		N
3	ORDERED	Logical	1		N
4	RECEIVED	Logical	1		N
5	AN	Character	24		N
6	TI_1	Character	70		N
7	TI_2	Character	70		N
8	TI_3	Character	70		N
9	TI_4	Character	70		N
10	TI_5	Character	70		N
11	TI_6	Character	70		N
12	AU_1	Character	70		N
13	AU_2	Character	70		N
14	AU_3	Character	70		N
15	AU_4	Character	70		N
16	CS	Character	60		N
17	LO	Character	36		N
18	SO	Character	70		N
19	SC	Character	66		N
20	DT	Character	2		N
21	CO	Character	7		N
22	IS	Character	13		N
23	PY	Character	5		N
24	LA	Character	3		N
** Total **			998		

```
Structure for database: C:\52709\CLASSKEY.DBF
Number of data records:       13
Date of last update    : 20/06/88
Field  Field Name  Type       Width     Dec     Index
    1  CLASS       Character      2                 N
    2  CLASS_NAME  Character     50                 N
** Total **                     53
```

Structure for database: C:\52709\CPD_DET.DBF
Number of data records: 2529
Date of last update : 15/03/89

Field	Field Name	Type	Width	Dec	Index
1	ASCENSION	Numeric	4		N
2	MATRIX	Character	5		N
3	PRESERV	Character	12		N
4	CAS_NO	Character	10		N
5	CONC	Character	12		N
6	UNITS	Character	5		N
7	TEMPERATUR	Character	4		N
8	TIME	Numeric	7	2	N
9	TIME_UNIT	Character	1		N
10	RECOVERY	Numeric	7	2	N
11	COMMENT	Character	30		N
** Total **			98		

Structure for database: C:\52709\CPD_LIST.DBF
Number of data records: 346
Date of last update : 24/01/89

Field	Field Name	Type	Width	Dec	Index
1	ALPHA_SORT	Character	28		N
2	NAME	Character	50		N
3	CAS_NO	Character	9		N
4	EMPPL	Character	9		N
5	STORE_LIST	Logical	1		N
6	CLASS	Character	2		N
7	DW	Logical	1		N
8	WW	Logical	1		N
9	AIR	Logical	1		N
10	SED	Logical	1		N
11	BIOTA	Logical	1		N
12	VEG	Logical	1		N
** Total **			106		

```
Structure for database: C:\52709\MATRIXKE.DBF
Number of data records:        8
Date of last update    : 17/01/89
Field  Field Name  Type       Width    Dec    Index
    1  MATRIX      Character      5             N
    2  NAME        Character     30             N
** Total **                     36
```

```
* Program.: CPD_DET.PRG
* Author..: W.M.Neaves
* Date....: 17 Jan 1989
* Notes...: Look up article from BIBLIOG and enter details
Procedure get_data
* Close all open files
CLEAR ALL

* Set working environment
SET TALK OFF
SET ESCAPE OFF
SET BELL OFF
SET HELP OFF
SET STATUS OFF
SET SCOREBOARD OFF
* initialize new variables
today=DATE()
m_look = "     "
PUBLIC m_ascen
* Open the database
select 1
use bibliog index ascensio
DO WHILE .T.
* DO WHILE .T. means DO WHILE TRUE  i.e. DO FOREVER
* The DO WHILE will be terminated by a RETURN command

   * Clear the screen and display the prompt
   CLEAR
   @ 2, 5 SAY "Enter the Ascension Number "
   @ 2,33 get m_look
   read
   m_ascen = val( m_look)
   select bibliog
   seek m_ascen
   if found()
      @ 4,2 say an
      @ 5,2 say left( ti_1,70)
      @ 6,2 say left( ti_2,70)
      @ 7,2 say left( ti_3,70)
      @ 8,2 say left( au_1,70)
      @ 9,2 say left( au_2,70)
      @10,2 say left( au_3,70)
      @11,2 say ( trim( so) + " ("+ trim( py)+ ")")
      @17,2 say "Is this correct (Y/N)? "

        do while .T.      && Evaluate the response
         i=chr( INKEY())
         DO CASE
            case i $ "Yy"
                 @ 17,26 SAY "Yes"  && Got a match
                 DO GET_DET         && so get the data
                 EXIT
            CASE i $ "Nn"
```

```
                @ 17,26 SAY "No"
                exit
          endcase
        enddo
    else
        @ 15,2 SAY "Can't find the article..."
    endif
  @ 20, 2
  @ 20, 2 SAY "Do another article (Y/N)? "
  DO While .T.
       i = chr( inkey())
       DO CASE
         CASE i $ "Yy"
               @ 20, 26 SAY "Yes"
               EXIT
         CASE i $ "Nn"
               @ 20,26 SAY "No"

        * clear variables and return to calling program or dbase system
               clear all
               SET TALK ON
               SET ESCAPE ON
               SET BELL ON
               SET HELP ON
               SET STATUS ON
               SET SCOREBOARD ON
               RETURN
       ENDCASE
  ENDDO
ENDDO
* Eof: CPD_DET.PRG
procedure get_det
* Program.: GET_DET.PRG
* Author..: W.M.Neaves
* Date....: 17 Jan 1989
* Notes...: Look up article from BIBLIOG and enter details


* initialize new variables
today=DATE()
m_look = "     "

* Open the databases
select 2
use cpd_list

* Now initialize the memory variables for data input
  m_matrix = space(5)
  m_unit = space(5)
  m_temp = space(4)
  m_tunit = space(1)
  m_pres = space(12)
  m_comm = space(30)
```

```
DO WHILE .T.                && loop terminates with a RETURN

        * find the compound
        select 2
        c_found = .F.
        do look_up                  && find the compound in the list
        if c_found                 && Found it, so...
         do cpd_mask                  && set up the screen for entry
         do cpd_get                 && get detail information and append
                                    && to the CPD_DET database
        endif
        * Now find out if the user is finished
        @ 20,  2
        @ 20,  2 SAY "Enter another compound (Y/N)? "
        DO WHILE .T.
                i = chr( inkey())
                do case
                  CASE i $ "Yy"
                    @ 20,35 SAY "Yes"
                    Exit

                  case i $ "Nn"
                    @ 20,35 SAY "No"
                    Return

                endcase
        ENDDO
ENDDO
* GEt the data from the user
* Eof: CPD_DET.PRG
procedure cpd_get
* Program cpd_get - Add detail information for each compound
* Called from cpd_det
* Screen set up is done by CPD_MASK.PRG
* Uses a wrap-around read loop

* Initialize some variables
  m_conc = space(12)
  m_time = space(7)
* First set up a loop to keep cycling until the user is done
more = .T.
DO WHILE more
  m_recov = space(8)
* Set up the wrap-around read
  AGAIN = .T.

  DO WHILE AGAIN
    @  4, 33  GET m_matrix function "!"
    @  4, 56  GET m_pres function "!"
    @ 10, 11  GET m_conc
    @ 10, 30  GET m_unit
    @ 10, 54  GET m_temp
    @ 12, 18  GET m_time picture "#######"
```

```
    @ 12, 45  GET m_tunit function "!"
    @ 14, 15  GET m_recov picture "#######"
    @ 14, 35  GET m_comm
  READ
* Clear the message line
    @ 20, 2
* Evaluate how the read ended
    DO CASE
      CASE  READKEY() = 12  && <ESC> was pressed
        EXIT
      CASE READKEY() = 270  && <CTRL>-END was pressed
        AGAIN = .F.
        EXIT
    ENDCASE
  ENDDO
* IF THE READ ENDED WITH <CTRL>-END ADD TO THE DATABASE
IF .NOT. AGAIN
   m_recov = val( m_recov)
   select 3
   use cpd_det
   APPEND BLANK
   REPLACE CPD_DET->ascension with m_ascen
   REPLACE CPD_DET->matrix with m_matrix
   REPLACE CPD_DET->preserv with m_pres
   REPLACE CPD_DET->cas_no with CPD_LIST->cas_no
   REPLACE CPD_DET->conc with m_conc
   REPLACE CPD_DET->UNITS with m_unit
   REPLACE CPD_DET->temperatur with m_temp
   REPLACE CPD_DET->time with val(m_time)
   REPLACE CPD_DET->time_unit with m_tunit
   REPLACE CPD_DET->recovery with m_recov
   REPLACE CPD_DET->comment with m_comm
   use
   select 2
  ENDIF
  @ 20, 2
  @ 20, 2 SAY "More data for this compound (Y/N)? "
  DO WHILE .T.
   i = chr( inkey())
   DO CASE
      CASE i $ "Yy"
        @ 20, 37 SAY "Yes"
        exit
      CASE i $ "Nn"
        @ 20, 36 SAY "No"
        more = .F.
        exit
    ENDCASE
  ENDDO
ENDDO
*EOF - Program GET_CPD.PRG
procedure cpd_mask
* Program: CPD_MASK
```

```
*  Author: W.M.Neaves
* Revised: 20 Jan 89
* COMMENT: Sets up entry screen for detailed information entry
clear     && clear the screen
@  0,  0 TO 17,69 Double
@  3,  1 to  3,68
@  9,  1 to  9,68
@  1,  5  SAY "Project 52709: MOE Organic Compound Stability Survey"
@  2, 20  SAY "Compound Detail Information Entry"
@  4,  5  SAY "Reference No:"
@  4, 19  SAY  STR( m_ASCEN, 4)
@  4, 26  SAY "Matrix:"
@  4, 42  SAY "Preservative:"
@  5,  5  SAY "( Matrix Choices: DW,WW,AIR-C,AIR-F,AIR-S,SED,BIO,VEG)"
@  7,  5  SAY "Name:"
@  7, 11  SAY CPD_LIST->name
@  8,  5  SAY "CAS Registry No:"
@  8, 22  SAY CPD_LIST->CAS_NO
@  8, 31  SAY "Compound Class: "
@  8, 47  SAY CPD_LIST->CLASS
@ 10,  5  SAY "Conc:              Units:"
@ 10, 41  SAY "Temperature:"
@ 12,  5  SAY "Time Stored:"
@ 12, 28  SAY "Units (Y/M/W/D):"
@ 14,  5  SAY "Recovery:"
@ 14, 25  SAY "Comment:"
@ 16, 12  SAY "Press <CTRL>-END to Accept, <ESC> to Cancel"
*EOF - Progran CPD_MASK.PRG
```

```
* Program.: GET_DET.PRG
* Author..: W.M.Neaves
* Date....: 17 Jan 1989
* Notes...: Look up article from BIBLIOG and enter details


* initialize new variables
today=DATE()
m_look = "     "

* Open the databases
select 2
use cpd_list

* Now initialize the memory variables for data input
  m_matrix = space(5)
  m_unit = space(5)
  m_temp = space(4)
  m_tunit = space(1)
  m_pres = space(12)
  m_comm = space(30)
DO WHILE .T.                && loop terminates with a RETURN

        * find the compound
        select 2
        c_found = .F.
        do look_up                && find the compound in the list
        if c_found              && Found it, so...
         do cpd_mask               && set up the screen for entry
         do cpd_get             && get detail information and append
                                && to the CPD_DET database
        endif
        * Now find out if the user is finished
        @ 20,  2
        @ 20,  2 SAY "Enter another compound (Y/N)? "
        DO WHILE .T.
                i = chr( inkey())
                do case
                  CASE i $ "Yy"
                    @ 20,35 SAY "Yes"
                    Exit

                  case i $ "Nn"
                    @ 20,35 SAY "No"
                    Return

                endcase
        ENDDO
ENDDO
* GEt the data from the user
* Eof: CPD_DET.PRG
```

```
* Program LOOK_UP
* Looks-up compound information from a name fragment.
* Uses cpd_list database
* W.M.Neaves  March 21, 1988
*
*
m_name = space(30)
m_rec = 1
max_rec = reccount()
c_found = .F.
@ 20, 2
@ 20, 2 Say "Enter Compound Name: "
@ 20,25 GET m_name
READ
select cpd_list
clear
locate for (UPPER( LTRIM( TRIM( m_name))) $ UPPER( name))
if found()
  display name for (UPPER( ltrim( trim( m_name))) $ UPPER( name))
  @ 22,55 SAY "Select Record: "
  @ 22,69 GET m_rec range 1, max_rec
  READ
  go m_rec
  c_found = .T.
  return
else
  msg = "Can't find compound named " + m_name
  @ 15, 2 SAY msg
  return
endif
* EOF: Program Look_up
```

Key words used in Literature Searches

Acids
Air
Analysis
Analytical
Base Neutral
Biota
Carbamate
Dioxins
Fatty
Herbicides
Methods
Monitoring
Organics
Organochlorine
Organophosphorus
Pesticides
Phenoxy
Polyaromatic Hydrocarbons
Preservation
Quality
Resin acids
Sample
Sampling
Sediment
Soil
Stability
Storage
Techniques
Triazine
Vegetation
Volatile
Wastewater
Water

APPENDIX D - Bibliography in Alphabetical Order by Authors.

Database: CAS Reference No.: CA104(20):173478f
Charcoal air sampling tube storage stability and desorption efficiencies of 1,2-dibromo-3-chloropropane (DBCP) and 1,3-dichloropropene (DCP)
Albrecht, William N.; Hagadone, Mark R.; Chenchin, Karen
Bull. Environ. Contam. Toxicol., 36(4), 629-34
1986 Language: Eng Ascension: 11

Database: CAS Reference No.: CA91(19):152099f
Problems in analytic methodology: sample handling, extraction, and cleanup.
Albro, P. W.
Ann. N. Y. Acad. Sci., 320, 19-27
1979 Language: Eng Ascension: 127

Database: CAS Reference No.: CA97(20):168035s
A study on the preservability of PAH in the airborne particles sampled on filters
Ambe, Yoshinari; Yasuhara, Akio; Yokouchi, Yoko; Morita, Masatoshi
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 36, 137-41
1982 Language: Jap Ascension: 33

Database: CAS Reference No.: CA93(15):144691u
Ways for preserving biological samples contaminated with organochlorine pesticides
Anpalov, V. A.
Sib. Vestn. S-kh. Nauki, 10(2), 93-4
1980 Language: Rus Ascension: 47

Database: CRC-2 Reference No.:
Organophosphorous pesticides-A gas chromatographic screening technique based on detection of methylated hydrolysis products.
Askew, J.; Ruzicka, J. H. A.; Wheals, B. B.
J. Chromatogr., 41, 180, 1969.
1969 Language: Eng Ascension: 156

Database: CAS Reference No.: CA104(5):30259z
Effect of time and conditions of storing soil samples on detection in them of pesticides
Babkina, E. I.; Trublaevich, Zh. N.
USSR
Tr. Inst. Eksp. Meteorol., Ser. "Zagryaz. Prir. Sred", 13, 35-41
1985 Language: Rus Ascension: 14

Database: CAS Reference No.: CA66(21):94256a
Detection of phthalate esters as contaminants of lipid extracts from soil samples stored in standard soil bags
Bauman, Albert J.; Cameron, Ray E.
Lipids, 2(1), 85-6
1967 Language: Eng Ascension: 67

Database: Reference No.:
Analysis of Waste Waters for PAH II: Errors, Sampling and Storage.
Bedding, N.D.; McIntyre, A.E.; Lester, J.N.; and Perry R.
J. of Chromat. Sci., Vol 26, p606
1988 Language: eng Ascension: 231

Database: CRC-2 Reference No.:
The use of polyurethane foam plugs for extraction of polychlorinated biphenyl (PCB's) from natural waters.
Bedford, J. W.
Bull. Envrion. Cont. Toxicol., 12, 622, 1974.
1974 Language: Eng Ascension: 182

Database: Reference No.:
Analysis of Explosives in Water by Capillary Gas Chromatography
Belkin, Frederick; Bishop, Richard W.; Sheely, Michael V.
J. Chromato. Sci., vol 24, p532
1985 Language: Eng Ascension: 234

Database: CAS Reference No.: CA94(26):213432v
Evaluation of an evacuated glass sampler for the analysis of volatile organic compounds in ambient air
Berg, Sven; Jacobsson, Sven; Nilsson, Bertil
J. Chromatogr. Sci., 18(4), 171-9
1980 Language: Eng Ascension: 40

Database: CRC-2 Reference No.:
The use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water-a preservation technique.
Berkane, K.; Caisse, G. E.; Mallet, V. N.
J. Chromatogr., 139, 386, 1977.
1977 Language: Eng Ascension: 180

Database: CRC-2 Reference No.:
High-volume collection of atmospheric polychlorinated biphenyls.
Bidleman, T. F.; Olney, C. E.
Bull. Environ. Cont. Toxicol., 11, 442, 1974.
1974 Language: Eng Ascension: 181

Database: Reference No.:
Use of Hexane for the Quantitative Recovery of Organophosphorus Pesticides from Aqueois Solution. A Field Method and a Preservation Technique.
Blanchet, P.F.
J. of Chromat. Sci., vol 179, p123-129
1979 Language: Eng Ascension: 247

Database: BIO Reference No.: 0017555417
Changes in oxygen carbon dioxide and ethylene mixtures stored in plastic or glass Syringes.
Blankenship, S. M.; Hammett, L. K.
Hortscience 22(2). 1987. p 278-280.
1987 Language: Eng Ascension: 101

Database: CRC-2 Reference No.:
Preservation of organophosphorus pesticides in water samples.
Bourne, S.
J. Environ. Sci. Health, B13, 75, 1978.
1978 Language: Eng Ascension: 168

Database: COMP Reference No.: 01068317
Priority pollutants sample collection and handling.
Brantner, K. A.; Pojasek, R. B.; Stover, E. L.
Pollution Engineering, Vol. 13, No. 3(March), 1981, p. 34-38.
1981 Language: Eng Ascension: 111

Database: CRC-2 Reference No.:
Methods for Collection and Analysis of Water Samples for Dissolved Minerals and Gases.
Brown, E.; Skougstad, M. W.; Fishman, M. J.
Tech. Water-Resour. Invest., K 5, 1970, 160.
1970 Language: Eng Ascension: 162

Database: COM Reference No.: 01483111
Gas Chromatography accessory for handling samples.
Bryant, R. M.; Long, D. C.
IBM Technical Disclosure Bulletin, Vol. 25, No. 11B, April, 1983
1983 Language: Eng Ascension: 114

Database: Reference No.: 0530047
Improvements in sampling, storing and analysis of soil and air for gas-chromatography.
Bunting, B. T.;Campbell, J. A.
Canadian Journal of Soil Science, Vol. 55, No. 1, pp 69-71, 1975.
1975 Language: Eng Ascension: 139

Database: CRC-2 Reference No.:
Identification and estimation of neutral organic contaminants in potable water.
Burnham, A. K.; Calder, G. V.; Fritz, J. S.; Junk, B. A.; Svec, H. J.; Willis, R.
Anal. Chem., 44, 139, 1972.
1972 Language: Eng Ascension: 185

Database: CRC-2 Reference No.:
Analytical considerations in determining residue of organochlorine insecticides in environmental samples.
Caro, J. H.
Breach Science Publishers, New York, 1971, 457.
1971 Language: Eng Ascension: 161

Database: CAS Reference No.: CA96(2):11335w
Storage and filtration of water samples.
Casey, H.; Walker, S. M.
Int. Environ. Saf., (Oct.),16-17.
1981 Language: Eng Ascension: 123

Database: CRC-2 Reference No.:
Investigations of the integrity of seven herbicidal acids in water samples.
Chau, A. S. Y.; Thomson, K.
J. Assoc. Off Anal. Chem., 61, 1481, 1978.
1978 Language: Eng Ascension: 202

Database: Reference No.:
CRC Handbook of Analysis of Pesticides in Water Volume 2
Chau, A.S.Y.; Afghan, B.K.
1977 Language: ENG Ascension: 228

Database: Reference No.:
CRC Handbook of Analysis of Pesticides in Water Volume 1
Chau, A.S.Y.; Afghan, B.K.
1977 Language: ENG Ascension: 227

Database: Reference No.:
CRC Handbook of Analysis of Pesticides in Water Volume 3
Chau, A.S.Y; Afghan, B.K.
1977 Language: ENG Ascension: 229

Database: CAS Reference No.: CA99(22):181189f
Preservation and treatment of water samples for benzo[a]pyrene determination
Chen, Xiulan; Zhu, Zeyu
Huanjing Baohu (Beijing), (8), 30
1983 Language: Ch Ascension: 23

Database: CRC-2 Reference No.:
Extraction and analytical techniques for pesticides in soil, sediment and water.
Chesters, G.; Pionke, H. B.; Daniel, T. C.
Pesticides in Soil and Water, Guenzi, W. D.; Ed, 1974, chap 16
1974 Language: Eng Ascension: 165

Database: CAS Reference No.: CA106(6):43212v
The investigation of different environmental samples for polychlorinated dibenzodioxins and dibenzofurans
Christmann, W.; Rotard, W.; Schinz, V.; Bode, H.
Chemosphere, 15(9-12), 2077-80
1986 Language: Eng Ascension: 6

Database: CAS Reference No.: CA93(6):52735h
Sample composition changes in sampling and analysis of organic compounds in aerosols
Clement, R. E.; Karasek, F. W.
Int. J. Environ. Anal. Chem., 7(2), 109-20
1979 Language: Eng Ascension: 48

Database: CRC-2 Reference No.:
Confirmation of pesticide residue identity. VIII. Organophophorous pesticides.
Cobourn, J. A.; Chau, A. S. Y.
J. Assoc. Off. Anal. Chem., 57, 1272, 1974.
1974 Language: Eng Ascension: 158

Database: CRC-2 Reference No.:
Evaluation of XAD-2 for multi-residue extraction of organochlorine pesticides and polychlorinated biphenyls from natural water.
Cobourn, J. A.; Valdmanis, I. A.; Chau, A. S. Y.
J. Assoc. Off. Anal. Chem., 60, 224, 1977.
1977 Language: Eng Ascension: 172

Database: CAS Reference No.: CA91(15):122263n
Studies on the determination of 2,4-dichlorophenoxyacetic acid and 2,4-dichlorophenol residues in plant tissues
Cook, L. W.; Bristol, D. W.; Zach, F. W.; Fleeker, J. R.
Proc. N. D. Acad. Sci., 33, 26
1979 Language: Eng Ascension: 51

Database: CAS Reference No.: CA108(17):145280z
Herbicide Orange site characterization study
Crockett, A. B.; Propp, A.; Kimes, T.
Report, AFESC/ESL-TR-86-21; Order No. AD-A181353, 257 pp. Avail.
1987 Language: Eng Ascension: 1

Database: CRC-2 Reference No.:
Analysis of phosphorus monitoring hydrolytic products of organophosphorus insecticides in water.
Daughton, C. G.; Crosby, D. G.; Garnos, R. L.; Hsieh, D. P. H.
J. Agric. Food Chem., 24, 236, 1976.
1976 Language: Eng Ascension: 188

Database: CAS Reference No.: CA106(22):181749b
Effects of ozone on the collection of selected PAHs [polynuclear aromatic hydrocarbons] in airborne particulate matter
Davis, C. S.; Caton, R. B.; Guerin, S. G.; Tam, W. C.
Polynucl. Aromat. Hydrocarbons, [Pap. Int. Symp.], 8th, Meeting Date
1985 Language: Eng Ascension: 5

Database: CAS Reference No.: CA89(6):52910d
Detection and identification of contaminants from foil-lined screw-cap sample vials
Denney, D. W.; Karasek, F. W.; Bowers, W. D.
J. Chromatogr., 151(1), 75-80
1978 Language: Eng Ascension: 55

Database: CAS Reference No.: CA88(14):94118m
Hydrocarbon and halocarbon measurements: sampling and analysis procedures
Denyszyn, R. B.; Hackworth, L. T.; Grohse, P. M.; Wagoner, D. E.
U. S. Environ. Prot. Agency, Off. Res. Dev., [Rep.] EPA, Volume Date
1977 Language: Eng Ascension: 56

Database: CAS Reference No.: CA108(12):100935a
Recommendations concerning materials and pumping systems used in the sampling of groundwater contaminated with volatile organics
Devlin, J. F.
Water Pollut. Res. J. Can., 22(1), 65-72
1987 Language: Eng Ascension: 2

Database: Reference No.:
Survey of Trace Elements and Pesticide Residues in the New Zealand Diet. 2 - Organochlorine and Organophosphorus Pesticide Residue Content.
Dick, G.L.; Heenan, M.P.; Love, J.L.; Udy, P.B.; and Davidson, Flora
N.Z. Journal of Science, vol 21, p71
1978 Language: Eng Ascension: 313

Database: Reference No.: 73-03716 73-5TA-00
Storing of air samples for the analysis of contaminats, especially of chlorinated hydrocarbons.
Drasche, H.
Staub, Reinhaltung der Luft. Duesseldorf, 32(9): 20-25, Sept, 1972.
1972 Language: Ger Ascension: 138

Database: WTRRE Reference No.: 574249 W86-03997
Field sampling and preparation of subsamples of Aquatic Organisms for analyses of Metals and Organochlorines.
Manual of Methods in Aquatic Environment Research, Part 9: Analyses of Metals and Organochlorines in Fish
Dybern, B. I.
1983. pp 1-13
1983 Language: Eng Ascension: 84

Database: Reference No.:
Removal of Wood-Derived Toxics From Pulping and Bleaching Wastes
Easty, Dwight B.; Borchardt, LeRoy G.; Wabers, Bette A.
EPA-600/2-78-031 February 1978
1978 Language: Eng Ascension: 230

Database: CAS Reference No.: CA98(16):131460w
Sampling variability and storage stability of volatile organic contaminants
Eaton, Harold G.; Williams, Frederick W.; Smith, Dennis E.
J. Chromatogr. Sci., 21(2), 77-84
1983 Language: Eng Ascension: 27

Database: Reference No.:
Storage Stability of Pesticide Residues.
Egli, Hans
J. Agric. Food Chem., vol 30, p861-866
1982 Language: Eng Ascension: 237

Database: CRC-3 Reference No.:
Removal of DDT, malathion, and carbaryl from green beans by commercial and home preparative procedures.
Elkins, E. R.; Lamb, F. C.; Farrow, R. P.; Cook, R. W.; Kawai, M.; Kimball, J. R.
J. Agric. Food Chem., 16, 962, 1968.
1968 Language: Eng Ascension: 212

Database: BIO Reference No.: 0018216818
Storage of breath samples for H-2 analyses.
Ellis, C. J.; Kneip, J. M.; Levitt, M. D.
Gastroenterology 94(3). 1988. p 822-824.
1988 Language: Eng Ascension: 99

Database: CRC-2 Reference No.:
Organonphosphorous Pesticides: Organic and Biological Chemistry
Eto, M.
CRC Press, Boca Raton, FLA., 1974
1974 Language: Eng Ascension: 155

Database: CAS Reference No.: CA105(21):185729x
Picloram stability in a sample of forest soil during handling and storage
Evans, Christine E.; Norris, Logan A.
Bull. Environ. Contam. Toxicol., 37(4), 496-500
1986 Language: Eng Ascension: 7

Database: CAS Reference No.: CA95(6):48087x
Field study of styrene decay on charcoal
Evans, Peter R.; Horstman, Sanford W.
Am. Ind. Hyg. Assoc. J., 42(5), 403-4
1981 Language: Eng Ascension: 37

Database: CRC-3 Reference No.:
Removal of DDT, malathion, and carbaryl from tomatoes by commercial and home preparative methods.
Farrow, R. P.; Lamb, F. C.; Cook, R. W., Kimball, J. R.; Elkins, E. R.
J. Agric. Food Chem., 16, 65, 1968.
1968 Language: Eng Ascension: 211

Database: CRC-2 Reference No.:
Recovery, separation and identification of organic pesticides from natural and potable water.
Faust, S. D.; Suffect, I. H.
Residue Rev., 15, 44, 1966.
1966 Language: Eng Ascension: 153

Database: CAS Reference No.: CA101(6):42692m
The recovery of ketones from gas-sampling charcoal tubes
Folke, Jens; Johansen, Inger; Cohr, Karl Heinz
Am. Ind. Hyg. Assoc. J., 45(4), 231-5
1984 Language: Eng Ascension: 19

Database: CRC-2 Reference No.:
Sampling and analysis of pesticides in the environment.
Ford, J. H.; McDaniel, C. A.; White, F. C.; Vest, R. E.; Roberts, R. E.
J. Chromatogr. Sci., 13, 291, 1975.
1975 Language: Eng Ascension: 164

Database: CAS Reference No.: CA102(10):89366u
New sample handling strategies in HPLC
Frei, R. W.
Swiss Chem, 6(11), 55-8, 60-2, 64
1984 Language: Eng Ascension: 17

Database: CAS Reference No.: CA95(20):180297v
Solid-surface sample handling techniques in organic trace analysis.
Frei, R. W.; Brinkman, U. A. T.
TrAC, Trends Anal. Chem. (Pers. Ed.),1(2), 45-51
1981 Language: Eng Ascension: 124

Database: CAS Reference No.: CA105(12):107644b
Handling of environmental and biological samples via precolumn technologies.
Frei, R. W.; Nielen, M. W. F.; Brinkman, U. A. T.
Int. J. Environ. Anal. Chem., 25(1-3), 3-35.
1986 Language: Eng Ascension: 119

Database: CAS eference No.: CA105(6):48669p
Recovery of several volatile organic ompounds from simulated water samples: effect of transport and storage
Friedman, Linda C.; Schroder, LeRoy J.; Brooks, Michael G.
Environ. Sci. Technol., 20(8), 826-9
1986 Language: Eng Ascension: 9

Database: Reference No.:
Changes in the Residues of Chlorinated Pesticides in Long Stored Tinned Food.
Garcar, J.; Hrusovsky, J; and Smirjak, M.
Veternarian Med. (Praha), vol 32, p547-555
1987 Language: Cze Ascension: 307

Database: WTRRE Reference No.: 171505 W85-00701
Sampling for organic contaminants in groundwater.
Gibb, J. P.; Barcelona, M. J.
Journal of the american Water Works Association, Vol. 76, No. 5,
1984 Language: Eng Ascension: 86

Database: CAS Reference No.: CA93(26):245117s
Monitoring well sampling and preservation techniques
Gibb, James P.; Schuller, Rudolph M.; Griffin, Robert A.
U. S. Environ. Prot. Agency, Off. Res. Dev., [Rep.] EPA,
1980 Language: Eng Ascension: 46

Database: CAS Reference No.: CA93(5):38539r
Specimen bank research at the National Bureau of Standards to insure proper scientific protocols for the sampling, storage and analysis of environmental materials.
Gills, T. E.; Rood, H. L.
Monit. Environ. Mater. Specimen Banking, Proc. Int. Workshop, Meeting
1979 Language: Eng Ascension: 126

Database: Reference No.:
Residues in Water. Distribution of Pesticides and Polychlorinated Biphenyls in Water, Sediments, and Seston of the Upper Great Lakes - 1974.
Glooschenko, W.A.; Strachan, W.M.J.; and Sampson, R.C.J.
Pesticides Monitoring Journal, vol 10, p61.
1976 Language: ENg Ascension: 258

Database: CAS Reference No.: CA88(5):32992h
Soil-persistency test of pesticides. III. Variation of concentrations of pesticide residues in field soil
Goto, Shinko
Nippon Noyaku Gakkaishi, 2(3), 319-21
1977 Language: Jap Ascension: 57

Database: CRC-2 Reference No.:
The extraction and recovery of phthalate esters from water using polyurethane plugs.
Gough, K. M.; Gesser, H. D.
J. Chromatogr., 115, 383, 1975.
1975 Language: Eng Ascension: 186

Database: CAS Reference No.: CA94(8):51957r
Simplified sample handling procedure for monitoring industrial isocyanates in air
Graham, Jeffrey D.
J. Chromatogr. Sci., 18(8), 384-7
1980 Language: Eng Ascension: 45

Database: Reference No.:
Stability of Hydrocarbon Samples on Solid-Phase Extraction Columns
Green, David R.; Le Pape, Donna
Anal. Chem. 1987,59,699-703
1987 Language: Eng Ascension: 219

Database: Reference No.:
Stability of Hydrocarbon Sampleson Solid Phase Extraction Columns.
Green, David R.; and LePape Donna
Anal. Chem. vol 59 p699
1987 Language: Eng Ascension: 233

Database: CAS Reference No.: CA94(17):138349t
Persistence and uptake of carbofuran in a humic mesisol and the effects of drying and storing soil samples on residue levels
Greenhalgh, Roy; Belanger, Andre
J. Agric. Food Chem., 29(2), 231-5
1981 Language: Eng Ascension: 42

Database: CAS Reference No.: CA77(5):30119c
Collection and preservation of open ocean marine organisms for pollutant analysis
Grice, George D.; Harvey, George R.; Bowen, Vaughan T.; Backus, Richard H.
Bull. Environ. Contam. Toxicol., 7(2/3), 125-32
1972 Language: Eng Ascension: 64

Database: CAS Reference No.: CA102(14):119235v
Analysis of hydrocarbons in aquatic sediments. I. Sample handling and extraction
Grimalt, J.; Marfil, C.; Albaiges, J.
Int. J. Environ. Anal. Chem., 18(3), 183-94
1984 Language: Eng Ascension: 16

Database: CRC-3 Reference No.:
Residues of Sevin on and in lemons and oranges.
Gunther, F. A.; Blinn, R. C.; Carman, G. E.
J. Agric. Food Chem., 10, 222, 1962.
1962 Language: Eng Ascension: 204

Database: CRC-2 Reference No.:
Progress Report on the fate of Fenitrothion in Natural Water samples.
Guy, Z. J.; Mallet, V.
1976 Language: Eng Ascension: 170

Database: NTIS Reference No.: 741179 ANL/EES-TM-
Sampling and sample handling procedures for Priority Pollutants in surface coal mining wastewaters.
Hayden, R. S.; Johnson, D. O.; Henricks, J. D.
Contract Number: W-31-109-ENG-38
1979 Language: Eng Ascension: 70

Database: Reference No.:
Accuracy of Pesticide Reference Standard Solutions. Part II - Chemical Stability Under Four Storage Conditions.
Hodgson, David W.; Thompson, John F.; and Watts, Randall R.
J. Assoc. Off. Anal. Chem., vol 65, p94
1982 Language: Eng Ascension: 235

Database: Reference No.:
A Radiochemical and Gas-Chromatographic Study of the Determination of Dichlorvos Residues in Stored Grain.
Hoodless, Richard A.; Jackson, Frank J.; Tarrant, Kenneth R; and Griffiths, Brenda E.
Pesticide Sci., vol 5, p555-559
1974 Language: End Ascension: 315

Database: WTRRE Reference No.: 577426 W87-00899
Sampling and analysis of subsurface water.
Hull, R. W.; Kharaka, Y. K.; Maest, A. S.; Fries, T. L.
First Canadian/American Conference on Hydrogeology. June 22-26, 1984,
1985 Language: Eng Ascension: 83

Database: CRC-2 Reference No.:
Water Sampling Techniques.
International Organization for Standardization
ISO/TC 147 on water quality, DP 5668, October 1974.
1974 Language: Eng Ascension: 160

Database: Reference No.:
Chlorpyrifos Applied to California Citrus: Residue Levels on Foliage and on and in Fruit.
Iwata, Yutaka; O'Neal, Janet R.; Barkley, James h.; Dinoff, Travis M.; and Dusch, Margarete E.
J. Agric. Food Chem., vol 31, p603
1983 Language: Eng Ascension: 316

Database: ENV Reference No.: 1012161
Studying dried, stored soil samples--some pitfalls.
James, B.; Bartlett, R.
Soil Science Society of America Journal, 1980, Vol. 44, No. 4,
1980 Language: Eng Ascension: 107

Database: CAS Reference No.: CA99(6):47093s
Enhancement of performance of analytical laboratories. A theoretical approach to analytical planning
Janse, T. A. H. M.; Kateman, G.
Anal. Chim. Acta, 150(1), 219-31
1983 Language: Eng Ascension: 26

Database: WTRRE Reference No.: 586639 W88-00018
Design of a ground-water sampler for collecting Volatile organics and dissolved gases in small-diameter wells.
Johnson, R. L.; Pankow, J. F.; Cherry, J. A.
Ground Water GRWAAP, Vol. 25, No. 4, p 448-454, July-August 1987.
1987 Language: Eng Ascension: 80

Database: CRC-2 Reference No.:
Use of macroreticular resins in the analysis of water for trace organic contaminants.
Junk, G. A.; Richard, J. J.; Grieser, M. D.; Witiak, J. L.; Arguello, M. D.; Vick, R.; Svec, H. J.; Fritz, J. S.; Calder, G. V.
J. Chromatogr., 99, 745, 1974.
1974 Language: Eng Ascension: 173

Database: CAS Reference No.: CA99(16):128029c
Studies on the preservation of water and wastewater samples. 1. Preservation of phenol content in water and wastewater samples
Kawanishi, Shigeru; Hirano, Shosaku; Tanaka, Hidetsugu
Osaka-furitsu Koshu Eisei Kenkyusho Kenkyu Hokoku, Koshu Eisei Hen,
1982 Language: Jap Ascension: 25

Database: CRC-2 Reference No.:
Pesticide stability in cold-stored plant parts, soil and dairy products, and in cold-stored extractive solutions.
Kawar, N. S.; de Batista, G. C.; Gunther, F. A.
Residue Rev., 48, 45, 1973.
1973 Language: Eng Ascension: 194

Database: CAS Reference No.: CA94(9):59634d
Methods for the storage of samples of soil, plants, and essential oils containing herbicide residues
Khilik, L. A.; Baranov, Yu. S.; Yakubovich, A. D.
Agrokhimiya, (12), 108-17
1980 Language: Rus Ascension: 43

Database: CRC-3 Reference No.:
Dislodgeable and total residues of methomyl on mint foliage.
Kiigemagi, U.; Deinzer, M. L.
Bull. Environ. Contam. Toxicol., 22, 517, 1979.
1979 Language: Eng Ascension: 213

Database: SCI Reference No.: 1668815
Contributions to ecological chemistry 134 fate of Aldrin-C-14-Derived residues in soil and plant samples during deep-frozen storage for 5 to 7 years.
Kilzer, L.; Weisgerber, I.; Klein, W.; Korte, F.
Chemosphere, V6, N2-3, p 93-98, 1977.
1977 Language: Eng Ascension: 97

Database: CAS Reference No.: CA87(7):48882n
Contributions to ecological chemistry. CXXXIV Fate of aldrin-14C-derived residues in soil and plant samples during deep-frozen storage for five to seven years
Kilzer, L.; Weisgerber, I.; Klein, W.; Korte, F.
Chemosphere, 6(2-3), 93-8
1977 Language: Eng Ascension: 59

Database: CAS Reference No.: CA95(2):12454a
Simple methods for the enrichment and preservation of volatile amines from water samples
Klein, G.
Dortm. Beitr. Wasserforsch 2, vol.30, 53-60
1980 Language: Ger Ascension: 39

Database: CRC-3 Reference No.:
Stability of isopropyl N-phenylcarbamate (IPC) and isopropyl N-(3-chlorophenyl) carbamate (CIPC) residues on fruit treated after harvest.
Koivistoinen, P.; Karinpaa, A.
J. Agric. Food Chem., 13, 459, 1965.
1965 Language: Eng Ascension: 214

Database: COM Reference No.: 00585119
Use of carbon dioxide in sampling and preserving natural leachates.
Korte, N. E.; Niebla, E. E.; Fuller, W. H.
Journal Water Pollution Control Federation, Vol. 48, No. 5, May,
1976 Language: Eng Ascension: 118

Database: CAS Reference No.: CA101(12):97210h
Procedures for the collection and preservation of groundwater and surface water samples and for the installation of monitoring wells.
Korte, N.; Kearl, P.
Report, GJ/TMC-08;Order No. DE84007264,62 pp. Avail. NTIS
1984 Language: Eng Ascension: 121

Database: Reference No.:
Simplified Method for Liquid Chromatographic Determination of Carbofuran in Soils.
Lauren, Denis R.
J. Assoc. Off. Anal. Chem., vol 67, p655
1984 Language: Eng Ascension: 265

Database: Reference No.:
Preservation of Organics
Lee, H.B.; Arafat, N.; Chau, A.S.Y.
NWRI Contribution No. 86-219
1986 Language: Eng Ascension: 217

Database: Reference No.:
Preservation of Organics - Part I: Stability of Organochlorinated Insectivides in Preserved Natural Waters
Lee, H.B.; Leishman, P.D.; Todd, S.; Chau, A.S.Y.
NWRI Contribution No. 86-219
1987 Language: Eng Ascension: 216

Database: Reference No.:
Preservation of Organics. Part II Stability of Chlorophenols in Preserved Natural Water Samples
Lee, H.B.; Stokker, Y.D.; Arafat, N.; Chau, A.S.Y.
NWRI Contribution No. 87-123
1987 Language: Eng Ascension: 218

Database: CAS Reference No.: CA107(13):110983h
A sampling method to determine insecticide residues on surfaces and its application to food-handling establishments
Leidy, R. B.; Wright, C. G.; Dupree, H. E., Jr.
Environ. Monit. Assess., 9(1), 47-55
1987 Language: Eng Ascension: 4

Database: CRC-2 Reference No.:
Evaluation of polyurethane foam for sampling of pesticides, polychlorinated biphenyls and polychlorinated naphthalenes in ambient air.
Lewis, R. G.; Brown, A. R.; Jackson, M. D.
Anal. Chem., 49, 1668, 1977.
1977 Language: Eng Ascension: 184

Database: Reference No.:
Guidelines for Environmental Specimen Banking with Special Reference to the Federal Republic of Germany: Ecological and Managerial Aspects
Lewis, Robert A. et. al.
U.S. MAB report no. 12
1987 Language: ENG Ascension: 226

Database: Reference No.:
Preservation of Organics - Part III: Stability of Chlorophenols in Preserved Fish Homogenates
Li, W.C.; Lee, H.B.; Chau, A.S.Y.
NWRI Contribution No. 87-125
1987 Language: Eng Ascension: 215

Database: Reference No.:
Project proposal for studying Lake Trout rate of change of PCB levels over one year in Lake Trout fillets frozen at -20 deg C and -70 deg C
Lieberstein, Lee
Unpublished Data
1989 Language: ENG Ascension: 221

Database: CAS Reference No.: CA68(10):42953x
Preservation of waste water samples prior to analysis
Loehr, Raymond C.; Bergeron, Bernard
Water Res., 1(8/9), 577-86
1967 Language: Eng Ascension: 66

Database: Reference No.:
Evaluation of EPA Method 8120 for Determination of Chlorinated Hydrocarbons in Environmental Samples.
Lopez-Avila, Vibrica; Dodhiwala, N.S.; Milanes, June; and Beckert, Werner F.
J. Assoc. Off. Anal. Chem., vol 72, p593
1989 Language: Eng Ascension: 302

Database: CAS Reference No.: CA91(14):112053e
Manual of Methods: Preservation and Analysis of Coal Gasification Waste Waters.
Luthy, R. G.
(NTIS: Springfield, Va.), 53 p.
1977 Language: Eng Ascension: 128

Database: CAS Reference No.: CA87(2):10529q
A survey on current literature on sampling, sample handling, for environmental materials and long term storage.
Maienthal, E. J.; Becker, D. A.
Interface, 5(4), 49-62.
1976 Language: Eng Ascension: 129

Database: NTIS Reference No.: 548417 PB-260-638/
A survey of current literature on sampling, sample handling, and long term storage for environmental materials.
Maienthal, E. J.; Becker, D. A.
Report Number: NBS-TN-929
1976 Language: Eng Ascension: 73

Database: CRC-2 Reference No.:
A comparitive study of the use of XAD-2 resin and the conventional serial solvent extraction procedure for the analysis of fenitrothion and some derivatives in water preservation techniques.
Maller, V. N.; Brun, G. L.; MacDonald, R. N.; Berkane, K.
J. Chromatogr., 160, 81, 1978
1978 Language: Eng Ascension: 175

Database: CRC-2 Reference No.:
Pesticides in selected streams.
Manigold, D. B.; Schulze, J. A.
Pest. Monit. J., 3, 124, 1969.
1969 Language: Eng Ascension: 200

Database: SCI Reference No.: 08693218
Storage and preservation of environmental-samples.
Maskarinec, M. P.; Moody R. L.
Abstracts of papers of the American Chemical Society, Vol.193,p9,1987
1987 Language: Eng Ascension: 146

Database: NTIS Reference No.: 1263563 DE87004271
Storage and Preservation of Environmental Samples
193. national meeting of American Chemical Society, 5 Apr 1987
Maskarinec, M.P.; Moody, R.L.
Report No.: CONF-870410-11
1987 Language: Eng Ascension: 68

Database: Reference No.:
Update on canister-based samplers for VOCS
McClenny, William A.; Pleil, Joachim D.; Lumpkin, Thomas A.; and Oliver, Karen D.
1987 EPA/APCA Symposium on Measurement of Toxic and Related Air Poll.
1987 Language: eng Ascension: 325

Database: CRC-2 Reference No.:
Thin-layer chromatographic-enzymatic inhibition procedure to screen for organophosphorus pesticides in plant extracts without elaborate clean-up.
Mendoza, C. E.; Wales, P. J.; McLeod, N. A.; McKinley, W. P.
Analyst(London), 93, 173, 1968.
1968 Language: Eng Ascension: 195

Database: CAS Reference No.: CA99(24):200245q
Preservation and storage of samples for the determination of dissolved organic carbon
Merks, A. G. A.; Vlasblom, A. G.
Hydrobiol. Bull., 17(1), 53-8
1983 Language: Eng Ascension: 22

Database: CAS Reference No.: CA101(2):11906e
Development of sampling and preservation techniques to retard chemical and biological changes in water samples
Miller, H. H.; Crook, M. V.; Spigarelli, J. L.
Report, DRXTH-TE-CR-82182; Order No. AD-A135365, 231 pp. Avail. NTIS
1983 Language: Eng Ascension: 20

Database: CAS Reference No.: CA97(12):103384k
The sampling, handling and storage of materials for trace analysis.
Moody, J. R.
Philos. Trans. R. Soc. London, Ser. A, 305(1491), 669-80
1982 Language: Eng Ascension: 122

Database: CAS Reference No.: CA97(23):194056u
Stability of biological samples containing environmental pollutants after polonged storage at lower temperatures
Morita, Masatoshi
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 36, 151-5
1982 Language: Jap Ascension: 32

Database: CAS Reference No.: CA75(3):19107k
Analytical diagnosis of pesticide poisoning. Collection, storage, and shipment of biological samples.
Morrison, G. C.; Durham, W. F.
J. Amer. Med. Ass., 216(2), 298-300.
1971 Language: Eng Ascension: 132

Database: CRC-2 Reference No.:
Catalytic hydrolysis of some organic phosphate pesticides by copper(II).
Mortland, M. M.; Raman, K. Y.
J. Agric. Food Chem., 15, 163, 1967.
1967 Language: Eng Ascension: 169

Database: NTIS Reference No.: PB-259 946/2
Handbook for Sampling and Sample Preservation of Water and Wastewater.
Moser, J. H.; Huibregtse, K. R.
Report Number: EPA/600/4-76/049
1976 Language: Eng Ascension: 74

Database: CRC-2 Reference No.:
Use of Amberlite XAD-4 for extraction and recovery of chlorinated insecticides and polychlorinated biphenyl from water.
Musty, P. R.; Nickless, G.
J. Chromatogr., 89, 185, 1974.
1974 Language: Eng Ascension: 178

Database: CRC-3 Reference No.:
Stability of pesticides in extracting solvent.
proceedings of 11th Eastern Canada Pesticide Residue Workshop
Guelph, Ontario, May 1979.
Naftel, C.; Robinson, P.; Salahub, E.; Wong, M.
1979 Language: Eng Ascension: 210

Database: CRC-2 Reference No.:
Stability of Pesticides in Extracting Solvent
Proceedings of Annual Western Canada Pesticide Residue Workshop
Edmonton, Alberta, 1978
Naftel, C.; Robinson, P.; Salahub, E.; Wong, M.
1978 Language: Eng Ascension: 197

Database: CRC-2 Reference No.:
Stability of Pesticides in Plant Extract during Storage.
Proceedings of 10th Eastern Canada Pesticide Residue Workshop
Halifax, Nova Scotia, 1978
Naftel, C.; Salahub, E.
1978 Language: Eng Ascension: 198

Database: WTRRE Reference No.: 179050 W86-01082
Rapid method for the analysis of Trihalomethanes in water.
Nicholson, B. C.; Bursill, D. B.; Couche, D. J.
Journal of Chromatography, Vol. 325, No 1, p221-230, May, 1985.
1985 Language: Eng Ascension: 85

Database: SCI Reference No.: 08842598
Fully automated sample handling-system for liquid-chromatography based on pre-column technology and automated cartridge exchange.
Nielen, M. W. F.; Valk, A. J.; Frei, R. W.; Brinkman, U. A. T.; Mussche, P.; Denijs, R.; Oooms, B.; Smink, W.
Journal of chromatography, Vol. 393, No. 1, P69-83, 1987.
1987 Language: Eng Ascension: 145

Database: Reference No.:
Long-term Preservation of Egg and Tissue Homogenates for Determination of Organochlorine Compounds: Freezing Versus Freeze-Drying
Norstrom, Ross J.; Won, Henry T.
J. Assoc. Off. Anal. Chem. vol 68, p.129-135, 1985
1985 Language: ENG Ascension: 223

Database: Reference No.:
Long Term Preservation of Egg and Tissue Homogenates for Determination of Oganochlorine Compounds: Freezing vs Freeze Drying.
Norstrom, Ross J.; Won, Henry T.
J. Assoc. Off. Anal. Chem, vol 68, p.129
1985 Language: eng Ascension: 321

Database: CRC-2 Reference No.:
Insecticides, Action and Metabolism.
O'Brien, R. D.
Academic Press, New York, 1967.
1967 Language: Eng Ascension: 154

Database: CAS Reference No.: CA96(12):91303x
Degradation of aromatic compounds in groundwater, and methods of sample preservation
Ogawa, I.; Junk, G. A.; Svec, H. J.
Talanta, 28(10), 725-9
1981 Language: Eng Ascension: 35

Database: CAS Reference No.: CA105(12):101856a
Sample integrity of trace level volatile organic compounds in ambient air stored in SUMMA polished canisters
Oliver, Karen D.; Pleil, Joachim D.; McClenny, William A.
Atmos. Environ., 20(7), 1403-11
1986 Language: Eng Ascension: 8

Database: CAS Reference No.: CA107(20):183179k
Sample handling and analysis for 51 volatile organics by an adapted purge and trap GC-MS technique
Otson, Rein; Chan, Cecilia
Int. J. Environ. Anal. Chem., 30(4), 275-87
1987 Language: Eng Ascension: 3

Database: Reference No.:
Determination of Selected Neutral Priority Organic Pollutants in Marine Sediment Tissues and Reference Material Utilizing Bonded Phase Sorbents.
Ozretich, R.J.; and Schroeder, W.P.
Anal. Chem. vol 58, p2041-2048
1986 Language: Eng Ascension: 232

Database: Reference No.:
The Application of Solid Phase Extraction (SPE) to the Analysis of Polyaromatic Hydrocarbons (PAHs) in Water. FINAL REPORT
Paracel Laboratories Ltd
Final Report - Contract A02674
1989 Language: eng Ascension: 322

Database: CAS Reference No.: CA101(22):197209h
Evaluation of sampling methods for gaseous atmospheric samples
Pellizzari, E. D.; Gutknecht, W. F.; Cooper, S.; Hardison, D.
Report, EPA-600/3-84-062; Order No. PB84-190735, 294 pp. Avail. NTIS
1984 Language: Eng Ascension: 18

Database: CAS Reference No.: CA104(24):212284m
Storage stability of volatile organic compounds in SUMMA (trade name) polished canisters
Pleil, J. D.; Oliver, K. D.; McClenny, W. A.
Report, EPA/600/D-85/075; Order No. PB85-191112, 12 pp. Avail. NTIS
1985 Language: Eng Ascension: 10

Database: CAS Reference No.: CA104(10):73940g
Storage stability of volatile organic compounds in SUMMA polished canisters
Pleil, Joachim D.; Oliver, Karen D.; McClenny, William A.
Proc. - APCA Annu. Meet., 78th(Vol. 6), 85-81.2, 9 pp.
1985 Language: Eng Ascension: 12

Database: WTRRE Reference No.: 178166 W86-00198
Procedures for handling and chemical analysis of sediment and water samples.
Plumb, R. H.
Report Number: EPA/CA-81-1
1981 Language: Eng Ascension: 76

Database: CAS Reference No.: CA96(16):129525m
Procedures for Handling and Chemical Analysis of Sediment and Water Samples
Plumb, Russell H., Jr.
(501 pp.)
1981 Language: Eng Ascension: 34

Database: CRC-2 Reference No.:
Methods for Collection and Analysis of Water Samples.
Rainwater, F. H.; Thatcher, L. L.
Water-Supply Paper, 1454, 1960, 301.
1960 Language: Eng Ascension: 163

Database: Reference No.:
Effect and Persistence of Selected Carbamate Pesticides in Soil.
Rajagopal, B.S.; Brahmaprakash, G.P.; Reddy, B.R.; Singh, U.D.; and Sethunathan, N.
Residue Reviews, vol.93, Springer-Verlag, N.Y.
1984 Language: Eng Ascension: 301

Database: NTIS Reference No.: 724610 ANL/EMR-3
Stability of extractable organic constituents in stored sample of gasification condensates inferred from comparisons of GC/MS Total Ion Chromatograms.
Raphaelian, L. A.; Harrison, W.
Contract Number: W-31-109-ENG-38
1979 Language: Eng Ascension: 72

Database: CAS Reference No.: CA91(22):177815z
Stability of extractable organic constituents in stored samples of gasification condensates inferred from comparisons of GC/MS total ion chromatograms
Raphaelian, L. A.; Harrison, W.
Report, ANL/EMR-3, 32 pp. Avail. NTIS
1979 Language: Eng Ascension: 50

Database: CRC-2 Reference No.:
Use of XAD-2 macroreticular resin for the recovery of the ambient trace levels of pesticides and industrial organic pollutants from water.
Rees, G. A. V.; Au, L.
Bull. Environ. Cont. Toxicol., 22, 561, 1979.
1979 Language: Eng Ascension: 176

Database: CAS Reference No.: CA95(2):17718z
Trace-Organic Sample Handling
Reid, Eric; Editor
1981 Language: Eng Ascension: 38

Database: Reference No.: 76-04238
The application of an integrated sample handling-analytical system to the determination of trace organics in H2O. in Abstracts of 1976 Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy: Abstracts.
Reves, P. D.
Pittsburgh, PA No. 271, 1976
1976 Language: Eng Ascension: 137

Database: WTRRE Reference No.: 162792 W83-01568
Determination of Nitrosamines in industrial and municipal wastewaters.
Rhoades, J. W.; Thomas, R. E.; Johnson, D. E.
National Technical Information Service as PB82-199621.
1982 Language: Eng Ascension: 88

Database: WTRRE Reference No.: 157036 W82-02999
Determination of Phthalates in industrial and municipal wastewaters.
Rhoades, J. W.; Thomas, R. E.; Johnson, D. E.; Tillery, J. B.
National Technical Information Service as PB81-232167.
1981 Language: Eng Ascension: 93

Database: CRC-2 Reference No.:
Adsortion of chlorinated pesticides from river water with XAD-2.
Richard, J. J.; Fritz, J. S.
Talanta, 21, 91, 1974.
1974 Language: Eng Ascension: 179

Database: CRC-2 Reference No.:
Analysis of various Iowa waters for selected pesticides: Atrazine, DDE and Dieldrin.
Richard, J. J.; Junk, G. A.; Avery, M. J.; Nehring, N. L.; Fritz, J. S.; Svec, H. J.
Pestic. Monit. J., 9, 117, 1975
1975 Language: Eng Ascension: 174

Database: WTRRE Reference No.: 161529 W83-00292
Determination of Benzidines in industrial and municipal wastewaters.
Riggin, R. M.; Howard, C. C.
National Technical Information Service as PB82-196320.
1982 Language: Eng Ascension: 91

Database: CRC-2 Reference No.:
Determination of fenitrothion, phosphamidon, and dimethoate in natural waters.
Ripley, B. D.; Hall, J.; Chau, A. S. Y.
Environ. Lett, 7, 97, 1974.
1974 Language: Eng Ascension: 167

Database: CRC-2 Reference No.:
Multiresidue analysis of 14 organophosphorous pesticides in natural water.
Ripley, B. D.; Wilkinson, R. J.; Chau, A. S. Y.
J. Assoc. Off. Anal. Chem., 57, 1033, 1974.
1974 Language: Eng Ascension: 166

Database: Reference No.:
Determination of Fenitrothion, Phosphamidon and Dimethoate in Natural Water.
Ripley, Brian D.; Hall, Janice A.; and Chau, Alfred S.Y.
Enviromental Letters, vol 7, p97
1974 Language: Eng Ascension: 314

Database: Reference No.:
Study on the Stability of Leptophos in Water Under Laboratory Conditions.
Riskallah, M.R.; El-Sayed, M.M.; and Hindi, S.A.
Bull. Environm. Contam. Toxicol., vol 23, p607
1979 Language: Eng Ascension: 318

Database: CRC-2 Reference No.:
Stability of Pesticides Extracting Solvents.
Robinson, P.
1979 Language: Eng Ascension: 196

Database: CAS Reference No.: CA99(19):153742n
Study of decomposition kinetics and sorption of organochlorine pesticides and polychlorinated biphenyls in stored water samples
Roots, O.
Eesti NSV Tead. Akad. Toim., Keem., 32(3), 224-8
1983 Language: Rus Ascension: 24

Database: CRC-2 Reference No.:
The gas chromatographic determination of organophosphorous pesticides. II A comparative study of hydrolysis rates.
Rusicka, J. H.; Thomson, J.; Wheals, B. B.
J. Chromatogr., 31, 37, 1967.
1976 Language: Eng Ascension: 149

Database: BIO Reference No.: 0017732607
Fumigant residues in wheat and other cereal grains resulting from the use of 1,1,1-Trichloroethane and Bromomethane as a liquid fumigant mixture.
Scudamore, K. A.
Pestic. Sci. 20(1). 1987. p 1-18.
1987 Language: Eng Ascension: 100

Database: COM Reference No.: 00613076
Storage of gas in sampling containers.
Selden, M. G.,Jr.
Pollution Engineering, Vol. 8, No. 11, November, 1976, p. 30-31.
1976 Language: Eng Ascension: 117

Database: CAS Reference No.: CA104(8):55981s
Preservation of lake sediment samples
Seyama, Haruhiko; Soba, Mitsuyuki; Morita, Masatoshi
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 58, 59-60
1984 Language: Jap Ascension: 13

Database: CAS Reference No.: CA98(2):7924m
Studies on the preservation of sediment samples
Seyama, Haruhiko; Soma, Mitsuyuki; Morita, Masatoshi
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 36, 143-50
1982 Language: Jap Ascension: 30

Database: CRC-2 Reference No.:
A method for confirmation of organophosphorous compounds at the residue level.
Shafik, M. T.; Rradway, D.; Enos, H. F.
Bull. Environ. Contam. Toxicol., 6, 55, 1971.
1971 Language: Eng Ascension: 157

Database: WTRRE Reference No.: 158425 W82-04398
Determination of Haloethers in industrial and municipal wastewaters.
Sherman, P. L.; Kyne, J. M.; Gable, R. C.; Pustinger, J. V.; Mcmillin, C. R.
National Technical Information Service as PB81-123290.
1981 Language: Eng Ascension: 92

Database: Reference No.:
Decomposition of Thiophanate-methyl in Grape Homogenate
Shiga, Naofumi; Matano, Osami; and Goto, Shinko
J. Pest. Sci., vol 10, p713-720
1985 Language: Eng Ascension: 236

Database: WTRRE Reference No.: 588560 W88-01937
Chlorinated Hydrocarbons in biological sewage purification- Fate and difficulties in balancing.
Shroder, H. F.
Water Science and Technology WSTED4, Vol 19, No. 3/4, p 429-438,1987
1987 Language: Ascension: 78

Database: WTRRE Reference No.: 100362 W76-09834
Determination, storage, and preservation of low molecular weight Hydrocarbon gases in aqueous solution.
Shultz, D. J.; Pankow, J. F.; Tai, D. Y.; Stephens, D. W.; Rathbun, R. E.
J. Res. U.S. Geol. Survery, 1976, 4(2), pp 247-251
1976 Language: Eng Ascension: 95

Database: CAS Reference No.: CA87(12):95024u
Environmental sampling method. Rapid identification by GC/MS/DS and spectral search
Sickels, Thomas W.; Stafford, David T.
Am. Lab. (Fairfield, Conn.), 9(5), 17-18, 20, 22
1977 Language: Eng Ascension: 58

Database: CAS Reference No.: CA104(17):147251g
Samples used for interlaboratory studies of methods for pesticide residues analysis in foodstuffs.
Smart, N. A.
Residue Rev., 96,1-12
1985 Language: Eng Ascension: 120

Database: CAS Reference No.: CA98(2):7959b
2,3,7,8-Tetrachlorodibenzo-p-dioxin in sediment samples from Love Canal storm sewers and creeks
Smith, Robert M.; O'Keefe, Patrick W.; Aldous, Kenneth M.; Hilker, David R.; O'Brien, John E.
Environ. Sci. Technol., 17(1), 6-10
1983 Language: Eng Ascension: 29

Database: WTRRE Reference No.: 162697 W83-01469
Report on quality of pesticide runoff data from the Soil and Water Management Research Unit, Riverside, CA.
Spencer, W. F.
Agricultural Reviews and Manuals ARM-W-31, Oakland, Calif.,
1982 Language: Eng Ascension: 90

Database: Reference No.:
Residues of Fensulfothion in Selected Vegetable Crops.
Stein, Eduardo R.; Heald, Charles M.; and Murray, Amelia T.
J. Agric. Food Chem., vol 28, p164
1980 Language: Eng Ascension: 317

Database: CRC-2 Reference No.:
Some conditions for use of macroreticular resins in the quantitative analysis of organic pollutants in water.
Stepan, S. F.; Smith, J. F.
Water Res., 11, 339, 1977.
1977 Language: Eng Ascension: 171

Database: CAS Reference No.: CA98(12):100288s
Environmental specimen banking: a challenge in trace analysis
Stoeppler, M.; Duerbeck, H. W.; Nuernberg, H. W.
Talanta, 29(11B), 963-72
1982 Language: Eng Ascension: 28

Database: WTRRE Reference No.: 163263 W83-02038
Determination of Polynuclear Aromatic Hydrocarbons in industrial and municipal wastewaters.
Strup, P. E.
National Technical Information Service as PB82-258799
1982 Language: Eng Ascension: 87

Database: Reference No.:
Environmental Specimen Bank for the Plant Soil System: Opportunity to Store Contaminated Samples Unchanged Over Many Years. Results of a Pilot Study.
Strupp, D.; Klussmann, U.; and Ebing, W.
Fresenius Z. Anal. Chem., vol 322, p747-751
1985 Language: Eng Ascension: 243

Database: WTRRE Reference No.: 041556 W72-07701
The P-Value approach to quantitative liquid-liquid extracton of pesticides from water. 1. Organophosphates: Choice of pH and solvent
Suffet, I. H.; Faust, S. D.
Journal of Agricultural and Food Chemistry, Vol 20., No. 1.,p 52-56,
1972 Language: Eng Ascension: 96

Database: CAS Reference No.: CA95(10):86038q
Loss of phthalic acid esters and polychlorinated biphenyls from seawater samples during storage
Sullivan, Kevin F.; Atlas, Elliot L.; Giam, Choo-Seng
Anal. Chem., 53(11), 1718-19
1981 Language: Eng Ascension: 36

Database: CAS Reference No.: CA91(7):50933f
Effects of drying and duration of storage on the extractable atrazine content of soil samples
Swain, David J.
J. Agric. Food Chem., 27(4), 915-16
1979 Language: Eng Ascension: 52

Database: CRC-3 Reference No.:
Standard Methods for the Examination of Water and Waste Water.
Taras, M. J., Greenberg, A. E.; Hoak, R. D.; Rand, M. C., Eds.
American Public Health Association, Washington D.C., June, 1971
1971 Language: Eng Ascension: 207

Database: Reference No.:
Monitoring dioxins and furans in precipitation samples
Tashiro, C.; Clemet, R.E.; Lusis, M.; Orr, D.; Reid, N.
Ontario Ministry of the Environment
Language: Eng Ascension: 220

Database: CAS Reference No.: CA84(17):118142k
Sample stability: a suggested definition and method of determination
Thiers, Ralph E.; Wu, Gaw T.; Reed, Allen H.; Oliver, Lawrence K.
Clin. Chem. (Winston-Salem, N. C.), 22(2), 176-83
1976 Language: Eng Ascension: 62

Database: NTIS Reference No.: 726117 PB-298 350/
Gas sample storage
Thrun, K. E.; Harris, J. C.; Beltis, K.
Report Number: EPA/600/7-79/095
1978 Language: Eng Ascension: 71

Database: CAS Reference No.: CA100(2):12331e
Effects of chemical and physical treatments on the stability of halogenated organic compounds in water
Tsai, Yu Li; Tuovinen, Olli H.
Environ. Technol. Lett., 4(11), 469-74
1983 Language: Eng Ascension: 21

Database: Reference No.: 1296589
Sampling and storage of samples for the gas-chromatographic determination of aromatic-hydrocarbons as microimpurities in gases.
Tsibulskee, V. V.; Tsibulskaya, I. A.; Yaglitskaya, N. N.
Journal of analytical chemistry of the USSR, Vol 34, No 7,
1979 Language: Eng Ascension: 140

Database: CRC-2 Reference No.:
Field air sampling of pesticide vapors with polyurethane foam.
Turner, B. C.; Glotfelty, D. E.
Anal. Chem., 49, 7, 1977.
1977 Language: Eng Ascension: 183

Database: CRC-2 Reference No.:
Extraction of organochlorine pesticides from water by porous polyurethane coated with selective absorbent.
Uthe, J. R.; Reinke, J.; Gesser, H.
Environ. Lett., 2, 117, 1972.
1972 Language: Eng Ascension: 187

Database: CAS Reference No.: CA97(23):194577q
Effects of soil storage on degradation rates of metamitron, atrazine and propyzamide
Walker, Allan; Brown, Pauline A.
Theory Pract. Use Soil Appl. Herbic., Symp., 63-71. Eur. Weed Res.
1981 Language: Eng Ascension: 31

Database: Reference No.:
The utility of distributed air volume sets when sampling ambient air using solid adsorbents.
Walling, J.F.
Atmospheric Environment, vol 18., pp 855,
1984 Language: eng Ascension: 324

Database: Reference No.:
Apparent reaction products desorbed from TENAX used to sample ambient air.
Walling, J.F.; Bumgarner, J.E.; Driscoll, D.J.; Morris, C.M.; Riley, A.E.; and Wright L.H.
Atmoshperic Environment, vol 20, pp 51-57,
1986 Language: eng Ascension: 323

Database: CAS Reference No.: CA86(11):66681e
Cold storage degradation of the herbicide metribuzin in field soil samples awaiting analysis
Webster, G. R. Barrie; Reimer, Gerald J.
Pestic. Sci., 7(3), 292-300
1976 Language: Eng Ascension: 60

Database: CAS Reference No.: CA76(2):6544w
Method for the storage of samples for dissolved gas analyses
Weimer, W. C.; Lee, G. Fred
Environ. Sci. Technol., 5(11), 1136-8
1971 Language: Eng Ascension: 65

Database: CRC-2 Reference No.:
High performance liquid chromatography in environmental analysis.
Werner, W.
Anal. Abstr., 36, 4H30, 1979.
1979 Language: Eng Ascension: 190

Database: CAS Reference No.: CA95(4):29929g
Sample handling as practiced in the water research center.
Wilson, I.
Methodol. Surv., 10 (Trace-Org. Sample Handl.), 76-85.
1981 Language: Eng Ascension: 125

Database: CAS Reference No.: CA84(20):140156q
Air sample studies for measurement of pesticide contamination from storage areas
Winnett, George; Siewierski, Marie
Bull. Environ. Contam. Toxicol., 14(6), 681-6
1975 Language: Eng Ascension: 61

Database: Reference No.:
International Review of Environmental Specimen Banking
Wise, Stephen A.; Zeisler, Rolf
NBS special publication 706
1985 Language: ENG Ascension: 224

Database: Reference No.:
Progress in Environmental Specimen Banking
Wise, Stephen A.; Zeisler, Rolf; Goldstein, George M.
NBS special publication 740
1985 Language: ENG Ascension: 225

Database: CRC-2 Reference No.:
Chemical and Photochemical Transforation of Selected Pesticides in Aquatic Systems.
Wolfe, N. L.; Zepp, R. G.; Baughman, G. L.; Fincher, R. C.
EPA-600/3-76-067
1976 Language: Eng Ascension: 152

Database: CRC-2 Reference No.:
Clean-up and concentration of Environmental Samples for HPLC.
Wolkoff, A.; Creed, C.
1979 Language: Eng Ascension: 189

Database: WTRRE Reference No.: 162791 W83-01567
Determination of TCDD in industrial and municipal wastewaters.
Wong, A. S.
National Technical Information Service as PB82-196882.
1982 Language: Eng Ascension: 89

Database: Reference No.:
Bioligical Tissue Archive Studies: Canadian Technical Report of Fisheries and Aquatic Sciences No. 1497, Dec 1986
Wyatt, W.H.; Fitzsimons, J.H.; Keir, M.J.; Whittle D.M
Canadian Technical Report of Fisheries and Aquatic Sciences No. 1497
1986 Language: ENG Ascension: 222

Database: CRC-2 Reference No.:
Extraction of benzene hexachloride isomers from water samples using a macroreticular resin.
Yamato, Y.; Suzuke, M.; Watanabe, T.
J. Assoc. Off. Anal. Chem., 61, 1135, 1978.
1978 Language: Eng Ascension: 177

Database: CAS Reference No.: CA104(4):23507a
Preservation of benzo[a]pyrene in airborne particulate
Yasube, Yoshiya; Mukai, Hitoshi; Yasuhara, Akio; Yokouchi, Yoko
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 58, 54-7
1984 Language: Jap Ascension: 15

Database: CAS Reference No.: CA94(8):52553t
Losses of polycyclic aromatic hydrocarbons (PAH) during storage of natural water samples
Zawadzka, Henryka; Zerbe, Jerzy; Baralkiewicz, Danuta
Chem. Anal. (Warsaw), 25(3), 469-71
1980 Language: Pol Ascension: 44

Database: CRC-2 Reference No.:
Dynamics of 2,4-D esters in surface waters: hydrolysis, photolysis, and vaporization.
Zepp, R. G.; Wolf, N. L.; Gordon, J. A.; Baughman, G. L.
Environ. Sci. Technol., 9, 1144, 1975.
1975 Language: Eng Ascension: 201

Database: SCI Reference No.: 06521296
Sample handling in chromatography.
Ziegelmeyer, A.
Trac-Trends in Analytical Chemistry, Vol. 3, No. 8, Pr 10, 1984.
1984 Language: Eng Ascension: 148

Database: CAS Reference No.: CA91(26):216488s
Variability in water analysis introduced by sample collection, preservation or preparation techniques
Ziegler, William J.
Book Proc. Annu. Ind. Air Water Pollut./Contam. Control Semin., 9,
1979 Language: Eng Ascension: 49

Database: CAS Reference No.: CA78(20):131792t
Concentration and analysis of trace volatile organics in gases and biological fluids with a new solid adsorbent
Zlatkis, A.; Lichtenstein, H. A.; Tishbee, A.
Chromatographia, 6(2), 67-70
1973 Language: Eng Ascension: 63

Database: CRC-3 Reference No.:
Sample Preparation. in
Analytical Methods for Pesticides and Plant Growth Regulators, Vol 6
Zweig, G.; Sherma, J.
Academic Press, New York, 1972. Chapter 1
1972 Language: Eng Ascension: 208

APPENDIX E - Bibliography in Order of Ascension Numbers.

Database: CAS Reference No.: CA108(17):145280z
Herbicide Orange site characterization study
Crockett, A. B.; Propp, A.; Kimes, T.
Report, AFESC/ESL-TR-86-21; Order No. AD-A181353, 257 pp. Avail.
1987 Language: Eng Ascension: 1

Database: CAS Reference No.: CA108(12):100935a
Recommendations concerning materials and pumping systems used in the sampling of groundwater contaminated with volatile organics
Devlin, J. F.
Water Pollut. Res. J. Can., 22(1), 65-72
1987 Language: Eng Ascension: 2

Database: CAS Reference No.: CA107(20):183179k
Sample handling and analysis for 51 volatile organics by an adapted purge and trap GC-MS technique
Otson, Rein; Chan, Cecilia
Int. J. Environ. Anal. Chem., 30(4), 275-87
1987 Language: Eng Ascension: 3

Database: CAS Reference No.: CA107(13):110983h
A sampling method to determine insecticide residues on surfaces and its application to food-handling establishments
Leidy, R. B.; Wright, C. G.; Dupree, H. E., Jr.
Environ. Monit. Assess., 9(1), 47-55
1987 Language: Eng Ascension: 4

Database: CAS Reference No.: CA106(22):181749b
Effects of ozone on the collection of selected PAHs [polynuclear aromatic hydrocarbons] in airborne particulate matter
Davis, C. S.; Caton, R. B.; Guerin, S. G.; Tam, W. C.
Polynucl. Aromat. Hydrocarbons, [Pap. Int. Symp.], 8th, Meeting Date
1985 Language: Eng Ascension: 5

Database: CAS Reference No.: CA106(6):43212v
The investigation of different environmental samples for polychlorinated dibenzodioxins and dibenzofurans
Christmann, W.; Rotard, W.; Schinz, V.; Bode, H.
Chemosphere, 15(9-12), 2077-80
1986 Language: Eng Ascension: 6

Database: CAS Reference No.: CA105(21):185729x
Picloram stability in a sample of forest soil during handling and storage
Evans, Christine E.; Norris, Logan A.
Bull. Environ. Contam. Toxicol., 37(4), 496-500
1986 Language: Eng Ascension: 7

Database: CAS Reference No.: CA105(12):101856a
Sample integrity of trace level volatile organic compounds in ambient air stored in SUMMA polished canisters
Oliver, Karen D.; Pleil, Joachim D.; McClenny, William A.
Atmos. Environ., 20(7), 1403-11
1986 Language: Eng Ascension: 8

Database: CAS Reference No.: CA105(6):48669p
Recovery of several volatile organic compounds from simulated water samples: effect of transport and storage
Friedman, Linda C.; Schroder, LeRoy J.; Brooks, Michael G.
Environ. Sci. Technol., 20(8), 826-9
1986 Language: Eng Ascension: 9

Database: CAS Reference No.: CA104(24):212284m
Storage stability of volatile organic compounds in SUMMA (trade name) polished canisters
Pleil, J. D.; Oliver, K. D.; McClenny, W. A.
Report, EPA/600/D-85/075; Order No. PB85-191112, 12 pp. Avail. NTIS
1985 Language: Eng Ascension: 10

Database: CAS Reference No.: CA104(20):173478f
Charcoal air sampling tube storage stability and desorption efficiencies of 1,2-dibromo-3-chloropropane (DBCP) and 1,3-dichloropropene (DCP)
Albrecht, William N.; Hagadone, Mark R.; Chenchin, Karen
Bull. Environ. Contam. Toxicol., 36(4), 629-34
1986 Language: Eng Ascension: 11

Database: CAS Reference No.: CA104(10):73940g
Storage stability of volatile organic compounds in SUMMA polished canisters
Pleil, Joachim D.; Oliver, Karen D.; McClenny, William A.
Proc. - APCA Annu. Meet., 78th(Vol. 6), 85-81.2, 9 pp.
1985 Language: Eng Ascension: 12

Database: CAS Reference No.: CA104(8):55981s
Preservation of lake sediment samples
Seyama, Haruhiko; Soba, Mitsuyuki; Morita, Masatoshi
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 58, 59-60
1984 Language: Jap Ascension: 13

Database: CAS Reference No.: CA104(5):30259z
Effect of time and conditions of storing soil samples on detection in them of pesticides
Babkina, E. I.; Trublaevich, Zh. N.
USSR
Tr. Inst. Eksp. Meteorol., Ser. "Zagryaz. Prir. Sred", 13, 35-41
1985 Language: Rus Ascension: 14

Database: CAS Reference No.: CA104(4):23507a
Preservation of benzo[a]pyrene in airborne particulate
Yasube, Yoshiya; Mukai, Hitoshi; Yasuhara, Akio; Yokouchi, Yoko
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 58, 54-7
1984 Language: Jap Ascension: 15

Database: CAS Reference No.: CA102(14):119235v
Analysis of hydrocarbons in aquatic sediments. I. Sample handling and extraction
Grimalt, J.; Marfil, C.; Albaiges, J.
Int. J. Environ. Anal. Chem., 18(3), 183-94
1984 Language: Eng Ascension: 16

Database: CAS Reference No.: CA102(10):89366u
New sample handling strategies in HPLC
Frei, R. W.
Swiss Chem, 6(11), 55-8, 60-2, 64
1984 Language: Eng Ascension: 17

Database: CAS Reference No.: CA101(22):197209h
Evaluation of sampling methods for gaseous atmospheric samples
Pellizzari, E. D.; Gutknecht, W. F.; Cooper, S.; Hardison, D.
Report, EPA-600/3-84-062; Order No. PB84-190735, 294 pp. Avail. NTIS
1984 Language: Eng Ascension: 18

Database: CAS Reference No.: CA101(6):42692m
The recovery of ketones from gas-sampling charcoal tubes
Folke, Jens; Johansen, Inger; Cohr, Karl Heinz
Am. Ind. Hyg. Assoc. J., 45(4), 231-5
1984 Language: Eng Ascension: 19

Database: CAS Reference No.: CA101(2):11906e
Development of sampling and preservation techniques to retard chemical and biological changes in water samples
Miller, H. H.; Crook, M. V.; Spigarelli, J. L.
Report, DRXTH-TE-CR-82182; Order No. AD-A135365, 231 pp. Avail. NTIS
1983 Language: Eng Ascension: 20

Database: CAS Reference No.: CA100(2):12331e
Effects of chemical and physical treatments on the stability of halogenated organic compounds in water
Tsai, Yu Li; Tuovinen, Olli H.
Environ. Technol. Lett., 4(11), 469-74
1983 Language: Eng Ascension: 21

Database: CAS Reference No.: CA99(24):200245q
Preservation and storage of samples for the determination of dissolved organic carbon
Merks, A. G. A.; Vlasblom, A. G.
Hydrobiol. Bull., 17(1), 53-8
1983 Language: Eng Ascension: 22

Database: CAS Reference No.: CA99(22):181189f
Preservation and treatment of water samples for benzo[a]pyrene determination
Chen, Xiulan; Zhu, Zeyu
Huanjing Baohu (Beijing), (8), 30
1983 Language: Ch Ascension: 23

Database: CAS Reference No.: CA99(19):153742n
Study of decomposition kinetics and sorption of organochlorine pesticides and polychlorinated biphenyls in stored water samples
Roots, O.
Eesti NSV Tead. Akad. Toim., Keem., 32(3), 224-8
1983 Language: Rus Ascension: 24

Database: CAS Reference No.: CA99(16):128029c
Studies on the preservation of water and wastewater samples. 1. Preservation of phenol content in water and wastewater samples
Kawanishi, Shigeru; Hirano, Shosaku; Tanaka, Hidetsugu
Osaka-furitsu Koshu Eisei Kenkyusho Kenkyu Hokoku, Koshu Eisei Hen,
1982 Language: Jap Ascension: 25

Database: CAS Reference No.: CA99(6):47093s
Enhancement of performance of analytical laboratories. A theoretical approach to analytical planning
Janse, T. A. H. M.; Kateman, G.
Anal. Chim. Acta, 150(1), 219-31
1983 Language: Eng Ascension: 26

Database: CAS Reference No.: CA98(16):131460w
Sampling variability and storage stability of volatile organic contaminants
Eaton, Harold G.; Williams, Frederick W.; Smith, Dennis E.
J. Chromatogr. Sci., 21(2), 77-84
1983 Language: Eng Ascension: 27

Database: CAS Reference No.: CA98(12):100288s
Environmental specimen banking: a challenge in trace analysis
Stoeppler, M.; Duerbeck, H. W.; Nuernberg, H. W.
Talanta, 29(11B), 963-72
1982 Language: Eng Ascension: 28

Database: CAS Reference No.: CA98(2):7959b
2,3,7,8-Tetrachlorodibenzo-p-dioxin in sediment samples from Love Canal storm sewers and creeks
Smith, Robert M.; O'Keefe, Patrick W.; Aldous, Kenneth M.; Hilker, David R.; O'Brien, John E.
Environ. Sci. Technol., 17(1), 6-10
1983 Language: Eng Ascension: 29

Database: CAS Reference No.: CA98(2):7924m
Studies on the preservation of sediment samples
Seyama, Haruhiko; Soma, Mitsuyuki; Morita, Masatoshi
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 36, 143-50
1982 Language: Jap Ascension: 30

Database: CAS Reference No.: CA97(23):194577q
Effects of soil storage on degradation rates of metamitron, atrazine and propyzamide
Walker, Allan; Brown, Pauline A.
Theory Pract. Use Soil Appl. Herbic., Symp., 63-71. Eur. Weed Res.
1981 Language: Eng Ascension: 31

Database: CAS Reference No.: CA97(23):194056u
Stability of biological samples containing environmental pollutants after polonged storage at lower temperatures
Morita, Masatoshi
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 36, 151-5
1982 Language: Jap Ascension: 32

Database: CAS Reference No.: CA97(20):168035s
A study on the preservability of PAH in the airborne particles sampled on filters
Ambe, Yoshinari; Yasuhara, Akio; Yokouchi, Yoko; Morita, Masatoshi
Kokuritsu Kogai Kenkyusho Kenkyu Hokoku, 36, 137-41
1982 Language: Jap Ascension: 33

Database: CAS Reference No.: CA96(16):129525m
Procedures for Handling and Chemical Analysis of Sediment and Water Samples
Plumb, Russell H., Jr.
(501 pp.)
1981 Language: Eng Ascension: 34

Database: CAS Reference No.: CA96(12):91303x
Degradation of aromatic compounds in groundwater, and methods of sample preservation
Ogawa, I.; Junk, G. A.; Svec, H. J.
Talanta, 28(10), 725-9
1981 Language: Eng Ascension: 35

Database: CAS Reference No.: CA95(10):86038q
Loss of phthalic acid esters and polychlorinated biphenyls from seawater samples during storage
Sullivan, Kevin F.; Atlas, Elliot L.; Giam, Choo-Seng
Anal. Chem., 53(11), 1718-19
1981 Language: Eng Ascension: 36

Database: CAS Reference No.: CA95(6):48087x
Field study of styrene decay on charcoal
Evans, Peter R.; Horstman, Sanford W.
Am. Ind. Hyg. Assoc. J., 42(5), 403-4
1981 Language: Eng Ascension: 37

Database: CAS Reference No.: CA95(2):17718z
Trace-Organic Sample Handling
Reid, Eric; Editor
1981 Language: Eng Ascension: 38

Database: CAS Reference No.: CA95(2):12454a
Simple methods for the enrichment and preservation of volatile amines from water samples
Klein, G.
Dortm. Beitr. Wasserforsch 2, vol.30, 53-60
1980 Language: Ger Ascension: 39

Database: CAS Reference No.: CA94(26):213432v
Evaluation of an evacuated glass sampler for the analysis of volatile organic compounds in ambient air
Berg, Sven; Jacobsson, Sven; Nilsson, Bertil
J. Chromatogr. Sci., 18(4), 171-9
1980 Language: Eng Ascension: 40

Database: CAS Reference No.: CA94(20):162124m
Preservation of water samples
Waters Res., 15(2), 233-241 (79)
1981 Language: Eng Ascension: 41

Database: CAS Reference No.: CA94(17):138349t
Persistence and uptake of carbofuran in a humic mesisol and the effects of drying and storing soil samples on residue levels
Greenhalgh, Roy; Belanger, Andre
J. Agric. Food Chem., 29(2), 231-5
1981 Language: Eng Ascension: 42

Database: CAS Reference No.: CA94(9):59634d
Methods for the storage of samples of soil, plants, and essential oils containing herbicide residues
Khilik, L. A.; Baranov, Yu. S.; Yakubovich, A. D.
Agrokhimiya, (12), 108-17
1980 Language: Rus Ascension: 43

Database: CAS Reference No.: CA94(8):52553t
Losses of polycyclic aromatic hydrocarbons (PAH) during storage of natural water samples
Zawadzka, Henryka; Zerbe, Jerzy; Baralkiewicz, Danuta
Chem. Anal. (Warsaw), 25(3), 469-71
1980 Language: Pol Ascension: 44

Database: CAS Reference No.: CA94(8):51957r
Simplified sample handling procedure for monitoring industrial isocyanates in air
Graham, Jeffrey D.
J. Chromatogr. Sci., 18(8), 384-7
1980 Language: Eng Ascension: 45

Database: CAS Reference No.: CA93(26):245117s
Monitoring well sampling and preservation techniques
Gibb, James P.; Schuller, Rudolph M.; Griffin, Robert A.
U. S. Environ. Prot. Agency, Off. Res. Dev., [Rep.] EPA,
1980 Language: Eng Ascension: 46

Database: CAS Reference No.: CA93(15):144691u
Ways for preserving biological samples contaminated with organochlorine pesticides
Anpalov, V. A.
Sib. Vestn. S-kh. Nauki, 10(2), 93-4
1980 Language: Rus Ascension: 47

Database: CAS Reference No.: CA93(6):52735h
Sample composition changes in sampling and analysis of organic compounds in aerosols
Clement, R. E.; Karasek, F. W.
Int. J. Environ. Anal. Chem., 7(2), 109-20
1979 Language: Eng Ascension: 48

Database: CAS Reference No.: CA91(26):216488s
Variability in water analysis introduced by sample collection, preservation or preparation techniques
Ziegler, William J.
Book Proc. Annu. Ind. Air Water Pollut./Contam. Control Semin., 9,
1979 Language: Eng Ascension: 49

Database: CAS Reference No.: CA91(22):177815z
Stability of extractable organic constituents in stored samples of gasification condensates inferred from comparisons of GC/MS total ion chromatograms
Raphaelian, L. A.; Harrison, W.
Report, ANL/EMR-3, 32 pp. Avail. NTIS
1979 Language: Eng Ascension: 50

Database: CAS Reference No.: CA91(15):122263n
Studies on the determination of 2,4-dichlorophenoxyacetic acid and 2,4-dichlorophenol residues in plant tissues
Cook, L. W.; Bristol, D. W.; Zach, F. W.; Fleeker, J. R.
Proc. N. D. Acad. Sci., 33, 26
1979 Language: Eng Ascension: 51

Database: CAS Reference No.: CA91(7):50933f
Effects of drying and duration of storage on the extractable atrazine content of soil samples
Swain, David J.
J. Agric. Food Chem., 27(4), 915-16
1979 Language: Eng Ascension: 52

Database: CAS Reference No.: CA90(6):43295a
Effect of handling procedures on sample quality
Adams, J. W.; Doerfler, T. E.; Summers, C. H.
U. S. NTIS, PB Rep., PB-279910, 58 pp. Avail. NTIS
1978 Language: Eng Ascension: 54

Database: CAS Reference No.: CA89(6):52910d
Detection and identification of contaminants from foil-lined screw-cap sample vials
Denney, D. W.; Karasek, F. W.; Bowers, W. D.
J. Chromatogr., 151(1), 75-80
1978 Language: Eng Ascension: 55

Database: CAS Reference No.: CA88(14):94118m
Hydrocarbon and halocarbon measurements: sampling and analysis procedures
Denyszyn, R. B.; Hackworth, L. T.; Grohse, P. M.; Wagoner, D. E.
U. S. Environ. Prot. Agency, Off. Res. Dev., [Rep.] EPA, Volume Date
1977 Language: Eng Ascension: 56

Database: CAS Reference No.: CA88(5):32992h
Soil-persistency test of pesticides. III. Variation of concentrations of pesticide residues in field soil
Goto, Shinko
Nippon Noyaku Gakkaishi, 2(3), 319-21
1977 Language: Jap Ascension: 57

Database: CAS Reference No.: CA87(12):95024u
Environmental sampling method. Rapid identification by GC/MS/DS and spectral search
Sickels, Thomas W.; Stafford, David T.
Am. Lab. (Fairfield, Conn.), 9(5), 17-18, 20, 22
1977 Language: Eng Ascension: 58

Database: CAS Reference No.: CA87(7):48882n
Contributions to ecological chemistry. CXXXIV Fate of aldrin-14C-derived residues in soil and plant samples during deep-frozen storage for five to seven years
Kilzer, L.; Weisgerber, I.; Klein, W.; Korte, F.
Chemosphere, 6(2-3), 93-8
1977 Language: Eng Ascension: 59

Database: CAS Reference No.: CA86(11):66681e
Cold storage degradation of the herbicide metribuzin in field soil samples awaiting analysis
Webster, G. R. Barrie; Reimer, Gerald J.
Pestic. Sci., 7(3), 292-300
1976 Language: Eng Ascension: 60

Database: CAS Reference No.: CA84(20):140156q
Air sample studies for measurement of pesticide contamination from storage areas
Winnett, George; Siewierski, Marie
Bull. Environ. Contam. Toxicol., 14(6), 681-6
1975 Language: Eng Ascension: 61

Database: CAS Reference No.: CA84(17):118142k
Sample stability: a suggested definition and method of determination
Thiers, Ralph E.; Wu, Gaw T.; Reed, Allen H.; Oliver, Lawrence K.
Clin. Chem. (Winston-Salem, N. C.), 22(2), 176-83
1976 Language: Eng Ascension: 62

Database: CAS Reference No.: CA78(20):131792t
Concentration and analysis of trace volatile organics in gases and biological fluids with a new solid adsorbent
Zlatkis, A.; Lichtenstein, H. A.; Tishbee, A.
Chromatographia, 6(2), 67-70
1973 Language: Eng Ascension: 63

Database: CAS Reference No.: CA77(5):30119c
Collection and preservation of open ocean marine organisms for pollutant analysis
Grice, George D.; Harvey, George R.; Bowen, Vaughan T.; Backus, Richard H.
Bull. Environ. Contam. Toxicol., 7(2/3), 125-32
1972 Language: Eng Ascension: 64

Database: CAS Reference No.: CA76(2):6544w
Method for the storage of samples for dissolved gas analyses
Weimer, W. C.; Lee, G. Fred
Environ. Sci. Technol., 5(11), 1136-8
1971 Language: Eng Ascension: 65

Database: CAS Reference No.: CA68(10):42953x
Preservation of waste water samples prior to analysis
Loehr, Raymond C.; Bergeron, Bernard
Water Res., 1(8/9), 577-86
1967 Language: Eng Ascension: 66

Database: CAS Reference No.: CA66(21):94256a
Detection of phthalate esters as contaminants of lipid extracts from soil samples stored in standard soil bags
Bauman, Albert J.; Cameron, Ray E.
Lipids, 2(1), 85-6
1967 Language: Eng Ascension: 67

Database: NTIS Reference No.: 1263563 DE87004271
Storage and Preservation of Environmental Samples
193. national meeting of American Chemical Society, 5 Apr 1987
Maskarinec, M.P.; Moody, R.L.
Report No.: CONF-870410-11
1987 Language: Eng Ascension: 68

Database: NTIS Reference No.: 741179 ANL/EES-TM-
Sampling and sample handling procedures for Priority Pollutants in surface coal mining wastewaters.
Hayden, R. S.; Johnson, D. O.; Henricks, J. D.
Contract Number: W-31-109-ENG-38
1979 Language: Eng Ascension: 70

Database: NTIS Reference No.: 726117 PB-298 350/
Gas sample storage
Thrun, K. E.; Harris, J. C.; Beltis, K.
Report Number: EPA/600/7-79/095
1978 Language: Eng Ascension: 71

Database: NTIS Reference No.: 724610 ANL/EMR-3
Stability of extractable organic constituents in stored sample of gasification condensates inferred from comparisons of GC/MS Total Ion Chromatograms.
Raphaelian, L. A.; Harrison, W.
Contract Number: W-31-109-ENG-38
1979 Language: Eng Ascension: 72

Database: NTIS Reference No.: 548417 PB-260-638/
A survey of current literature on sampling, sample handling, and long term storage for environmental materials.
Maienthal, E. J.; Becker, D. A.
Report Number: NBS-TN-929
1976 Language: Eng Ascension: 73

Database: NTIS Reference No.: PB-259 946/2
Handbook for Sampling and Sample Preservation of Water and Wastewater.
Moser, J. H.; Huibregtse, K. R.
Report Number: EPA/600/4-76/049
1976 Language: Eng Ascension: 74

Database: WTR Reference No.: 178236 W86-00268
Addendum to Handbook for Sampling and Sample Preservation
Report Number: EPA-600/4-83-039
1983 Language: Eng Ascension: 75

Database: WTRRE Reference No.: 178166 W86-00198
Procedures for handling and chemical analysis of sediment and water samples.
Plumb, R. H.
Report Number: EPA/CA-81-1
1981 Language: Eng Ascension: 76

Database: WTRRE Reference No.: 588560 W88-01937
Chlorinated Hydrocarbons in biological sewage purification- Fate and difficulties in balancing.
Shroder, H. F.
Water Science and Technology WSTED4, Vol 19, No. 3/4, p 429-438,1987
1987 Language: Ascension: 78

Database: WTRRE Reference No.: 586875 W88-00797
Operating procedures and Quality Control Assurance Program for water quality monitoring network.
1984 Language: Eng Ascension: 79

Database: WTRRE Reference No.: 586639 W88-00018
Design of a ground-water sampler for collecting Volatile organics and dissolved gases in small-diameter wells.
Johnson, R. L.; Pankow, J. F.; Cherry, J. A.
Ground Water GRWAAP, Vol. 25, No. 4, p 448-454, July-August 1987.
1987 Language: Eng Ascension: 80

Database: WTRRE Reference No.: 577426 W87-00899
Sampling and analysis of subsurface water.
Hull, R. W.; Kharaka, Y. K.; Maest, A. S.; Fries, T. L.
First Canadian/American Conference on Hydrogeology. June 22-26, 1984,
1985 Language: Eng Ascension: 83

Database: WTRRE Reference No.: 574249 W86-03997
Field sampling and preparation of subsamples of Aquatic Organisms for analyses of Metals and Organochlorines.
Manual of Methods in Aquatic Environment Research, Part 9: Analyses of Metals and Organochlorines in Fish
Dybern, B. I.
1983. pp 1-13
1983 Language: Eng Ascension: 84

Database: WTRRE Reference No.: 179050 W86-01082
Rapid method for the analysis of Trihalomethanes in water.
Nicholson, B. C.; Bursill, D. B.; Couche, D. J.
Journal of Chromatography, Vol. 325, No 1, p221-230, May, 1985.
1985 Language: Eng Ascension: 85

Database: WTRRE Reference No.: 171505 W85-00701
Sampling for organic contaminants in groundwater.
Gibb, J. P.; Barcelona, M. J.
Journal of the american Water Works Association, Vol. 76, No. 5,
1984 Language: Eng Ascension: 86

Database: WTRRE Reference No.: 163263 W83-02038
Determination of Polynuclear Aromatic Hydrocarbons in industrial and municipal wastewaters.
Strup, P. E.
National Technical Information Service as PB82-258799
1982 Language: Eng Ascension: 87

Database: WTRRE Reference No.: 162792 W83-01568
Determination of Nitrosamines in industrial and municipal wastewaters.
Rhoades, J. W.; Thomas, R. E.; Johnson, D. E.
National Technical Information Service as PB82-199621.
1982 Language: Eng Ascension: 88

Database: WTRRE Reference No.: 162791 W83-01567
Determination of TCDD in industrial and municipal wastewaters.
Wong, A. S.
National Technical Information Service as PB82-196882.
1982 Language: Eng Ascension: 89

Database: WTRRE Reference No.: 162697 W83-01469
Report on quality of pesticide runoff data from the Soil and Water Management Research Unit, Riverside, CA.
Spencer, W. F.
Agricultural Reviews and Manuals ARM-W-31, Oakland, Calif.,
1982 Language: Eng Ascension: 90

Database: WTRRE Reference No.: 161529 W83-00292
Determination of Benzidines in industrial and municipal wastewaters.
Riggin, R. M.; Howard, C. C.
National Technical Information Service as PB82-196320.
1982 Language: Eng Ascension: 91

Database: WTRRE Reference No.: 158425 W82-04398
Determination of Haloethers in industrial and municipal wastewaters.
Sherman, P. L.; Kyne, J. M.; Gable, R. C.; Pustinger, J. V.; Mcmillin, C. R.
National Technical Information Service as PB81-123290.
1981 Language: Eng Ascension: 92

Database: WTRRE Reference No.: 157036 W82-02999
Determination of Phthalates in industrial and municipal wastewaters.
Rhoades, J. W.; Thomas, R. E.; Johnson, D. E.; Tillery, J. B.
National Technical Information Service as PB81-232167.
1981 Language: Eng Ascension: 93

Database: WTRRE Reference No.: 121089 W78-03979
Accuracy in trace analysis: Sampling, sample Handling, analysis.
Volume II.
National Technical Information Service as PB-258 092
1976 Language: Eng Ascension: 94

Database: WTRRE Reference No.: 100362 W76-09834
Determination, storage, and preservation of low molecular weight
Hydrocarbon gases in aqueous solution.
Shultz, D. J.; Pankow, J. F.; Tai, D. Y.; Stephens, D. W.;
Rathbun, R. E.
J. Res. U.S. Geol. Survery, 1976, 4(2), pp 247-251
1976 Language: Eng Ascension: 95

Database: WTRRE Reference No.: 041556 W72-07701
The P-Value approach to quantitative liquid-liquid extracton of
pesticides from water. 1. Organophosphates: Choice of pH and solvent
Suffet, I. H.; Faust, S. D.
Journal of Agricultural and Food Chemistry, Vol 20., No. 1.,p 52-56,
1972 Language: Eng Ascension: 96

Database: SCI Reference No.: 1668815
Contributions to ecological chemistry 134 fate of Aldrin-C-14-Derived
residues in soil and plant samples during deep-frozen storage for
5 to 7 years.
Kilzer, L.; Weisgerber, I.; Klein, W.; Korte, F.
Chemosphere, V6, N2-3, p 93-98, 1977.
1977 Language: Eng Ascension: 97

Database: BIO Reference No.: 0018216818
Storage of breath samples for H-2 analyses.
Ellis, C. J.; Kneip, J. M.; Levitt, M. D.
Gastroenterology 94(3). 1988. p 822-824.
1988 Language: Eng Ascension: 99

Database: BIO Reference No.: 0017732607
Fumigant residues in wheat and other cereal grains resulting from
the use of 1,1,1-Trichloroethane and Bromomethane as a liquid
fumigant mixture.
Scudamore, K. A.
Pestic. Sci. 20(1). 1987. p 1-18.
1987 Language: Eng Ascension: 100

Database: BIO Reference No.: 0017555417
Changes in oxygen carbon dioxide and ethylene mixtures stored in
plastic or glass Syringes.
Blankenship, S. M.; Hammett, L. K.
Hortscience 22(2). 1987. p 278-280.
1987 Language: Eng Ascension: 101

Database: ENV Reference No.: 1400906
Analysis of hydrocarbons and aquatic sediments. I. Sample handling and extraction.
Albaiges, J.; Grimalt, J.; Marfil, C.
Int. J. Environ. Anal. Chem. 1984, 18(3), p 183.
1984 Language: Eng Ascension: 103

Database: ENV Reference No.: 1012161
Studying dried, stored soil samples--some pitfalls.
James, B.; Bartlett, R.
Soil Science Society of America Journal, 1980, Vol. 44, No. 4,
1980 Language: Eng Ascension: 107

Database: COMP Reference No.: 01068317
Priority pollutants sample collection and handling.
Brantner, K. A.; Pojasek, R. B.; Stover, E. L.
Pollution Engineering, Vol. 13, No. 3(March), 1981, p. 34-38.
1981 Language: Eng Ascension: 111

Database: COM Reference No.: 01483111
Gas Chromatography accessory for handling samples.
Bryant, R. M.; Long, D. C.
IBM Technical Disclosure Bulletin, Vol. 25, No. 11B, April, 1983
1983 Language: Eng Ascension: 114

Database: COM Reference No.: 00613076
Storage of gas in sampling containers.
Selden, M. G.,Jr.
Pollution Engineering, Vol. 8, No. 11, November, 1976, p. 30-31.
1976 Language: Eng Ascension: 117

Database: COM Reference No.: 00585119
Use of carbon dioxide in sampling and preserving natural leachates.
Korte, N. E.; Niebla, E. E.; Fuller, W. H.
Journal Water Pollution Control Federation, Vol. 48, No. 5, May,
1976 Language: Eng Ascension: 118

Database: CAS Reference No.: CA105(12):107644b
Handling of environmental and biological samples via precolumn technologies.
Frei, R. W.; Nielen, M. W. F.; Brinkman, U. A. T.
Int. J. Environ. Anal. Chem., 25(1-3), 3-35.
1986 Language: Eng Ascension: 119

Database: CAS Reference No.: CA104(17):147251g
Samples used for interlaboratory studies of methods for pesticide residues analysis in foodstuffs.
Smart, N. A.
Residue Rev., 96,1-12
1985 Language: Eng Ascension: 120

Database: CAS Reference No.: CA101(12):97210h
Procedures for the collection and preservation of groundwater and surface water samples and for the installation of monitoring wells.
Korte, N.; Kearl, P.
Report, GJ/TMC-08;Order No. DE84007264,62 pp. Avail. NTIS
1984 Language: Eng Ascension: 121

Database: CAS Reference No.: CA97(12):103384k
The sampling, handling and storage of materials for trace analysis.
Moody, J. R.
Philos. Trans. R. Soc. London, Ser. A, 305(1491), 669-80
1982 Language: Eng Ascension: 122

Database: CAS Reference No.: CA96(2):11335w
Storage and filtration of water samples.
Casey, H.; Walker, S. M.
Int. Environ. Saf., (Oct.),16-17.
1981 Language: Eng Ascension: 123

Database: CAS Reference No.: CA95(20):180297v
Solid-surface sample handling techniques in organic trace analysis.
Frei, R. W.; Brinkman, U. A. T.
TrAC, Trends Anal. Chem. (Pers. Ed.),1(2), 45-51
1981 Language: Eng Ascension: 124

Database: CAS Reference No.: CA95(4):29929g
Sample handling as practiced in the water research center.
Wilson, I.
Methodol. Surv., 10 (Trace-Org. Sample Handl.), 76-85.
1981 Language: Eng Ascension: 125

Database: CAS Reference No.: CA93(5):38539r
Specimen bank research at the National Bureau of Standards to insure proper scientific protocols for the sampling, storage and analysis of environmental materials.
Gills, T. E.; Rood, H. L.
Monit. Environ. Mater. Specimen Banking, Proc. Int. Workshop, Meeting
1979 Language: Eng Ascension: 126

Database: CAS Reference No.: CA91(19):152099f
Problems in analytic methodology: sample handling, extraction, and cleanup.
Albro, P. W.
Ann. N. Y. Acad. Sci., 320, 19-27
1979 Language: Eng Ascension: 127

Database: CAS Reference No.: CA91(14):112053e
Manual of Methods: Preservation and Analysis of Coal Gasification Waste Waters.
Luthy, R. G.
(NTIS: Springfield, Va.), 53 p.
1977 Language: Eng Ascension: 128

Database: CAS Reference No.: CA87(2):10529q
A survey on current literature on sampling, sample handling, for environmental materials and long term storage.
Maienthal, E. J.; Becker, D. A.
Interface, 5(4), 49-62.
1976 Language: Eng Ascension: 129

Database: CAS Reference No.: CA75(3):19107k
Analytical diagnosis of pesticide poisoning. Collection, storage, and shipment of biological samples.
Morrison, G. C.; Durham, W. F.
J. Amer. Med. Ass., 216(2), 298-300.
1971 Language: Eng Ascension: 132

Database: Reference No.: 76-04238
The application of an integrated sample handling-analytical system to the determination of trace organics in H2O. in Abstracts of 1976 Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy: Abstracts.
Reves, P. D.
Pittsburgh, PA No. 271, 1976
1976 Language: Eng Ascension: 137

Database: Reference No.: 73-03716 73-5TA-00
Storing of air samples for the analysis of contaminats, especially of chlorinated hydrocarbons.
Drasche, H.
Staub, Reinhaltung der Luft. Duesseldorf, 32(9): 20-25, Sept, 1972.
1972 Language: Ger Ascension: 138

Database: Reference No.: 0530047
Improvements in sampling, storing and analysis of soil and air for gas-chromatography.
Bunting, B. T.;Campbell, J. A.
Canadian Journal of Soil Science, Vol. 55, No. 1, pp 69-71, 1975.
1975 Language: Eng Ascension: 139

Database: Reference No.: 1296589
Sampling and storage of samples for the gas-chromatographic determination of aromatic-hydrocarbons as microimpurities in gases.
Tsibulskee, V. V.; Tsibulskaya, I. A.; Yaglitskaya, N. N.
Journal of analytical chemistry of the USSR, Vol 34, No 7,
1979 Language: Eng Ascension: 140

Database: SCI Reference No.: 08842598
Fully automated sample handling-system for liquid-chromatography based on pre-column technology and automated cartridge exchange.
Nielen, M. W. F.; Valk, A. J.; Frei, R. W.; Brinkman, U. A. T.; Mussche, P.; Denijs, R.; Oooms, B.; Smink, W.
Journal of chromatography, Vol. 393, No. 1, P69-83, 1987.
1987 Language: Eng Ascension: 145

Database: SCI Reference No.: 08693218
Storage and preservation of environmental-samples.
Maskarinec, M. P.; Moody R. L.
Abstracts of papers of the American Chemical Society, Vol.193,p9,1987
1987 Language: Eng Ascension: 146

Database: SCI Reference No.: 06521296
Sample handling in chromatography.
Ziegelmeyer, A.
Trac-Trends in Analytical Chemistry, Vol. 3, No. 8, Pr 10, 1984.
1984 Language: Eng Ascension: 148

Database: CRC-2 Reference No.:
The gas chromatographic determination of organophosphorous pesticides. II A comparative study of hydrolysis rates.
Rusicka, J. H.; Thomson, J.; Wheals, B. B.
J. Chromatogr., 31, 37, 1967.
1976 Language: Eng Ascension: 149

Database: CRC-2 Reference No.:
Chemical and Photochemical Transforation of Selected Pesticides in Aquatic Systems.
Wolfe, N. L.; Zepp, R. G.; Baughman, G. L.; Fincher, R. C.
EPA-600/3-76-067
1976 Language: Eng Ascension: 152

Database: CRC-2 Reference No.:
Recovery, separation and identification of organic pesticides from natural and potable water.
Faust, S. D.; Suffect, I. H.
Residue Rev., 15, 44, 1966.
1966 Language: Eng Ascension: 153

Database: CRC-2 Reference No.:
Insecticides, Action and Metabolism.
O'Brien, R. D.
Academic Press, New York, 1967.
1967 Language: Eng Ascension: 154

Database: CRC-2 Reference No.:
Organonphosphorous Pesticides: Organic and Biological Chemistry
Eto, M.
CRC Press, Boca Raton, FLA., 1974
1974 Language: Eng Ascension: 155

Database: CRC-2 Reference No.:
Organophosphorous pesticides-A gas chromatographic screening technique based on detection of methylated hydrolysis products.
Askew, J.; Ruzicka, J. H. A.; Wheals, B. B.
J. Chromatogr., 41, 180, 1969.
1969 Language: Eng Ascension: 156

Database: CRC-2 Reference No.:
A method for confirmation of organophosphorous compounds at the residue level.
Shafik, M. T.; Rradway, D.; Enos, H. F.
Bull. Environ. Contam. Toxicol., 6, 55, 1971.
1971 Language: Eng Ascension: 157

Database: CRC-2 Reference No.:
Confirmation of pesticide residue identity. VIII. Organophophorous pesticides.
Cobourn, J. A.; Chau, A. S. Y.
J. Assoc. Off. Anal. Chem., 57, 1272, 1974.
1974 Language: Eng Ascension: 158

Database: CRC-2 Reference No.:
Guidelines on Sampling and Statistical Methodologies for Ambient Methodologies for Ambient Pesticide Monitoring.
1974 Language: Eng Ascension: 159

Database: CRC-2 Reference No.:
Water Sampling Techniques.
International Organization for Standardization
ISO/TC 147 on water quality, DP 5668, October 1974.
1974 Language: Eng Ascension: 160

Database: CRC-2 Reference No.:
Analytical considerations in determining residue of organochlorine insecticides in environmental samples.
Caro, J. H.
Breach Science Publishers, New York, 1971, 457.
1971 Language: Eng Ascension: 161

Database: CRC-2 Reference No.:
Methods for Collection and Analysis of Water Samples for Dissolved Minerals and Gases.
Brown, E.; Skougstad, M. W.; Fishman, M. J.
Tech. Water-Resour. Invest., K 5, 1970, 160.
1970 Language: Eng Ascension: 162

Database: CRC-2 Reference No.:
Methods for Collection and Analysis of Water Samples.
Rainwater, F. H.; Thatcher, L. L.
Water-Supply Paper, 1454, 1960, 301.
1960 Language: Eng Ascension: 163

Database: CRC-2 Reference No.:
Sampling and analysis of pesticides in the environment.
Ford, J. H.; McDaniel, C. A.; White, F. C.; Vest, R. E.;
Roberts, R. E.
J. Chromatogr. Sci., 13, 291, 1975.
1975 Language: Eng Ascension: 164

Database: CRC-2 Reference No.:
Extraction and analytical techniques for pesticides in soil, sediment and water.
Chesters, G.; Pionke, H. B.; Daniel, T. C.
Pesticides in Soil and Water, Guenzi, W. D.; Ed, 1974, chap 16
1974 Language: Eng Ascension: 165

Database: CRC-2 Reference No.:
Multiresidue analysis of 14 organophosphorous pesticides in natural water.
Ripley, B. D.; Wilkinson, R. J.; Chau, A. S. Y.
J. Assoc. Off. Anal. Chem., 57, 1033, 1974.
1974 Language: Eng Ascension: 166

Database: CRC-2 Reference No.:
Determination of fenitrothion, phosphamidon, and dimethoate in natural waters.
Ripley, B. D.; Hall, J.; Chau, A. S. Y.
Environ. Lett, 7, 97, 1974.
1974 Language: Eng Ascension: 167

Database: CRC-2 Reference No.:
Preservation of organophosphorus pesticides in water samples.
Bourne, S.
J. Environ. Sci. Health, B13, 75, 1978.
1978 Language: Eng Ascension: 168

Database: CRC-2 Reference No.:
Catalytic hydrolysis of some organic phosphate pesticides by copper(II).
Mortland, M. M.; Raman, K. Y.
J. Agric. Food Chem., 15, 163, 1967.
1967 Language: Eng Ascension: 169

Database: CRC-2 Reference No.:
Progress Report on the fate of Fenitrothion in Natural Water samples.
Guy, Z. J.; Mallet, V.
1976 Language: Eng Ascension: 170

Database: CRC-2 Reference No.:
Some conditions for use of macroreticular resins in the quantitative analysis of organic pollutants in water.
Stepan, S. F.; Smith, J. F.
Water Res., 11, 339, 1977.
1977 Language: Eng Ascension: 171

Database: CRC-2 Reference No.:
Evaluation of XAD-2 for multi-residue extraction of organochlorine pesticides and polychlorinated biphenyls from natural water.
Cobourn, J. A.; Valdmanis, I. A.; Chau, A. S. Y.
J. Assoc. Off. Anal. Chem., 60, 224, 1977.
1977 Language: Eng Ascension: 172

Database: CRC-2 Reference No.:
Use of macroreticular resins in the analysis of water for trace organic contaminants.
Junk, G. A.; Richard, J. J.; Grieser, M. D.; Witiak, J. L.; Arguello, M. D.; Vick, R.; Svec, H. J.; Fritz, J. S.; Colder, G. V.
J. Chromatogr., 99, 745, 1974.
1974 Language: Eng Ascension: 173

Database: CRC-2 Reference No.:
Analysis of various Iowa waters for selected pesticides: Atrazine, DDE and Dieldrin.
Richard, J. J.; Junk, G. A.; Avery, M. J.; Nehring, N. L.; Fritz, J. S.; Svec, H. J.
Pestic. Monit. J., 9, 117, 1975
1975 Language: Eng Ascension: 174

Database: CRC-2 Reference No.:
A comparitive study of the use of XAD-2 resin and the conventional serial solvent extraction procedure for the analysis of fenitrothion and some derivatives in water preservation techniques.
Maller, V. N.; Brun, G. L.; MacDonald, R. N.; Berkane, K.
J. Chromatogr., 160, 81, 1978
1978 Language: Eng Ascension: 175

Database: CRC-2 Reference No.:
Use of XAD-2 macroreticular resin for the recovery of the ambient trace levels of pesticides and industrial organic pollutants from water.
Rees, G. A. V.; Au, L.
Bull. Environ. Cont. Toxicol., 22, 561, 1979.
1979 Language: Eng Ascension: 176

Database: CRC-2 Reference No.:
Extraction of benzene hexachloride isomers from water samples using a macroreticular resin.
Yamato, Y.; Suzuke, M.; Watanabe, T.
J. Assoc. Off. Anal. Chem., 61, 1135, 1978.
1978 Language: Eng Ascension: 177

Database: CRC-2 Reference No.:
Use of Amberlite XAD-4 for extraction and recovery of chlorinated insecticides and polychlorinated biphenyl from water.
Musty, P. R.; Nickless, G.
J. Chromatogr., 89, 185, 1974.
1974 Language: Eng Ascension: 178

Database: CRC-2 Reference No.:
Adsortion of chlorinated pesticides from river water with XAD-2.
Richard, J. J.; Fritz, J. S.
Talanta, 21, 91, 1974.
1974 Language: Eng Ascension: 179

Database: CRC-2 Reference No.:
The use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water-a preservation technique.
Berkane, K.; Caisse, G. E.; Mallet, V. N.
J. Chromatogr., 139, 386, 1977.
1977 Language: Eng Ascension: 180

Database: CRC-2 Reference No.:
High-volume collection of atmospheric polychlorinated biphenyls.
Bidleman, T. F.; Olney, C. E.
Bull. Environ. Cont. Toxicol., 11, 442, 1974.
1974 Language: Eng Ascension: 181

Database: CRC-2 Reference No.:
The use of polyurethane foam plugs for extraction of polychlorinated biphenyl (PCB's) from natural waters.
Bedford, J. W.
Bull. Envrion. Cont. Toxicol., 12, 622, 1974.
1974 Language: Eng Ascension: 182

Database: CRC-2 Reference No.:
Field air sampling of pesticide vapors with polyurethane foam.
Turner, B. C.; Glotfelty, D. E.
Anal. Chem., 49, 7, 1977.
1977 Language: Eng Ascension: 183

Database: CRC-2 Reference No.:
Evaluation of polyurethane foam for sampling of pesticides, polychlorinated biphenyls and polychlorinated naphthalenes in ambient air.
Lewis, R. G.; Brown, A. R.; Jackson, M. D.
Anal. Chem., 49, 1668, 1977.
1977 Language: Eng Ascension: 184

Database: CRC-2 Reference No.:
Identification and estimation of neutral organic contaminants in potable water.
Burnham, A. K.; Calder, G. V.; Fritz, J. S.; Junk, B. A.; Svec, H. J.; Willis, R.
Anal. Chem., 44, 139, 1972.
1972 Language: Eng Ascension: 185

Database: CRC-2 Reference No.:
The extraction and recovery of phthalate esters from water using polyurethane plugs.
Gough, K. M.; Gesser, H. D.
J. Chromatogr., 115, 383, 1975.
1975 Language: Eng Ascension: 186

Database: CRC-2 Reference No.:
Extraction of organochlorine pesticides from water by porous polyurethane coated with selective absorbent.
Uthe, J. R.; Reinke, J.; Gesser, H.
Environ. Lett., 2, 117, 1972.
1972 Language: Eng Ascension: 187

Database: CRC-2 Reference No.:
Analysis of phosphorus monitoring hydrolytic products of organophosphorus insecticides in water.
Daughton, C. G.; Crosby, D. G.; Garnos, R. L.; Hsieh, D. P. H.
J. Agric. Food Chem., 24, 236, 1976.
1976 Language: Eng Ascension: 188

Database: CRC-2 Reference No.:
Clean-up and concentration of Environmental Samples for HPLC.
Wolkoff, A.; Creed, C.
1979 Language: Eng Ascension: 189

Database: CRC-2 Reference No.:
High performance liquid chromatography in environmental analysis.
Werner, W.
Anal. Abstr., 36, 4H30, 1979.
1979 Language: Eng Ascension: 190

Database: CRC-2 Reference No.:
Pesticide stability in cold-stored plant parts, soil and dairy products, and in cold-stored extractive solutions.
Kawar, N. S.; de Batista, G. C.; Gunther, F. A.
Residue Rev., 48, 45, 1973.
1973 Language: Eng Ascension: 194

Database: CRC-2 Reference No.:
Thin-layer chromatographic-enzymatic inhibition procedure to screen for organophosphorus pesticides in plant extracts without elaborate clean-up.
Mendoza, C. E.; Wales, P. J.; McLeod, N. A.; McKinley, W. P.
Analyst(London), 93, 173, 1968.
1968 Language: Eng Ascension: 195

Database: CRC-2 Reference No.:
Stability of Pesticides Extracting Solvents.
Robinson, P.
1979 Language: Eng Ascension: 196

Database: CRC-2 Reference No.:
Stability of Pesticides in Extracting Solvent
Proceedings of Annual Western Canada Pesticide Residue Workshop
Edmonton, Alberta, 1978
Naftel, C.; Robinson, P.; Salahub, E.; Wong, M.
1978 Language: Eng Ascension: 197

Database: CRC-2 Reference No.:
Stability of Pesticides in Plant Extract during Storage.
Proceedings of 10th Eastern Canada Pesticide Residue Workshop
Halifax, Nova Scotia, 1978
Naftel, C.; Salahub, E.
1978 Language: Eng Ascension: 198

Database: CRC-2 Reference No.:
Pesticides in selected streams.
Manigold, D. B.; Schulze, J. A.
Pest. Monit. J., 3, 124, 1969.
1969 Language: Eng Ascension: 200

Database: CRC-2 Reference No.:
Dynamics of 2,4-D esters in surface waters: hydrolysis, photolysis, and vaporization.
Zepp, R. G.; Wolf, N. L.; Gordon, J. A.; Baughman, G. L.
Environ. Sci. Technol., 9, 1144, 1975.
1975 Language: Eng Ascension: 201

Database: CRC-2 Reference No.:
Investigations of the integrity of seven herbicidal acids in water samples.
Chau, A. S. Y.; Thomson, K.
J. Assoc. Off Anal. Chem., 61, 1481, 1978.
1978 Language: Eng Ascension: 202

Database: CRC-3 Reference No.:
Residues of Sevin on and in lemons and oranges.
Gunther, F. A.; Blinn, R. C.; Carman, G. E.
J. Agric. Food Chem., 10, 222, 1962.
1962 Language: Eng Ascension: 204

Database: CRC-3 Reference No.:
Guideline on Sampling and Statistical Methodologies for Ambient Pesticide Monitoring.
October, 1964.
1964 Language: Eng Ascension: 205

Database: CRC-3 Reference No.:
Guidelines on Analytical Methodology for Pesticide Residue Monitoring.
June, 1975.
1975 Language: Eng Ascension: 206

Database: CRC-3 Reference No.:
Standard Methods for the Examination of Water and Waste Water.
Taras, M. J., Greenberg, A. E.; Hoak, R. D.; Rand, M. C., Eds.
American Public Health Association, Washington D.C., June, 1971
1971 Language: Eng Ascension: 207

Database: CRC-3 Reference No.:
Sample Preparation. in
Analytical Methods for Pesticides and Plant Growth Regulators, Vol 6
Zweig, G.; Sherma, J.
Academic Press, New York, 1972. Chapter 1
1972 Language: Eng Ascension: 208

Database: CRC-3 Reference No.:
Stability of pesticides in extracting solvent.
proceedings of 11th Eastern Canada Pesticide Residue Workshop
Guelph, Ontario, May 1979.
Naftel, C.; Robinson, P.; Salahub, E.; Wong, M.
1979 Language: Eng Ascension: 210

Database: CRC-3 Reference No.:
Removal of DDT, malathion, and carbaryl from tomatoes by commercial and home preparative methods.
Farrow, R. P.; Lamb, F. C.; Cook, R. W., Kimball, J. R.; Elkins, E. R.
J. Agric. Food Chem., 16, 65, 1968.
1968 Language: Eng Ascension: 211

Database: CRC-3 Reference No.:
Removal of DDT, malathion, and carbaryl from green beans by commercial and home preparative procedures.
Elkins, E. R.; Lamb, F. C.; Farrow, R. P.; Cook, R. W.; Kawai, M.; Kimball, J. R.
J. Agric. Food Chem., 16, 962, 1968.
1968 Language: Eng Ascension: 212

Database: CRC-3 Reference No.:
Dislodgeable and total residues of methomyl on mint foliage.
Kiigemagi, U.; Deinzer, M. L.
Bull. Environ. Contam. Toxicol., 22, 517, 1979.
1979 Language: Eng Ascension: 213

Database: CRC-3 Reference No.:
Stability of isopropyl N-phenylcarbamate (IPC) and isopropyl N-(3-chlorophenyl) carbamate (CIPC) residues on fruit treated after harvest.
Koivistoinen, P.; Karinpaa, A.
J. Agric. Food Chem., 13, 459, 1965.
1965 Language: Eng Ascension: 214

Database: Reference No.:
Preservation of Organics - Part III: Stability of Chlorophenols in Preserved Fish Homogenates
Li, W.C.; Lee, H.B.; Chau, A.S.Y.
NWRI Contribution No. 87-125
1987 Language: Eng Ascension: 215

Database: Reference No.:
Preservation of Organics - Part I: Stability of Organochlorinated Insectivides in Preserved Natural Waters
Lee, H.B.; Leishman, P.D.; Todd, S.; Chau, A.S.Y.
NWRI Contribution No. 86-219
1987 Language: Eng Ascension: 216

Database: Reference No.:
Preservation of Organics
Lee, H.B.; Arafat, N.; Chau, A.S.Y.
NWRI Contribution No. 86-219
1986 Language: Eng Ascension: 217

Database: Reference No.:
Preservation of Organics. Part II Stability of Chlorophenols in Preserved Natural Water Samples
Lee, H.B.; Stokker, Y.D.; Arafat, N.; Chau, A.S.Y.
NWRI Contribution No. 87-123
1987 Language: Eng Ascension: 218

Database: Reference No.:
Stability of Hydrocarbon Samples on Solid-Phase Extraction Columns
Green, David R.; Le Pape, Donna
Anal. Chem. 1987,59,699-703
1987 Language: Eng Ascension: 219

Database: Reference No.:
Monitoring dioxins and furans in precipitation samples
Tashiro, C.; Clemet, R.E.; Lusis, M.; Orr, D.; Reid, N.
Ontario Ministry of the Environment
Language: Eng Ascension: 220

Database: Reference No.:
Project proposal for studying Lake Trout rate of change of PCB levels over one year in Lake Trout fillets frozen at -20 deg C and -70 deg C
Lieberstein, Lee
Unpublished Data
1989 Language: ENG Ascension: 221

Database: Reference No.:
Bioligical Tissue Archive Studies: Canadian Technical Report of Fisheries and Aquatic Sciences No. 1497, Dec 1986
Wyatt, W.H.; Fitzsimons, J.H.; Keir, M.J.; Whittle D.M
Canadian Technical Report of Fisheries and Aquatic Sciences No. 1497
1986 Language: ENG Ascension: 222

Database: Reference No.:
Long-term Preservation of Egg and Tissue Homogenates for Determination of Organochlorine Compounds: Freezing Versus Freeze-Drying
Norstrom, Ross J.; Won, Henry T.
J. Assoc. Off. Anal. Chem. vol 68, p.129-135, 1985
1985 Language: ENG Ascension: 223

Database: Reference No.:
International Review of Environmental Specimen Banking
Wise, Stephen A.; Zeisler, Rolf
NBS special publication 706
1985 Language: ENG Ascension: 224

Database: Reference No.:
Progress in Environmental Specimen Banking
Wise, Stephen A.; Zeisler, Rolf; Goldstein, George M.
NBS special publication 740
1985 Language: ENG Ascension: 225

Database: Reference No.:
Guidelines for Environmental Specimen Banking with Special Reference to the Federal Republic of Germany: Ecological and Managerial Aspects
Lewis, Robert A. et. al.
U.S. MAB report no. 12
1987 Language: ENG Ascension: 226

Database: Reference No.:
CRC Handbook of Analysis of Pesticides in Water Volume 1
Chau, A.S.Y.; Afghan, B.K.
1977 Language: ENG Ascension: 227

Database: Reference No.:
CRC Handbook of Analysis of Pesticides in Water Volume 2
Chau, A.S.Y.; Afghan, B.K.
1977 Language: ENG Ascension: 228

Database: Reference No.:
CRC Handbook of Analysis of Pesticides in Water Volume 3
Chau, A.S.Y; Afghan, B.K.
1977 Language: ENG Ascension: 229

Database: Reference No.:
Removal of Wood-Derived Toxics From Pulping and Bleaching Wastes
Easty, Dwight B.; Borchardt, LeRoy G.; Wabers, Bette A.
EPA-600/2-78-031 February 1978
1978 Language: Eng Ascension: 230

Database: Reference No.:
Analysis of Waste Waters for PAH II: Errors, Sampling and Storage.
Bedding, N.D.; McIntyre, A.E.; Lester, J.N.; and Perry R.
J. of Chromat. Sci., Vol 26, p606
1988 Language: eng Ascension: 231

Database: Reference No.:
Determination of Selected Neutral Priority Organic Pollutants in Marine Sediment Tissues and Reference Material Utilizing Bonded Phase Sorbents.
Ozretich, R.J.; and Schroeder, W.P.
Anal. Chem. vol 58, p2041-2048
1986 Language: Eng Ascension: 232

Database: Reference No.:
Stability of Hydrocarbon Sampleson Solid Phase Extraction Columns.
Green, David R.; and LePape Donna
Anal. Chem. vol 59 p699
1987 Language: Eng Ascension: 233

Database: Reference No.:
Analysis of Explosives in Water by Capillary Gas Chromatography
Belkin, Frederick; Bishop, Richard W.; Sheely, Michael V.
J. Chromato. Sci., vol 24, p532
1985 Language: Eng Ascension: 234

Database: Reference No.:
Accuracy of Pesticide Reference Standard Solutions. Part II - Chemical Stability Under Four Storage Conditions.
Hodgson, David W.; Thompson, John F.; and Watts, Randall R.
J. Assoc. Off. Anal. Chem., vol 65, p94
1982 Language: Eng Ascension: 235

Database: Reference No.:
Decomposition of Thiophanate-methyl in Grape Homogenate
Shiga, Naofumi; Matano, Osami; and Goto, Shinko
J. Pest. Sci., vol 10, p713-720
1985 Language: Eng Ascension: 236

Database: Reference No.:
Storage Stability of Pesticide Residues.
Egli, Hans
J. Agric. Food Chem., vol 30, p861-866
1982 Language: Eng Ascension: 237

Database: Reference No.:
Environmental Specimen Bank for the Plant Soil System: Opportunity to Store Contaminated Samples Unchanged Over Many Years. Results of a Pilot Study.
Strupp, D.; Klussmann, U.; and Ebing, W.
Fresenius Z. Anal. Chem., vol 322, p747-751
1985 Language: Eng Ascension: 243

Database: Reference No.:
Use of Hexane for the Quantitative Recovery of Organophosphorus Pesticides from Aqueois Solution. A Field Method and a Preservation Technique.
Blanchet, P.F.
J. of Chromat. Sci., vol 179, p123-129
1979 Language: Eng Ascension: 247

Database: Reference No.:
Residues in Water. Distribution of Pesticides and Polychlorinated Biphenyls in Water, Sediments, and Seston of the Upper Great Lakes - 1974.
Glooschenko, W.A.; Strachan, W.M.J.; and Sampson, R.C.J.
Pesticides Monitoring Journal, vol 10, p61.
1976 Language: ENg Ascension: 258

Database: Reference No.:
Simplified Method for Liquid Chromatographic Determination of Carbofuran in Soils.
Lauren, Denis R.
J. Assoc. Off. Anal. Chem., vol 67, p655
1984 Language: Eng Ascension: 265

Database: Reference No.:
Effect and Persistence of Selected Carbamate Pesticides in Soil.
Rajagopal, B.S.; Brahmaprakash, G.P.; Reddy, B.R.; Singh, U.D.; and Sethunathan, N.
Residue Reviews, vol.93, Springer-Verlag, N.Y.
1984 Language: Eng Ascension: 301

Database: Reference No.:
Evaluation of EPA Method 8120 for Determination of Chlorinated Hydrocarbons in Environmental Samples.
Lopez-Avila, Vibrica; Dodhiwala, N.S.; Milanes, June; and Beckert, Werner F.
J. Assoc. Off. Anal. Chem., vol 72, p593
1989 Language: Eng Ascension: 302

Database: Reference No.:
Changes in the Residues of Chlorinated Pesticides in Long Stored Tinned Food.
Garcar, J.; Hrusovsky, J; and Smirjak, M.
Veternarian Med. (Praha), vol 32, p547-555
1987 Language: Cze Ascension: 307

Database: Reference No.:
Survey of Trace Elements and Pesticide Residues in the New Zealand Diet. 2 - Organochlorine and Organophosphorus Pesticide Residue Content.
Dick, G.L.; Heenan, M.P.; Love, J.L.; Udy, P.B.; and Davidson, Flora
N.Z. Journal of Science, vol 21, p71
1978 Language: Eng Ascension: 313

Database: Reference No.:
Determination of Fenitrothion, Phosphamidon and Dimethoate in Natural Water.
Ripley, Brian D.; Hall, Janice A.; and Chau, Alfred S.Y.
Enviromental Letters, vol 7, p97
1974 Language: Eng Ascension: 314

Database: Reference No.:
A Radiochemical and Gas-Chromatographic Study of the Determination of Dichlorvos Residues in Stored Grain.
Hoodless, Richard A.; Jackson, Frank J.; Tarrant, Kenneth R; and Griffiths, Brenda E.
Pesticide Sci., vol 5, p555-559
1974 Language: End Ascension: 315

Database: Reference No.:
Chlorpyrifos Applied to California Citrus: Residue Levels on Foliage and on and in Fruit.
Iwata, Yutaka; O'Neal, Janet R.; Barkley, James h.; Dinoff, Travis M.; and Dusch, Margarete E.
J. Agric. Food Chem., vol 31, p603
1983 Language: Eng Ascension: 316

Database: Reference No.:
Residues of Fensulfothion in Selected Vegetable Crops.
Stein, Eduardo R.; Heald, Charles M.; and Murray, Amelia T.
J. Agric. Food Chem., vol 28, p164
1980 Language: Eng Ascension: 317

Database: Reference No.:
Study on the Stability of Leptophos in Water Under Laboratory Conditions.
Riskallah, M.R.; El-Sayed, M.M.; and Hindi, S.A.
Bull. Environm. Contam. Toxicol., vol 23, p607
1979 Language: Eng Ascension: 318

Database: Reference No.:
Long Term Preservation of Egg and Tissue Homogenates for Determination of Oganochlorine Compounds: Freezing vs Freeze Drying.
Norstrom, Ross J.; Won, Henry T.
J. Assoc. Off. Anal. Chem, vol 68, p.129
1985 Language: eng Ascension: 321

Database: Reference No.:
The Application of Solid Phase Extraction (SPE) to the Analysis of Polyaromatic Hydrocarbons (PAHs) in Water. FINAL REPORT
Paracel Laboratories Ltd
Final Report - Contract A02674
1989 Language: eng Ascension: 322

Database: Reference No.:
Apparent reaction products desorbed from TENAX used to sample ambient air.
Walling, J.F.; Bumgarner, J.E.; Driscoll, D.J.; Morris, C.M.; Riley, A.E.; and Wright L.H.
Atmoshperic Environment, vol 20, pp 51-57,
1986 Language: eng Ascension: 323

Database: Reference No.:
The utility of distributed air volume sets when sampling ambient air using solid adsorbents.
Walling, J.F.
Atmospheric Environment, vol 18., pp 855,
1984 Language: eng Ascension: 324

Database: Reference No.:
Update on canister-based samplers for VOCS
McClenny, William A.; Pleil, Joachim D.; Lumpkin, Thomas A.; and Oliver, Karen D.
1987 EPA/APCA Symposium on Measurement of Toxic and Related Air Poll.
1987 Language: eng Ascension: 325

APPENDIX F - List of Compound Classes and Matrices.

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Neutral Chlorinated Extractables

NAME	CAS Registry No.
alpha-BHC	319846
beta-BHC	319857
delta-BHC	319868
gamma-BHC	58-89-9
aldrin	309002
a-chlordane	5103-71-9
g-chlordane	5103-74-2
p,p'-ddd	72548
p,p'-dde	72559
o,p'-ddt	789026
4,4'-ddt	50293
dieldrin	60571
2,8-dih-mirex	2385-85-5
alpha-endosulfan (Endosulfan I)	959988
beta-endosulfan (Endosulfan II)	33213659
endosulfan sulfate	1031078
endrin	72208
heptachlor	76448
heptachlor epoxide	1024573
hexachlorobenzene	118741
hexachlorobutadiene (HCBD)	87683
hexachlorocyclopentadiene	77474
hexachloroethane	67721
methoxychlor (DMDT)	72435
nonachlor	39765-80-5
octachlorostyrene	29082744
oxychlordane	27304-13-8
pentachlorobenzene	608935
1,2,3,4-tetrachlorobenzene	634662
1,2,3,5-tetrachlorobenzene	634902
1,2,4,5-tetrachlorobenzene	95943
total pcbs	TOTALPCB
toxaphene	8001352
1,2,3-trichlorobenzene	87616
1,2,4-trichlorobenzene	120821
1,3,5-trichlorobenzene	108703
2,3,6-trichlorotoluene	2077465
2,4,5-trichlorotoluene	6639301
a,2,6-trichlorotoluene	2014837

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Volatile Organics - Sulphur Compounds

NAME	CAS Registry No.
carbonyl sulphide (carbonyl disulphide)	463581
dimethyl disulphide	624920
dimethyl sulphide	75183
methyl mercaptan	74-93-1
ethyl mercaptan	75-08-1
hydrogen sulphide	7783064
thiophene	110021

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Volatile Organics - Non-halogenated

NAME	CAS Registry No.
benzene	71432
butane	106978
n-butylbenzene	104518
n-butylcyclohexane	1678939
cyclohexane	110827
cyclohexene	110838
cyclopentane	287923
decane	124185
1,2-diethylbenzene	135013
1,3-diethylbenzene	141935
1,4-diethylbenzene	105055
2,2-dimethylbutane	75832
2,3-diemthylbutane	79298
cis-1,2-dimethylcyclohexane	27195-67-1
2,5-dimethylhexane	592132
2,3-dimethylpentane	565593
ethane	74840
ethylbenzene	100414
ethylcyclohexane	1678917
ethylene	74851
2-ethyltoluene	611143
3-ethyltoluene	620144
4-ethyltoluene	622968
heptane	142825
1-heptene	592767
hexane	110543
1-hexene	592416
indan	496117
isoprene	78795
isopropylbenzene	98828
1-isopropyl-4-methylbenzene	1Ip4MePh
methane	74828
4-methyl-1-pentene	691372
2-methyl-2-butene	513359
methylcyclohexane	108872
4-methylcyclohexene	591479
methylcyclopentane	96377
methyl ethyl ketone	78933
2-methylhexane	591764
3-methylhexane	589344
2-methyloctane	03221-61-2
4-methyloctane	02216-34-4
2-methylpentane	107835
3-methylpentane	96140
3-methyl-1-pentene	760203
nonane	111842
1-nonene	124118
octane	111659
pentane	109660
1-pentene	109671
cis-2-pentene	cis-2-pen

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Volatile Organics - Non-halogenated

NAME	CAS Registry No.
trans-2-pentene	25377724
propane	74986
n-propylbenzene	103651
styrene	100425
1,2,3,5-tetramethylbenzene	527537
toluene	108883
trans-2-heptene	14686136
trans-3-hexene	13269528
trans-2-octene	13389429
trans-4-octene	14850238
1,2,3-trimethylbenzene	526738
1,3,5-trimethylbenzene	108-67-8
2,2,4-trimethylpentane	540841
undecane	1120214
o-xylene	95476
m-xylene	108383
p-xylene	106423

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Volatile Organics - Halogenated

NAME	CAS Registry No.
dichlorobromomethane	75274
1-bromobutane	109659
bromoform	75252
bromomethane	74839
carbon tetrachloride	56235
chlorobenzene	108907
1-chlorobutane	109693
2-chlorobutane	78864
chlorodibromomethane	124481
chloroform	67663
1-chlorohexane	544105
chloromethane	74873
3-chloro-2-methylpropene	563473
1-chloropentane	543599
3-chloropropene	590216
2-chlorotoluene	95498
3-chlorotoluene	108418
4-chlorotoluene	106434
dibromomethane	74953
1,2-dichlorobenzene	95501
1,3-dichlorobenzene	541731
1,4-dichlorobenzene	106467
1,4-dichlorobutane	110565
1,1-dichloroethane	75343
1,2-dichloroethane	107062
1,2-trans-dichloroethylene	156605
1,1-dichloroethylene	75354
1,2-cis-dichloroethylene	156592
1,5-dichloropentane	628762
1,2-dichloropropane	78875
2,3-dichloropropene	78886
cis-1,3-dichloropropylene	542756
trans-1,3-dichloropropylene	10061026
ethylene dibromide	106934
dichloromethane	75092
1,1,2,2-tetrachloroethane	79345
tetrachloroethene	127184
1,1,1-trichloroethane	71556
1,1,2-trichloroethane	79005
trichloroethylene	79016
trichlorofluoromethane	75694
1,2,3-trichloropropane	96184
total THM's	TOT_THM
vinyl chloride	75014

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Resin and Fatty Acids

NAME	CAS Registry No.
abietic acid	514103
arachidic acid	506309
benzoic acid	65850
capric acid	334-48-3
chlorodehydroabietic acid	57055386
dehydroabietic acid	1740198
dichlorodehydroabietic acid	C12DEHABA
9,10-dichlorostearic acid	C12_STEAR
isopimaric acid	5835267
lauric acid	143077
levopimaric acid	79549
linoleic acid	60333
linolenic acid	463401
myristic acid	544638
neoabietic acid	471772
oleic acid	112801
palmitic acid	57103
palustric acid	1945535
phthalic acid	88993
pimaric acid	127275
salicylic acid	69727
sandaracopimaric acid	471749
stearic acid	57114

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Chlorinated Dibenzo-p-dioxins and Dibenzofurans

NAME	CAS Registry No.
chlorodibenzo-p-dioxin, octa	3268-87-9
total chlorodibenzo-p-dioxins, hexa	HEXA-CDD
total chlorodibenzo-p-dioxins, tetra	TETRA-CDD
total chlorodibenzo-p-dioxins, hepta	HEPTA-CDD
total chlorodibenzo-p-dioxins, penta	PENTA-CDD
2,3,7,8-Tetrachloro-p-dioxin	1746-01-6
chlorodibenzofuran, octa	39001-02-0
chlorodibenzofuran, 2,3,4,7,8-penta	57117314
chlorodibenzofuran, 1,2,3,7,8-penta	57117916
total chlorodibenzofurans, hepta	HEPTA-CDF
total chlorodibenzofurans, hexa	HEXA-CDF
total chlorodibenzofurans, penta	PENTA-CDF
total chlorodibenzofurans, tetra	TETRA-CDF

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Carbamate Pesticides

NAME	CAS Registry No.
aminocarb	2032-59-9
barban	101279
benomyl (benilate)	17804352
butylate	2008415
Bux (Bufencarb)	8065-36-9
captan	133062
carbaryl	63252
carbofuran	1563662
diallate	2303164
eptam	759-94-4
isopropyl-n-phenylcarbamate (IPC)	122-42-9
isopropyl-n-(m-chlorophenyl)carbamate (CIPC)	101-21-3
propoxur	114261

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Phenyl Urea Pesticides

NAME	CAS Registry No.
chlorbromuron	13360-45-7
chlortoluron	15545-48-9
difenoxuron	14214-32-5
diuron	330541
fluometuron	2164172
linuron	330552
patoran (metobromuron)	3060897
metoxuron	19937-59-8
monolinuron	1746-81-2
monuron	150685
neburon	555373
siduron	1982496

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Triazine Herbicides

NAME	CAS Registry No.
alachlor	15972608
ametryne	834128
atraton	1610-17-9
atrazine	1912249
cyanazine (bladex)	21725462
metolachlor	51218452
metribuzin (sencor)	21087649
prometron	1610-18-0
prometryne	7287196
propazine	139402
simazine	122349

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Organophosphorus Pesticides

NAME	CAS Registry No.
chlorpyriphos (dursban)	2921882
diazinon	333415
dichlorvos	62737
ethion	563122
guthion (azinphos-methyl)	86500
malathion	121755
methyl parathion	298000
methyl trithion (methyl cartophenothion)	953-17-3
mevinphos	7786347
ethyl parathion	56382
phorate	298022
reldan (methyl chlorpyriphos)	5598-13-0
ronnel (fenchlorphos)	299843

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Base-Neutral Extractable Compounds

NAME	CAS Registry No.
acenaphthene	83329
acenaphthylene	208968
anthracene	120127
benz(a)anthracene	56553
benzo(b)anthracene	B[b]ANTHR
benzo(b)chrysene	214175
benzo(j)fluoranthene	205823
benzo(k)fluoranthene	207089
benzo(b)fluoranthene	205992
benzo(a)fluorene	238846
benzo(b)fluorene	30777196
benzo(g,h,i)perylene	191242
benzo(e)pyrene	192972
benzo(a)pyrene	50328
biphenyl	92524
bis(2-chloroethoxy)methane	111911
bis(2-chloroethyl)ether	111444
bis(2-chloroisopropyl)ether	108601
4-bromophenyl phenyl ether	101553
benzyl butyl phthalate	85687
camphene	5794-03-7
2-chloronaphthalene	91587
1-chloronaphthalene	90131
4-chlorophenylphenyl ether	7005723
chrysene	218019
coronene	191071
dibenz(ab)anthracene	DB[ab]AN
dibenz(ac)anthracene	DB[ac]AN
dibenz(a,h)anthracene	53703
dibenz(a,e)pyrene	192654
di-n-butylphthalate	84742
dimethylbenz(a)anthracene	57976
2,4-dinitrotoluene	121142
2,6-dinitrotoluene	606202
di-n-octylphthalate	117840
diphenylamine	122394
di-phenyl ether	101848
bis-(2-ethylhexyl)-phthalate	117817
fluoranthene	206440
fluorene	86737
indeno(1,2,3-cd)pyrene	193395
indole	120729
2-methylanthracene	613127
3-methylchloranthrene	56-49-5
1-methylnaphthalene	90120
2-methylnaphthalene	91576
1-methylphenanthrene	832699
9-methylphenanthrene	883-20-5
naphthalene	91203
5-nitro acenaphthene	602879
n-nitrosodiphenylamine	86306

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Base-Neutral Extractable Compounds

NAME	CAS Registry No.
n-nitroso-di-n-propylamine	621647
perylene	198550
phenanthrene	85018
picene	213467
pyrene	129000
quinoline	91225
p-terphenyl	92-94-4
o-terphenyl	84-15-1
m-terphenyl	92-06-8
tetralin	119642
triphenylene	217594

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Acid Extractables - Phenoxy Acid Herbicides

NAME	CAS Registry No.
dicamba	1918009
2,4-dichlorophenoxy-acetic acid (2,4-D)	94757
2,4-dichloro-4-phenoxybutyric acid (2,4-DB)	94826
dichloroprop (2,4-DP)	120365
picloram	1918-02-1
silvex	93721
2,4,5-trichlorophenoxy acetic acid (2,4,5-T)	93-76-5

ENVIROCLEAN - A Unit of Lavalin Engineers Inc.
Project 52709-A1-000000 Trace Organics Sample Stability Study
Compound List

Compound Class: Acid Extractables - Phenolics

NAME	CAS Registry No.
acetosyringone	2478388
acetovanillone	498022
4-chloro-3-methylphenol	59507
3-chlorophenol	108430
2-chlorophenol	95578
4-chlorophenol	106489
m-cresol	108394
o-cresol	95487
p-cresol	106445
2,4-dichlorophenol	120832
3,4-dichlorophenol	95772
2,5-dichlorophenol	583788
2,3-dichlorophenol	576249
3,5-dichlorophenol	591355
2,6-dichlorophenol	87650
2,4-dimethylphenol	105679
4,6-dinitro-o-cresol	534521
2,4-dinitrophenol	51285
guaiacol	90051
2-nitrophenol	88755
4-nitrophenol	100027
pentachlorophenol	87865
phenol	108952
syringaldehyde	134963
2,3,4,5-tetrachlorophenol	4901513
2,3,4,6-tetrachlorophenol	58902
2,3,5,6-tetrachlorophenol	935955
2,3,4-trichlorophenol	15950660
2,3,5-trichlorophenol	933788
2,3,6-trichlorophenol	933755
2,4,5-trichlorophenol	95954
2,4,6-trichlorophenol	88062
3,4,5-trichlorophenol	609198
homovanillic acid	306-08-1
vanillin	121335